



US00D975088S

(12) **United States Design Patent**
Marc et al.

(10) **Patent No.:** **US D975,088 S**
(45) **Date of Patent:** **** Jan. 10, 2023**

(54) **COMPUTER CASING**

2219/1101; G05B 2219/1108; G05B
2219/31457; G06F 1/181; G06F 1/182;
G06F 1/183

(71) Applicant: **KEYPROD**, Paris (FR)

See application file for complete search history.

(72) Inventors: **Damien Jacky Marc**, Blandy (FR);
Jérémy Jacques Charles Augais,
Crosnes (FR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

(21) Appl. No.: **35/513,037**

(22) Filed: **Sep. 2, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **Sep. 2, 2021**
Int. Reg. No.: **DM/216383**
Int. Reg. Date: **Sep. 2, 2021**
Int. Reg. Pub. Date: **Oct. 1, 2021**

(30) **Foreign Application Priority Data**

Mar. 4, 2021 (EM) 8451330-0001
Mar. 4, 2021 (EM) 8451330-0002

(51) **LOC (14) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/356; D10/46**

(58) **Field of Classification Search**
USPC D14/356, 357, 358, 348, 383-385, 388,
D14/389, 390, 432, 439, 440, 300-302,
D14/314, 218, 125, 155, 496, 240-242,
D14/299; D13/123, 184, 199, 162, 162.1;
D10/46, 49, 52, 53, 75, 96, 97, 99, 102,
D10/104.1, 106.1, 106.6, 106.9, 106.95,
D10/65; D15/28, 78, 138, 144, 145, 199
CPC H04W 68/02; H04W 8/22; H04W 8/24;
H04W 8/245; G05B 23/00; G05B 23/02;
G05B 23/0205; G05B 23/0259; G05B
23/0267; G05B 23/027; G05B 23/0272;
G05B 23/0286; G05B 23/0294; G05B
19/048; G05B 19/406; G05B 19/41805;
G05B 19/4185; G05B 2219/00; G05B

D249,791 S *	10/1978	Ainscow	D13/184
D278,210 S *	4/1985	Tsuyama	D10/46
D304,929 S *	12/1989	Bench	D13/126
D307,262 S *	4/1990	Abe	D13/162.1
D307,416 S *	4/1990	Abe	D13/162.1
D307,576 S *	5/1990	Abe	D13/162.1
D313,973 S *	1/1991	Walker	D13/168
D316,375 S *	4/1991	Tiedemann	D13/184
D348,254 S *	6/1994	Ratzlaff	D14/348
D400,512 S *	11/1998	Korhonen	D13/184
D426,204 S *	6/2000	Maio	D24/186
D445,789 S *	7/2001	Zmehrir	D14/356
D524,665 S *	7/2006	Taisto	D10/65
D554,630 S *	11/2007	Ma	D14/240
D554,640 S *	11/2007	Ponnert	D14/388
D580,931 S *	11/2008	Chang	D14/356
D585,778 S *	2/2009	Weinschenk	D10/65
D596,175 S *	7/2009	Viertola	D14/371

(Continued)

Primary Examiner — Marie D. Fast Horse



(57) **CLAIM**

The ornamental design for a computer casing, as shown and described.

DESCRIPTION

Figure 1.1 is a perspective view from above of a computer casing showing our new design;
Figure 1.2 is a top plan view thereof;
Figure 1.3 is a bottom plan view thereof;
Figure 1.4 is a rear perspective view thereof;
Figure 1.5 is a right side elevational view thereof;
Figure 1.6 is a front side elevational view thereof; and
Figure 1.7 is a rear elevational view thereof.

1 Claim, 7 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


D603,278 S * 11/2009 Jerbi D10/65
D603,279 S * 11/2009 Weinschenk D10/65
D625,692 S * 10/2010 Homuth D13/162
D659,690 S * 5/2012 Huang D14/138 G
D664,143 S * 7/2012 Chaturvedi D14/240
D674,786 S * 1/2013 Park D14/240
D706,308 S * 6/2014 Takahashi D15/28
D716,752 S * 11/2014 Katori D10/50
D727,180 S * 4/2015 Lai D10/50
D744,483 S * 12/2015 Barbu D14/358
D748,068 S * 1/2016 Weber D13/184
D814,956 S * 4/2018 Lee D10/106.7
D826,916 S * 8/2018 Cho D14/240
D828,816 S * 9/2018 Spors D10/50
D830,860 S * 10/2018 Berman D10/50
D833,893 S * 11/2018 McKinnon D10/50
D834,437 S * 11/2018 Zhang D14/488
D834,979 S * 12/2018 Zhang D14/488
D837,666 S * 1/2019 Butler D10/49
D842,818 S * 3/2019 Laflamme D13/162
D843,235 S * 3/2019 McKinnon D10/50
D858,323 S * 9/2019 Gatti D13/162
D860,011 S * 9/2019 Berman D10/50
D874,301 S * 2/2020 Thoni D10/50
D883,965 S * 5/2020 Huang D14/240
D894,162 S * 8/2020 Carroll D14/242
D895,444 S * 9/2020 DeBoer D10/49
D896,764 S * 9/2020 Gutierrez D13/162
D912,670 S * 3/2021 Etgar D14/388
D917,472 S * 4/2021 Kwon D14/363
D946,571 S * 3/2022 Garipov D14/358
D951,926 S * 5/2022 O'Neil D14/242
2013/0050938 A1 * 2/2013 Ashcraft G06F 1/181
29/428

* cited by examiner


1.1




1.2




1.3




1.4



1.5



1.6



1.7

