



US00D975143S

(12) **United States Design Patent**
Yan

(10) **Patent No.:** **US D975,143 S**

(45) **Date of Patent:** **** Jan. 10, 2023**

(54) **REFRIGERATED DISPLAY COUNTER**

(71) Applicant: **Ningbo Rotor Electrical Appliances Co., Ltd., Ningbo (CN)**

(72) Inventor: **Jiguang Yan, Ningbo (CN)**

(73) Assignee: **NINGBO ROTOR ELECTRICAL APPLIANCES CO., LTD., Ningbo (CN)**

(**) Term: **15 Years**

(21) Appl. No.: **29/769,634**

(22) Filed: **Feb. 7, 2021**

(30) **Foreign Application Priority Data**

Jan. 5, 2021 (CN) 202130002764.5

(51) **LOC (14) Cl.** **15-07**

(52) **U.S. Cl.**
USPC **D15/79; D15/81; D6/657; D6/661**

(58) **Field of Classification Search**
USPC D15/79, 81; D6/657, 659, 661
CPC F25D 23/02; F25D 23/06; F25D 23/062;
F25D 23/069; F25D 2400/10; F25D 2400/12;
F25D 2400/18; F25D 2400/36; F25D 11/00;
F25D 31/00; A47F 3/00; A47F 3/04; A47F 3/005;
A47F 3/0434; A47F 3/0491

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,840,439 A * 6/1989 Nara A47F 3/02
211/59.3
- D352,620 S * 11/1994 Geisen D6/661
- D366,578 S * 1/1996 Cormican D6/661
- D386,502 S * 11/1997 Sholl D6/675.1
- D410,353 S * 6/1999 Rand D6/661
- D411,547 S * 6/1999 Mori D15/85

- D449,467 S * 10/2001 Bedard D6/661
- D510,367 S * 10/2005 Yamashita D15/79
- D513,014 S * 12/2005 Seki D15/81
- D514,137 S * 1/2006 Seki D15/81
- D514,600 S * 2/2006 Yamashita D15/79
- D593,138 S * 5/2009 Howell A47F 3/02
D15/79
- D625,125 S * 10/2010 Buckles D15/81
- D675,846 S * 2/2013 Monaldi D6/661

(Continued)

Primary Examiner — Calvin E Vansant

Assistant Examiner — Eidiol Ghigliotty Torres

(74) *Attorney, Agent, or Firm* — Bayramoglu Law Offices LLC


(57) **CLAIM**

The ornamental design for a refrigerated display counter, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a refrigerated display counter showing my new design;
 FIG. 2 is a front view of the refrigerated display counter of FIG. 1;
 FIG. 3 is a rear view of the refrigerated display counter of FIG. 1;
 FIG. 4 is a left side view of the refrigerated display counter of FIG. 1;
 FIG. 5 is a top view of the refrigerated display counter of FIG. 1; and,
 FIG. 6 is a rear perspective view of the refrigerated display counter of FIG. 1.
 Bottom views are omitted since the bottom views are invisible in normal use.
 Right side views are omitted since the right side views are mirror images of the left side views.
 In the drawings, the broken lines depict portions of the refrigerated display counter that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D814,215 S *	4/2018	Yan	D6/660
2010/0180615 A1 *	7/2010	Linder	F25D 27/00 62/291

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6