



US00D975540S

(12) **United States Design Patent** (10) **Patent No.:** **US D975,540 S**
Castro et al. (45) **Date of Patent:** **** Jan. 17, 2023**

(54) **BLANK FOR A PALLET STABILIZER**
(71) Applicant: **INTERNATIONAL PAPER COMPANY**, Memphis, TN (US)
(72) Inventors: **Julio Cesar Mendoza Castro**, Sinaloa (MX); **David J. McKenna, Sr.**, Clovis, CA (US); **Zaida Cantu**, Edinburg, TX (US)
(73) Assignee: **INTERNATIONAL PAPER COMPANY**, Memphis, TN (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/711,324**
(22) Filed: **Oct. 30, 2019**

(56) References Cited	
U.S. PATENT DOCUMENTS	
2,702,642 A	2/1955 Bensinger
2,805,104 A	9/1957 Johnson
3,384,229 A	5/1968 Kaschyk
3,453,973 A	7/1969 Vose
4,052,933 A *	10/1977 Royal B65D 5/003 493/171
4,568,018 A *	2/1986 Husnik B65D 5/067 206/503
5,176,090 A	1/1993 Roberts
5,660,119 A	8/1997 Perkins
5,784,971 A	7/1998 Chang
D410,580 S	6/1999 Kaffenberger, Sr.
D426,693 S	6/2000 Thomsen
D426,896 S	6/2000 Brown
(Continued)	

Related U.S. Application Data
(63) Continuation-in-part of application No. 29/687,354, filed on Apr. 12, 2019, now Pat. No. Des. 933,472.
(51) **LOC (14) Cl.** **09-03**
(52) **U.S. Cl.**
USPC **D9/433**
(58) **Field of Classification Search**
USPC D6/300, 308, 546, 672, 675, 678.2; D7/300, 305, 306, 307, 308, 312, 313, D7/391, 397, 551, 550.1, 553.1, 553.2, D7/553.3, 555.589, 590, 601, 602, 701; D9/444, 433, 434, 435, 452, 453, 456; D34/38
CPC B65D 2519/00; B65D 2519/00273; B65D 2519/00288; B65D 2519/00363; B65D 2519/00069; B65B 65/00; E06B 1/12; E06B 1/26; E04C 3/00; E04C 3/02; E04C 3/125; E04C 3/127; E04B 1/18; E04B 1/24; E04B 1/26
See application file for complete search history.


OTHER PUBLICATIONS
G-Force Box Style Void Filler, announced 2020 [online], [site visited Mar. 5, 2020]. Available from internet, URL: <https://www.godunnage.com/Category/Fill> (Year: 2020).

Primary Examiner — Richard Kearney
Assistant Examiner — Benjamin M Weeks
(74) *Attorney, Agent, or Firm* — Bradley T. Ligibel; Thomas W. Ryan

(57) **CLAIM**
The ornamental design for a blank for a pallet stabilizer, as shown and described.

DESCRIPTION
The FIGURE is a top plan view of a blank for a pallet stabilizer of the present invention. The blank for a pallet stabilizer is entirely flat and with no ornamentation on the rear thereof. The broken lines in the drawing, including the dot-dash lines and the dash-dash lines, which depict fold lines, illustrate portions of the blank for a pallet stabilizer that form no part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

6,273,329	B1 *	8/2001	Zavatone	B65D 5/6667 229/102	10,494,162	B1	12/2019	Jernigan	
6,296,119	B1	10/2001	Wells		10,556,719	B1 *	2/2020	Castro	B65D 19/0026
D494,015	S *	8/2004	Compagnucci	D7/601	D879,326	S	3/2020	Hendry	
7,464,855	B2 *	12/2008	Glasgow	B65D 5/48018 229/120.13	D880,008	S	3/2020	Adams	
D623,342	S	9/2010	Sylwester		D882,400	S	4/2020	Morrison	
8,308,408	B2 *	11/2012	Gaudette	B65D 85/68 410/43	D882,500	S	4/2020	Morrison	
8,393,470	B2 *	3/2013	Philips	B65D 5/685 206/512	10,633,140	B1	4/2020	Vergara	
D746,535	S *	12/2015	Herbeck	D34/38	D885,889	S *	6/2020	Nelson	D9/433
D746,536	S *	12/2015	Herbeck	D34/38	10,800,314	B2	10/2020	Saer	
D746,546	S	1/2016	Rosenbaum		D904,477	S	12/2020	Yunoki	
D767,849	S *	9/2016	Van de Mark	D34/38	D904,723	S	12/2020	Malsam	
D791,972	S	7/2017	Goodnow et al.		D949,010	S *	4/2022	Sill	D9/433
D800,988	S *	10/2017	Van de Mark	D34/38	D950,243	S *	5/2022	Rickabaugh	D34/38
D812,835	S	3/2018	Wallis		D954,548	S *	6/2022	Oliveira	D9/431
9,969,525	B2	5/2018	Longaphie		2003/0094124	A1	5/2003	Wishart	
9,969,545	B2	5/2018	O'Neil		2006/0076255	A1	4/2006	Bragadeste	
D835,301	S	12/2018	Lee		2009/0308289	A1	12/2009	Ferguson	
10,399,740	B2	9/2019	Karimov		2011/0245059	A1	10/2011	Olvey	
					2011/0248080	A1	10/2011	Timbrook	
					2018/0141703	A1	5/2018	Herbeck	
					2019/0106241	A1	4/2019	Yamazaki	
					2020/0324962	A1 *	10/2020	Castro	B65D 19/38
					2022/0002026	A1 *	1/2022	Kloeters	B65D 19/0016
					2022/0081200	A1 *	3/2022	VanderPlas	F25D 23/085

* cited by examiner

