



US00D975721S

(12) **United States Design Patent** (10) **Patent No.:** **US D975,721 S**  
**Arima** (45) **Date of Patent:** **\*\* Jan. 17, 2023**

(54) **DISPLAY SCREEN WITH A GRAPHICAL USER INTERFACE**

2019/0220658 A1\* 7/2019 Kawashima ..... G06V 40/23  
2020/0078657 A1\* 3/2020 Kubota ..... G06V 10/7715  
2020/0164261 A1\* 5/2020 Kubota ..... A63B 71/0622

(Continued)

(71) Applicant: **FUJITSU LIMITED**, Kawasaki (JP)

(72) Inventor: **Kazuhiro Arima**, Minato-ku (JP)

(73) Assignee: **FUJITSU LIMITED**, Kawasaki (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/789,434**

(22) Filed: **Sep. 23, 2021**

(30) **Foreign Application Priority Data**

Mar. 31, 2021 (JP) ..... 2021-006916

(51) **LOC (14) Cl.** ..... **14-04**

(52) **U.S. Cl.**  
USPC ..... **D14/485**

(58) **Field of Classification Search**  
USPC ..... D14/485-495  
CPC .... G06F 3/048-04897; A63F 2300/308; A63F 13/53; G08G 1/0962; G08F 1/123; G08F 3/0481; A61B 5/02  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D837,820 S *	1/2019	Itano	.....	D14/486
D879,129 S *	3/2020	Arima	.....	D14/486
D879,130 S *	3/2020	Arima	.....	D14/486
D887,421 S *	6/2020	Knowles	.....	D14/485
D888,082 S *	6/2020	Weick	.....	D14/486
D917,564 S *	4/2021	Indorf	.....	D14/495
D927,528 S *	8/2021	Heisler	.....	D14/486
D941,851 S *	1/2022	Anderson	.....	D14/487
D948,549 S *	4/2022	Zheng	.....	D14/486
D958,820 S *	7/2022	Bögel	.....	D14/486
2015/0185967 A1 *	7/2015	Ly	.....	G06F 3/0488 715/720

**OTHER PUBLICATIONS**

体操ニツボンと創るスポーツの新しい世界 - 3D センシング技術 -, by Fujitsu Limited, YouTube [online], published on May 18, 2017, [retrieved on Oct. 18, 2022], retrieved from the Internet <URL: [https://www.youtube.com/watch?v=O\\_HLAIwqG6Q](https://www.youtube.com/watch?v=O_HLAIwqG6Q)> (Year: 2017).\*

(Continued)

*Primary Examiner* — Ian F Whitmore

(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for a display screen with a graphical user interface, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a first image in a sequence of a display screen with a graphical user interface showing the new design.

FIG. 2 is a second image thereof.



FIG. 3 is a third image thereof; and,

FIG. 4 is a fourth image thereof.

The appearance of the graphical user interface transitions sequentially between the images shown in FIGS. 1-4. The process or period in which one image transitions to another image forms no part of the claimed design.

The outermost broken lines illustrate a display screen and form no part of the claimed design. The dash-dot lines shown in the drawings represent an outer boundary of the claimed design and form no part of the claimed design. The remaining broken lines illustrate subject matter that forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2020/0193866 A1\* 6/2020 Kubota ..... G06V 20/40  
2020/0320304 A1\* 10/2020 Naito ..... G06V 40/23

OTHER PUBLICATIONS

The International Gymnastics Federation and Fujitsu to Collaborate, fujitsu.com [online], published on Oct. 7, 2017, [retrieved on Oct. 18, 2022], retrieved from the Internet <URL: <https://www.fujitsu.com/global/about/resources/news/press-releases/2017/1007-01.html>> (Year: 2017).\*

\* cited by examiner


Source Element	Video	Element Detail	Image	Single Element	Classified Element
<p>Registered Claims:          1. A leg device for use with a prosthetic limb, comprising:          a) a leg element;          b) a condition;</p> <p>Conditions for assist element:</p>	<p>1. A leg device for use with a prosthetic limb, comprising:          a) a leg element;          b) a condition;</p> <p>Conditions for assist element:</p>	<p>1. A leg device for use with a prosthetic limb, comprising:          a) a leg element;          b) a condition;</p> <p>Conditions for assist element:</p>		<p>1. A leg device for use with a prosthetic limb, comprising:          a) a leg element;          b) a condition;</p> <p>Conditions for assist element:</p>	<p>1. A leg device for use with a prosthetic limb, comprising:          a) a leg element;          b) a condition;</p> <p>Conditions for assist element:</p>
<p>FIG. 1</p>					

FIG. 1




FIG. 2




FIG. 3




FIG. 4