



US00D975855S

(12) **United States Design Patent**  
**Bierman**

(10) **Patent No.:** **US D975,855 S**  
(45) **Date of Patent:** **\*\* Jan. 17, 2023**

- (54) **CATHETER SECUREMENT PAD**
- (71) Applicant: **Maddoc Medical Products, Inc.**, Los Angeles, CA (US)
- (72) Inventor: **Steven Bierman**, Del Mar, CA (US)
- (73) Assignee: **Maddoc Medical Products, Inc.**, Los Angeles, CA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/775,815**
- (22) Filed: **Mar. 25, 2021**
- (51) **LOC (14) Cl.** ..... **24-02**
- (52) **U.S. Cl.**  
USPC ..... **D24/189**; D24/128
- (58) **Field of Classification Search**  
USPC ..... D24/127-130, 188-190  
CPC ..... A61M 25/02; A61M 2025/0206; A61M 2025/024; A61M 2025/0266; A61M 2025/028; A61M 2025/0246; Y10S 128/26  
See application file for complete search history.

9,017,290 B2 4/2015 Peters et al.  
D745,973 S \* 12/2015 Russo ..... D24/189  
9,895,514 B2 2/2018 Bierman et al.  
(Continued)

**OTHER PUBLICATIONS**

Merit Medical StayFIX Catheter Fixation Device, Merit Medical Systems, healthproductsforyou.com, [Post date unknown], [Sitem seen Nov. 14, 2022], Seen at URL: <https://www.healthproductsforyou.com/p-merit-medical-stayfix-catheter-fixation-device.html> (Year: 2022).\*

(Continued)

*Primary Examiner* — Natasha Vujcic  
*Assistant Examiner* — Gilbert B Ford  
(74) *Attorney, Agent, or Firm* — Master Key IP, LLP; Jeromye V. Sartain

(57) **CLAIM**

The ornamental design for a catheter securement pad, as shown and described.

**DESCRIPTION**


FIG. 1 is an exploded perspective view showing a catheter securement pad;  
FIG. 2 is a top view of the catheter securement pad with the peel-off layers removed for ease of illustration;  
FIG. 3 is a bottom view of the catheter securement pad with the peel-off layers removed for ease of illustration;  
FIG. 4 is a left side view of the catheter securement pad with the peel-off layers removed for ease of illustration;  
FIG. 5 is a right side view of the catheter securement pad with the peel-off layers removed for ease of illustration;  
FIG. 6 is a front view of the catheter securement pad with the peel-off layers removed for ease of illustration; and,  
FIG. 7 is a rear view of the catheter securement pad with the peel-off layers removed for ease of illustration.  
The broken lines show portions of the catheter securement pad that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,627,842	A	12/1986	Katz	
4,997,421	A	3/1991	Palsrok et al.	
5,855,591	A	1/1999	Bierman	
6,224,571	B1	5/2001	Bierman	
6,413,240	B1	7/2002	Bierman et al.	
6,786,892	B2	9/2004	Bierman	
7,153,291	B2	12/2006	Bierman	
7,204,827	B2 *	4/2007	Kessler	..... A61M 25/02 128/DIG. 26
D577,437	S *	9/2008	Bierman	..... D24/128
8,394,067	B2	3/2013	Bracken et al.	
8,486,004	B1	7/2013	Propp	
8,608,704	B2	12/2013	Bierman	
8,608,705	B2	12/2013	Peters et al.	



(56)

**References Cited**


U.S. PATENT DOCUMENTS

D818,121 S \* 5/2018 Park ..... D24/128  
D834,711 S \* 11/2018 Kyvik ..... D24/128  
10,188,835 B1 \* 1/2019 McClarren ..... A61M 25/02  
10,232,145 B2 3/2019 Bierman et al.  
D848,614 S \* 5/2019 Wilson ..... D24/128  
10,463,837 B2 11/2019 Bierman et al.  
10,561,825 B2 2/2020 Bierman et al.  
D877,306 S \* 3/2020 Liu ..... D24/189  
D877,326 S \* 3/2020 Coleman ..... D24/128  
D898,925 S \* 10/2020 Kelbie ..... D24/189  
11,020,564 B2 \* 6/2021 Madlung ..... A61M 25/0113  
D946,767 S \* 3/2022 Kemper ..... D24/189  
D964,571 S \* 9/2022 Bierman ..... D24/189  
2006/0247577 A1 11/2006 Wright  
2011/0319830 A1 12/2011 Peters et al.  
2013/0204190 A1 8/2013 Wilborn et al.  
2020/0179655 A1 6/2020 Bierman et al.


OTHER PUBLICATIONS

Bard Securis stabilization device web page screen shots, taken from  
<https://www.bardaccess.com/products/procedural/securis> on Jun. 12,  
2020.


\* cited by examiner




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*