



US00D976097S

(12) **United States Design Patent** (10) **Patent No.:** **US D976,097 S**
Link et al. (45) **Date of Patent:** **** Jan. 24, 2023**

(54) **BLISTER PACKAGE**
(71) Applicant: **Reckitt Benckiser Finish B.V.**,
Hoofddorp (NL)
(72) Inventors: **Rainer Link**, Heidelberg (DE);
Maximilian Junken, Sinsheim (DE)
(73) Assignee: **Reckitt Benckiser Finish B.V.**,
Hoofddorp (NL)
(**) Term: **15 Years**
(21) Appl. No.: **29/758,016**
(22) Filed: **Nov. 11, 2020**

D521,861 S * 5/2006 Lee D9/415
D544,788 S * 6/2007 Brittain D9/415
D614,948 S * 5/2010 Lablaine D9/415
D697,398 S * 1/2014 Guevara-Ludt D9/425
D704,048 S * 5/2014 Whalen, Jr. D9/415
D733,552 S * 7/2015 Whalen, Jr. D9/415
D743,249 S * 11/2015 Wintmolders D9/425
D765,520 S * 9/2016 Gunder D9/732
D767,985 S * 10/2016 Schouten D9/414
D808,823 S * 1/2018 Greene D9/748
D810,556 S * 2/2018 Holm D9/415
D814,314 S * 4/2018 Meeker D9/416
D818,815 S * 5/2018 Psimadas D9/415
10,053,272 B2 * 8/2018 Doherty B65D 73/0092
D850,289 S * 6/2019 McCay D9/737
D854,408 S * 7/2019 Farrell D9/415
D873,131 S * 1/2020 Watanabe D9/415
D957,245 S * 7/2022 Muller D9/415
2015/0217920 A1 * 8/2015 Madron B65D 75/566
53/467

(30) **Foreign Application Priority Data**

May 15, 2020 (EM) 007952270-0001

(51) **LOC (14) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/415**

(58) **Field of Classification Search**
USPC D9/414-418, 425, 737, 748, 732
CPC B65D 73/0092; B65D 77/0413; B65D
75/566; A61B 17/06133
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,338,400 A * 8/1967 Edgworth A61B 17/06133
D9/415
5,038,936 A * 8/1991 Borst B65D 75/366
206/771
D327,425 S * 6/1992 Hamada D9/415
5,649,624 A * 7/1997 Seaton B65D 77/0413
206/806
D406,753 S * 3/1999 Lee D9/415
D423,928 S * 5/2000 Kumakura D9/418
D479,125 S * 9/2003 Kumakura D9/415

* cited by examiner

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Troutman Pepper
Hamilton Sanders LLP; Ryan A. Schneider; Chris N.
Davis


(57) **CLAIM**

The ornamental design for a blister package, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our new design for a blister package;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a right elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7