



US00D976143S

(12) **United States Design Patent**
Baldwin

(10) **Patent No.:** **US D976,143 S**
(45) **Date of Patent:** **** Jan. 24, 2023**

(54) **INDICATOR LIGHT**

(71) Applicant: **Mallory Sonalert Products, Inc.**,
Indianapolis, IN (US)

(72) Inventor: **Christopher M. Baldwin**, Avon, IN
(US)

(73) Assignee: **MALLORY SONALERT**
PRODUCTS, INC., Indianapolis, IN
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/691,489**

(22) Filed: **May 16, 2019**

(51) **LOC (14) Cl.** **10-06**

(52) **U.S. Cl.**
USPC **D10/114.8**

(58) **Field of Classification Search**
USPC D10/109.1-115; D26/67-71, 113, 120,
D26/124
CPC G08B 5/36; G08B 5/38; G08B 7/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,873,866	A	3/1975	Goble	
4,602,245	A	7/1986	Yang et al.	
D351,115	S *	10/1994	Valdez	D10/114.6
5,952,915	A	9/1999	Marquardt et al.	
6,987,445	B1	1/2006	Burnett et al.	
8,797,176	B1 *	8/2014	Baldwin	G08B 7/06 340/815.45
9,030,318	B1	5/2015	Baldwin et al.	
D749,007	S *	2/2016	Shigematsu	D10/114.6
D749,008	S *	2/2016	Shigematsu	D10/114.6
D749,444	S *	2/2016	Shigematsu	D10/114.6
9,307,309	B2	4/2016	Feller et al.	

D791,630	S *	7/2017	Miyatake	D10/114.1
10,309,594	B1 *	6/2019	Baldwin	F21V 23/06
D887,613	S *	6/2020	Hornbachner	D26/68
D898,600	S *	10/2020	Baldwin	D10/114.2
D902,464	S *	11/2020	Gongola	D26/67

OTHER PUBLICATIONS

Patlite LU7-LB catalog page, undated, 1 page. Retrieved from the Internet Aug. 10, 2016.

Patlite LU7-LB Manual, undated, 2 pages. Retrieved from the Internet Aug. 10, 2016.

(Continued)

Primary Examiner — Joseph Kukella

(74) *Attorney, Agent, or Firm* — William F. Bahret

(57) **CLAIM**

The ornamental design for an indicator light, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of an indicator light showing my new design;

FIG. 2 is a top plan view thereof; and

FIG. 3 is a front elevation view thereof, the rear, left and right sides being identical thereto.



FIG. 4 is an upper perspective view of a second embodiment of an indicator light showing my new design;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a front elevation view thereof, the rear, left and right sides being identical thereto.

The dot-dash circular lines in the various figures are boundary lines and form no part of the claimed design. The area circumscribed by the dot-dash circular lines is likewise not part of the claimed design. All other broken lines show environment for illustrative purposes only and form no part of the claimed design. Oblique line shading is used to show surfaces that are at least partially translucent.

1 Claim, 2 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Patlite LU7-LB Specifications, undated, 2 pages. Retrieved from the Internet Aug. 10, 2016.

Banner CL50 Column Light Data Sheet, P/N 145315 Rev. G, Dec. 21, 2012, Banner Engineering Corp., 7 pgs.

Patlite ME-A/MES-A Signal Tower Data Sheet, undated, Patlite Corporation, 1 pg.

Patlite ME-A/MP Installation Manual, undated, Patlite Corporation, 4 pgs.

* cited by examiner

FIG. 2




FIG. 3





FIG. 1

FIG. 5




FIG. 6





FIG. 4