

US00D976198S

(12) **United States Design Patent**
Farrow

(10) **Patent No.:** **US D976,198 S**
(45) **Date of Patent:** **** Jan. 24, 2023**

(54) **CHARGER HOUSING**

(71) Applicant: **Philip Morris Products S.A.**,
Neuchâtel (CH)
(72) Inventor: **Alexander Farrow**, Pleasant Hill, CA
(US)

(73) Assignee: **Philip Morris Products S.A.**,
Neuchatel (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/731,472**

(22) Filed: **Apr. 15, 2020**

(30) **Foreign Application Priority Data**

Oct. 17, 2019 (EM) 007039631

(51) **LOC (14) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/107-110, 118, 119, 184, 199, 163;
D14/251, 253, 432, 434, 447; D27/186,
D27/187, 193, 194
CPC Y02E 60/12; H02J 7/025; H02J 7/0042;
H02J 7/0044; H02J 7/0045; H02J 7/0003;
H02J 7/0027; H02J 7/0013; H02J 7/0054;
H02J 7/00; H02J 2001/008; H02J 3/32;
H02J 3/008; H01F 38/14; H01R 13/6675;
H01M 2/1022; H01M 2/1055; H01M
10/44; H01M 10/46; H01M 10/425; B60L
11/182; B60L 11/1809; B60L 11/1861;
B60R 16/03

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D324,024 S 2/1992 Nagele et al.
D351,133 S 10/1994 Jungels-Butler et al.

D473,338 S * 4/2003 Brandenburg D27/194
D584,313 S 1/2009 Pittel et al.
D669,851 S 10/2012 Ikegame
D685,323 S 7/2013 Szymanski et al.
D733,648 S 7/2015 Bianco et al.
D735,935 S * 8/2015 Burrell D27/186
D835,577 S * 12/2018 Zhang D13/108
D844,240 S * 3/2019 Kauss D27/194
D850,714 S * 6/2019 Guo D27/194
D864,112 S * 10/2019 Chen D13/110
D873,212 S * 1/2020 Chang D13/107
D879,708 S * 3/2020 Chen D27/194
D881,806 S * 4/2020 Schmidt D13/107
D885,332 S * 5/2020 Han D27/194
D889,740 S * 7/2020 Beer D27/194
D890,695 S * 7/2020 Chang D13/107
D909,296 S * 2/2021 Chen D13/110

(Continued)

Primary Examiner — Christy Nemeth

(74) *Attorney, Agent, or Firm* — Oblon, McClelland,
Maier & Neustadt, L.L.P.

(57) **CLAIM**


The ornamental design for a charger housing, as shown and described.

DESCRIPTION

FIG. 1 is a rear, top, and right side perspective view of a charger housing showing the new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a left side elevational view thereof; and, FIG. 8 is a rear, bottom, and right side perspective view thereof.

The broken lines depict portions of the charger housing that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D921,981	S	*	6/2021	Sudlow	D27/194
D922,314	S	*	6/2021	Helnerus	D13/107
D926,367	S	*	7/2021	Cruice	D27/194
D928,400	S	*	8/2021	Verchick	A24D 1/02 D27/162
D931,202	S	*	9/2021	Lai	D27/162
D931,210	S	*	9/2021	Lee	D3/294
D933,592	S	*	10/2021	Liu	D13/103
D935,687	S	*	11/2021	Tung	D27/189
D937,787	S	*	12/2021	Wappler	D13/184
D940,652	S	*	1/2022	Tung	D13/108
D952,245	S	*	5/2022	Farrow	D27/167
D960,093	S	*	8/2022	Farrow	D13/110
2017/0119044	A1		5/2017	Oligschlaeger et al.		
2017/0367406	A1		12/2017	Schuler et al.		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8