



US00D976218S

(12) **United States Design Patent** (10) **Patent No.:** **US D976,218 S**
Jacoby et al. (45) **Date of Patent:** **** *Jan. 24, 2023**

(54) **CONTROL DEVICE**

CPC .. H01H 3/12; H01H 9/02; H01H 9/16; H01H 9/18; H01H 9/181; H01H 9/182; H01H 13/04; H01H 13/14; H01H 2009/187; H05B 39/02; H05B 39/04; H05B 39/085; H05B 39/086; H05B 39/088
See application file for complete search history.

(71) Applicant: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(72) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);
Jason C. Killo, Emmaus, PA (US);
Brad Michael Kreschollek, Bethlehem, PA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/812,625**

(22) Filed: **Oct. 22, 2021**

D262,261 S	12/1981	Schumacher et al.
D297,726 S	9/1988	Araki
5,036,168 A	7/1991	Kikuchi et al.
D331,741 S	12/1992	Fujiyoshi
D331,742 S	12/1992	Fujiyoshi
D335,867 S	5/1993	Rowen
D337,755 S	7/1993	Rowen et al.
D344,068 S	2/1994	Adams et al.
D391,553 S	3/1998	Okada
D404,014 S	1/1999	Barnard et al.
D421,246 S	2/2000	Mayo et al.
D437,585 S	2/2001	Mayo et al.
D450,043 S	11/2001	Mosebrook
D453,742 S	2/2002	Butler et al.
D456,783 S	5/2002	Mayo et al.
D465,460 S	11/2002	Mayo et al.
D466,090 S	11/2002	Bennett et al.
6,535,202 B1	3/2003	Amari et al.
D477,577 S	7/2003	Mayo et al.
D487,429 S	3/2004	Bennett et al.
D533,844 S	12/2006	Larson et al.
D539,234 S	3/2007	Blair et al.
D543,951 S	6/2007	Blair et al.
D544,450 S	6/2007	Miarta et al.
D546,296 S	7/2007	Blair et al.
D552,042 S	10/2007	Mayo et al.
D553,583 S	10/2007	Xu
D553,584 S	10/2007	Miarta et al.
D558,686 S	1/2008	Bhate et al.
D566,658 S	4/2008	Mayo et al.
D567,767 S	4/2008	Hewson et al.
7,361,853 B2	4/2008	Clegg et al.
D572,202 S	7/2008	Jacoby et al.
D572,666 S	7/2008	Biery et al.
D573,956 S	7/2008	Hollner et al.
D574,787 S	8/2008	Hollner
D592,611 S	5/2009	Altonen et al.
D598,399 S	8/2009	Mayo et al.
7,571,663 B2	8/2009	Vigil
D606,030 S	12/2009	Felegy, Jr. et al.
D614,588 S	4/2010	Snyder et al.


Related U.S. Application Data

(63) Continuation of application No. 29/736,215, filed on May 28, 2020, now abandoned, which is a continuation of application No. 29/694,732, filed on Jun. 13, 2019, now Pat. No. Des. 887,372, which is a continuation of application No. 29/684,649, filed on Mar. 22, 2019, now Pat. No. Des. 887,370, which is a continuation of application No. 29/615,437, filed on Aug. 29, 2017, now Pat. No. Des. 856,940, which is a continuation of application No. 29/570,643, filed on Jul. 11, 2016, now Pat. No. Des. 803,167, which is a continuation of application No. 29/529,486, filed on Jun. 8, 2015, now Pat. No. Des. 767,513, which is a continuation of application No. 29/472,772, filed on Nov. 15, 2013, now Pat. No. Des. 734,277.

(51) **LOC (14) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/164**

(58) **Field of Classification Search**
USPC D13/162, 164, 171, 177



D624,881 S	10/2010	Altonen et al.	
D627,309 S	11/2010	Snyder et al.	
D631,854 S	2/2011	Blair et al.	
D633,448 S	3/2011	Biery et al.	
D633,874 S	3/2011	Feldstein et al.	
D636,347 S	4/2011	Felegy, Jr. et al.	
D638,375 S	5/2011	Clymer et al.	
D649,123 S	11/2011	Jacoby et al.	
D649,124 S	11/2011	Jacoby et al.	
D649,520 S	11/2011	Jacoby et al.	
D655,254 S	3/2012	Jacoby et al.	
D666,978 S	9/2012	Felegy, Jr. et al.	
8,289,192 B2	10/2012	O'Donnell	
D673,510 S	1/2013	Felegy, Jr. et al.	
D694,196 S	11/2013	Felegy, Jr. et al.	
D694,716 S	12/2013	Felegy, Jr. et al.	
D706,731 S	6/2014	Altonen et al.	
D706,732 S	6/2014	Altonen et al.	
D707,191 S	6/2014	Altonen et al.	
D708,587 S	7/2014	Sloan	
D711,837 S	8/2014	Clymer et al.	
D714,234 S	9/2014	Altonen et al.	
D714,736 S	10/2014	O'Donnell	
D720,306 S	12/2014	Altonen et al.	
D733,076 S *	6/2015	Jacoby	D13/164
D734,277 S *	7/2015	Jacoby	D13/164
D737,154 S	8/2015	Jacoby et al.	
9,334,949 B2	5/2016	Fett et al.	
D762,590 S	8/2016	Clymer et al.	
D767,513 S *	9/2016	Jacoby	D13/164
D768,582 S *	10/2016	Jacoby	D13/164
D770,393 S	11/2016	Jacoby et al.	
D770,394 S	11/2016	Spira	
D781,247 S	3/2017	Hoffknecht et al.	
D793,348 S	8/2017	Gage et al.	
D795,202 S *	8/2017	Dimberg	D13/168
D797,685 S	9/2017	Mosolygo	
D799,997 S	10/2017	Jacoby et al.	
D800,669 S	10/2017	Poulheim et al.	
D800,672 S	10/2017	Poulheim et al.	
D803,167 S	11/2017	Jacoby et al.	
D803,793 S *	11/2017	Jacoby	D13/164
D813,828 S	3/2018	Jacoby et al.	
D815,607 S	4/2018	Ubirajara Silva	
9,976,647 B2	5/2018	Onishi	
D832,226 S	10/2018	Poulheim et al.	
D834,536 S	11/2018	Poulheim et al.	
D834,539 S	11/2018	Poulheim et al.	
D835,051 S	12/2018	Poulheim et al.	
D837,749 S	1/2019	Liao et al.	
D856,940 S	8/2019	Jacoby et al.	
10,535,478 B1	1/2020	Chu	
10,605,354 B2	3/2020	Kim et al.	
D887,369 S *	6/2020	Jacoby	D13/164
D887,370 S *	6/2020	Jacoby	D13/164
D887,371 S *	6/2020	Jacoby	D13/164
D887,372 S *	6/2020	Jacoby	D13/164
10,675,974 B2	6/2020	Mayville et al.	
D899,383 S *	10/2020	Dimberg	D13/168
D929,350 S *	8/2021	Dimberg	D13/168
2009/0251352 A1 *	10/2009	Altonen	H01H 9/02 341/176
2014/0268630 A1	9/2014	Samuels	
2017/0053753 A1 *	2/2017	Adams	B41M 5/24
2019/0066948 A1	2/2019	Okada	
2019/0180961 A1	6/2019	Miyaoka et al.	

FOREIGN PATENT DOCUMENTS

CA	123790	6/2009
DE	G 92 14 324.5	2/1993

OTHER PUBLICATIONS

Lutron Electronics Co., Inc., Stanza Hotel Guestroom Light Control Brochure, Feb. 20, 2008, 12 pages.
 Lightolier, Specification Sheet for iGen DALI 4-Button Scene Controller Model No. DA-WS4SS-7, 2007, 2 pages.

Vantage Controls Inc., Vantage Online Binder, 2004, pp. 1, 3-4, 7, 33-34, 113.
 Dynalite Intelligent Light Pty Ltd., Light News, Aug. 2005, 8 pages, issue 2.
 Inncom, GS-700 Family Glass Series Switches Sell Sheet, Nov. 2008, 2 pages.
 Lutron Electronics Co., Inc., Faceplate for Pico Wireless Controller Installation Sheet, Mar. 31, 2010, 2 sheets.
 Basalte Bvba, Sentido KNX v3.1 Manual, 2012, pp. 1-3.
 Bticino Spa, Matix Brochure, May 2009, 16 pages.
 Steve May, "Create Custom Buttons with Laser Shark Engraving for RTI", Inside CI, Aug. 26, 2013, <http://www.insideci.co.uk/create-custom-buttons-with-laser-shark-engraving-for-rti.aspx>, captured Aug. 29, 2019, 2 pages.
 Keypad Dimmer Owner's Manual 2334-222, Insteon, Jul. 25, 2013, 24 pages.
 Smarthomebus SB-3BS-EU 3 Button Switch Panel, Sep. 2011, 1 pg.; <http://smarthomebus.com/dealers/Datasheets/3B%20%28%20Data%20Sheet%29.pdf>.
 Smart-G4 Control, 3B Smart-Bus 3 and 6 Button Switch Wall Panel; Sep. 2011, 5 pgs.; <https://www.smartg4control.com/products-1/3B-Smart-Bus-3-Button-Switch-Wall-Panel-SB-3BS-EU-UPC-0610696254283-p62101637>.
 Smart-Bus 2 Button Switch Wall Panel—SB-2BS-EU; 1 pg.; 2011; <http://smarthomebus.com/Smart-Bus-2-Button-Switch-Wall-Panel-SB-2BS-EU-GTIN-UPC-EAN-0610696254283.html>.
 Smart Home G4 Home automation—Smart-Bus 6 button Switch; Dec. 30, 2011; <https://smarthomeg4.wordpress.com/>.
 Tagke Home Touch Switch Wall Switch Sensor Wall Switch, Mar. 20, 2019, 2 pgs.; https://www.amazon.com/Tagke-Stainless-Combined-Sensitive-Indicator/dp/B07NKDWW3Q/ref=sr_1_28?dchild=1&keywords=hotel%2Bscene%2Btouch%2Bswitch&qid=1618514515&sr=8-28&th=1.

* cited by examiner

Primary Examiner — Selina Sikder
 (74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group, LLC

(57) **CLAIM**

The ornamental design for a control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a control device showing our new design.
 FIG. 2 is a front view thereof.
 FIG. 3 is a left side view thereof.
 FIG. 4 is a right side view thereof.
 FIG. 5 is a top view thereof.
 FIG. 6 is a bottom view thereof.
 FIG. 7 is a perspective view of a control device showing a second embodiment of our new design.
 FIG. 8 is a front view thereof.
 FIG. 9 is a left side view thereof.
 FIG. 10 is a right side view thereof.
 FIG. 11 is a top view thereof.
 FIG. 12 is a bottom view thereof.
 FIG. 13 is a perspective view of a control device showing a third embodiment of our new design.
 FIG. 14 is a front view thereof.
 FIG. 15 is a left side view thereof.
 FIG. 16 is a right side view thereof.
 FIG. 17 is a top view thereof.
 FIG. 18 is a bottom view thereof.
 FIG. 19 is a perspective view of a control device showing a fourth embodiment of our new design.

FIG. 20 is a front view thereof.

FIG. 21 is a left side view thereof.

FIG. 22 is a right side view thereof.

FIG. 23 is a top view thereof; and,

FIG. 24 is a bottom view thereof.

The rear views form no part of the design and are omitted.

The oblique shade lines shown in the drawings indicate a transparent or translucent surface. The dashed broken lines depict structure or features which form no part of the claimed design. The dot-dash broken lines depict boundaries which form no part of the claimed design.

1 Claim, 16 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24