

US00D976223S

(12)

United States Design Patent

Knauss et al.

(10) Patent No.: US D976,223 S

(45) Date of Patent: ** *Jan. 24, 2023

(54) CONTROL DEVICE HAVING
ILLUMINATION APPLIED THERETO

(71) Applicant: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(72) Inventors: **Matthew Knauss**, Macungie, PA (US);
Shan Shi, Hellertown, PA (US)

(73) Assignee: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/812,066**

(22) Filed: **Oct. 19, 2021**

Related U.S. Application Data

(63) Continuation of application No. 29/689,728, filed on May 1, 2019, now Pat. No. Des. 935,422.

(51) **LOC (14) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/174**

(58) **Field of Classification Search**
USPC D13/162, 168, 174
CPC .. H01H 9/02; H01H 9/16; H01H 9/18; H01H 9/181; H01H 9/182; H01H 13/023; H01H 13/04; H01H 13/06; H01H 13/14; H01H 2009/187; H01H 23/02; H01H 23/025; H01H 23/04; H01H 23/08; H01H 23/12; H01H 23/14; H01H 23/145; H05B 39/02; H05B 39/04; H05B 39/085; H05B 39/086; H05B 39/088; G08C 17/02

See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D199,922 S	12/1964	Schlage
5,392,388 A	2/1995	Gibson
D362,841 S	10/1995	Roza
6,107,583 A	8/2000	Berfield
D441,346 S	5/2001	Bonn
D464,630 S	10/2002	Woodworth

(Continued)

OTHER PUBLICATIONS

Legrand® / Pass & Seymour®, P&S Dimmers—DR Series Brochure, 2010, 2 pages.

(Continued)

Primary Examiner — Selina Sikder

(74) Attorney, Agent, or Firm — Saidman DesignLaw Group, LLC

(57) **CLAIM**
The ornamental design for a control device having illumination applied thereto, as shown and described.

DESCRIPTION

FIG. 1 is a front view showing a first state in a sequence of a control device having illumination applied thereto showing our new design;

FIG. 2 is a front view showing a second state thereof;

FIG. 3 is a front view showing a third state thereof;

FIG. 4 is a front view showing a fourth state thereof;


FIG. 5 is a left side view thereof, the right side view being a mirror image thereto; and,

FIG. 6 is a top view thereof, the bottom view being a mirror image thereto.

The drawings include shadows and reflections which indicate contour, not surface ornamentation.

The control device having illumination applied thereto sequentially transitions from the first state to the last state in the sequence. The period with which one state transitions to another state forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D469,411	S	1/2003	Decosse	
D515,516	S	2/2006	Mayo et al.	
D556,938	S	12/2007	Russello et al.	
D558,692	S	1/2008	Neveu	
D589,463	S	3/2009	Sykes	
D633,231	S	2/2011	Morrison	
7,884,299	B2	2/2011	Glew	
D633,644	S	3/2011	Sprengers	
D645,005	S	9/2011	Menheere	
D647,227	S	10/2011	Kaule et al.	
D654,880	S	2/2012	Lam	
D668,375	S	10/2012	Daniels	
D669,499	S	10/2012	Gardner et al.	
D673,703	S	1/2013	Davies	
D687,328	S	8/2013	Clymer et al.	
8,786,196	B2	7/2014	Biery et al.	
D713,236	S	9/2014	Park	
D725,612	S	3/2015	Schlegel et al.	
D727,928	S	4/2015	Allison et al.	
D729,970	S	5/2015	Jepson	
D739,872	S	9/2015	Bang et al.	
D744,535	S	12/2015	Shin et al.	
D748,648	S	2/2016	Kim et al.	
D752,072	S	3/2016	Song	
D755,037	S	5/2016	Czerwinski, Jr. et al.	
9,337,943	B2	5/2016	Mosebrook et al.	
D759,877	S	6/2016	Hewitt et al.	
D761,277	S	7/2016	Harvell	
D761,812	S	7/2016	Motamedi	
D762,716	S	8/2016	Yang et al.	
D763,308	S	8/2016	Wang et al.	
D766,844	S	9/2016	Turksu et al.	
D770,076	S	10/2016	Li et al.	
D776,717	S	1/2017	Asai	
D777,200	S	1/2017	Luo	
D777,367	S	1/2017	Ma	
9,538,619	B2	1/2017	Swatsky et al.	
D779,977	S	2/2017	Jacob et al.	
9,565,742	B2	2/2017	Swatsky et al.	
9,633,557	B2	4/2017	Dimberg et al.	
D786,932	S	5/2017	Kim et al.	
9,746,159	B1	8/2017	Fletcher et al.	
D808,912	S	1/2018	Dimberg et al.	
D810,970	S	2/2018	Thompson et al.	
D814,428	S	4/2018	Dimberg et al.	
10,041,639	B1	8/2018	Thompson et al.	
10,109,181	B2	10/2018	Dimberg et al.	
D837,168	S	1/2019	Altonen et al.	
D837,169	S	1/2019	Altonen et al.	
D839,847	S	2/2019	Dimberg et al.	
D846,508	S	4/2019	Dimberg et al.	
10,398,007	B2 *	8/2019	Pearson	H05B 47/18
D868,009	S	11/2019	Dimberg et al.	
D868,010	S	11/2019	Bard et al.	
D872,775	S	1/2020	Becke et al.	
D892,750	S *	8/2020	Dimberg	D13/174
D892,751	S *	8/2020	Altonen	D13/168
D893,437	S *	8/2020	Dimberg	D13/168
D908,643	S *	1/2021	Dimberg	D13/174
10,910,176	B2 *	2/2021	Altonen	H01H 19/025
D921,598	S *	6/2021	Dimberg	D13/171
D922,336	S *	6/2021	Altonen	D13/168
D924,184	S *	7/2021	Altonen	D13/168
D924,818	S *	7/2021	Altonen	D13/168
D924,820	S *	7/2021	Dimberg	D13/174
D924,821	S *	7/2021	Bard	D13/174
D925,478	S *	7/2021	Dimberg	D13/168
D926,712	S *	8/2021	Dimberg	D13/174
11,107,651	B2 *	8/2021	Dimberg	H01H 9/54
D933,027	S *	10/2021	Altonen	D13/169
D933,615	S *	10/2021	Altonen	D13/174
D935,422	S *	11/2021	Knauss	D13/174
D940,668	S *	1/2022	Dimberg	D13/168
11,291,090	B2 *	3/2022	Bowser	H05B 45/10
2004/0109304	A1	6/2004	Yokoyama et al.	

2007/0057922	A1	3/2007	Schultz et al.
2007/0102275	A1	5/2007	Genz et al.
2007/0136679	A1	6/2007	Yang
2007/0193867	A1	8/2007	Lorenzo Riera et al.
2010/0175971	A1	7/2010	Kim et al.
2013/0242531	A1	9/2013	Urayama
2013/0328500	A1	12/2013	Toda
2014/0042002	A1	2/2014	Chu
2014/0117871	A1	5/2014	Swatsky et al.
2015/0371534	A1	12/2015	Dimberg et al.
2016/0128586	A1	5/2016	Parton et al.
2016/0196635	A1	7/2016	Cho et al.
2016/0212368	A1	7/2016	Zhang et al.
2017/0185240	A1	6/2017	Delrosario et al.
2017/0278383	A1	9/2017	Dimberg et al.
2017/0280533	A1	9/2017	Dimberg et al.
2017/0352506	A1	12/2017	Dimberg
2017/0354012	A1	12/2017	Bard et al.
2017/0354021	A1	12/2017	Dimberg et al.
2017/0354022	A1	12/2017	Dimberg et al.
2017/0354023	A1	12/2017	Dimberg et al.
2018/0005742	A1	1/2018	Newman, Jr. et al.
2018/0116039	A1	4/2018	Harte et al.
2021/0050164	A1	2/2021	Altonen et al.

OTHER PUBLICATIONS

Legrand®, Dimmers Brochure, 2015, 18 pages.

Lumenpulse™, Lumentone™ Specification Sheet, 2013, 4 pages.

Lumenpulse™, Lumentone™ Installation Instructions, 2013, 1 page.

Lumenpulse™, Lumentone™ Quick Reference Guide, 2015, 3 pages.

Electronic Theatre Controls, Inc., Echo Inspire® Station Programming Guide, Software Version 2.0.1, Feb. 2015, 44 pages.

Electronic Theatre Controls, Inc., Echo Inspire® Control Stations, <URL: <https://www.etccconnect.com/Products/Architectural-Systems/Echo/Control-Stations/Inspire-Control-Stations/Features.aspx>>, available from Internet at least as early as Jul. 15, 2014 [site visited May 9, 2018].

Electronic Theatre Controls, Inc., Echo Inspire® Control Station: 4-Button with Fader Knob, photograph taken on May 8, 2018.

Ltech, LED Controller Touch RGB DMX/Rf 4 Zones—DX8, <URL: <http://ltech-led.eu/en/dmx/1293-led-controller-touch-dx8-dmx.html>>, available at least as early as Jun. 3, 2016.

Diode LED, DMX Wall Mount Controller, <URL: <https://www.diodeled.com/dmx-wall-mount-controller.html>>, available at least as early as Jun. 3, 2016.

Fontana Fountains, Glass-Touch RGB Controller, <URL: <http://www.fontanafountains.com/products/underwater-illumination/thSMARTLED-luminaires/glass-touch-rgb-controller>>, available at least as early as Jun. 3, 2016.

Super Bright LEDs Inc., Wall Mount Touch Color RGB Controller, <URL: <https://www.superbrightleds.com/moreinfo/controllers/wall-mount-touch-color-rgb-controller-dynamic-color-changing-modes-3-amps-per-channel/1484/#/tab/Reviews>>, available at least as early as Jun. 3, 2016.

Milight, RGBW Remote, <URL: <http://www.milight.com/milight-rgbw-remote/>>, available at least as early as Jun. 3, 2016.

RGBZone, DC 12V-24V Wall-mounted Touch Panel Switch Controller Full Color LED Dimmer, <URL: https://www.amazon.com/RGBZONE-12V-24V-Wall-mounted-Switch-Controller/dp/B00RCEHNOI/ref=pd_sbs_60_2?_encoding=UTF8&pd_rd_i=B00RCEHNOI&pd_rd_r=XAXCT73G8T7VPD0HJDWK&pd_rd_w=2Fpri&pd_rd_wg=q5f29&psc=1&refRID=XAXCT73G8T7VPD0HJDWK>, available at least, as early as Jun. 3, 2016.

EPBOWPT, DC 12-24V Wall-mounted Glass Touch Panel Full-color Dimmer Controller, <URL: <https://www.aliexpress.com/item/32687326088.html>>, available at least as early as Jul. 16, 2019.

Google Developers, ‘Bridging the physical and digital. Imagine the possibilities. ATAP.—Google I/O 2016,’ youtube.com [online], May 20, 2016 [retrieved May 5, 2017]. Retrieved from Internet: <URL: <https://www.youtube.com/watch?v=8LO59eN9om4>>.

(56)

References Cited

OTHER PUBLICATIONS

A Studios, 'A Studios Lumenpulse lighting tutorial 1,' youtube.com [online], Apr. 23, 2016 [retrieved May 5, 2017. Retrieved from Internet: <URL:https://www.youtube.com/watch?v=1Hv4-TkgYZQ>.

U.S. Appl. No. 62/345,449, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 62/345,222, filed Jun. 3, 2016 (unpublished).

U.S. Appl. No. 29/597,335, filed Mar. 16, 2017 (unpublished).

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D976,223 S
APPLICATION NO. : 29/812066
DATED : January 24, 2023
INVENTOR(S) : Matthew Knauss et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page


Under (57) DESCRIPTION, Column 2, Lines 13-15:

-The control device having illumination applied thereto sequentially transitions from the first state to the last state in the sequence.-

Should be:

--The control device having illumination applied thereto sequentially transitions from the first state to the last state in the sequence.--.

Signed and Sealed this
Twenty-first Day of March, 2023



Katherine Kelly Vidal
Director of the United States Patent and Trademark Office