



US00D976416S

(12) **United States Design Patent**  
**Baumer et al.**

(10) **Patent No.:** **US D976,416 S**  
(45) **Date of Patent:** **\*\* Jan. 24, 2023**

(54) **APPARATUS FOR MONITORING VITAL SIGNS**

2018/0242874 A1\* 8/2018 Johnson ..... A61B 5/318  
2021/0353247 A1\* 11/2021 Chang ..... A61B 5/0006  
2021/0358472 A1\* 11/2021 Chang ..... G10K 11/341

(71) Applicant: **Inovise Medical, Inc.**, Beaverton, OR (US)

\* cited by examiner

(72) Inventors: **Martin Baumer**, Carlton, OR (US);  
**Alan V. Andresen**, Portland, OR (US)

*Primary Examiner* — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Loza & Loza, LLP;  
David S. Sarisky

(73) Assignee: **Inovise Medical, Inc.**, Beaverton, OR (US)

(57) **CLAIM**

The ornamental design for a apparatus for monitoring vital signs, as shown and described.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **29/796,990**

(22) Filed: **Jun. 28, 2021**

(51) **LOC (14) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/186**

(58) **Field of Classification Search**  
USPC ..... D24/164, 165, 167, 168, 169, 186, 187,  
D24/107, 200

CPC ..... A61B 5/0205; A61B 5/02405; A61B  
5/02427; A61B 5/02438; A61B 5/0245;  
A61B 5/254; A61B 5/257; A61B 5/26;  
A61B 5/271; A61B 5/28; A61B 5/282;  
A61B 5/308; A61B 5/318; A61B 5/332;  
A61B 5/0022; A61B 5/02055; A61B  
5/6898; A61B 5/1112; A61B 5/1117;  
A61B 5/1118; A61B 5/14532

See application file for complete search history.

FIG. 1 is a top perspective view of an apparatus for monitoring vital signs in its environment;  
FIG. 2 is a top perspective view of a first embodiment of the apparatus for monitoring vital signs of FIG. 1;  
FIG. 3 is a bottom perspective view thereof;  
FIG. 4 is a front elevation view thereof;  
FIG. 5 is a rear elevation view thereof;  
FIG. 6 is a first side elevation view thereof;  
FIG. 7 is a second side elevation view thereof;  
FIG. 8 is a top plan view thereof;  
FIG. 9 is a bottom plan view thereof;  
FIG. 10 is a top perspective of a second embodiment of the apparatus for monitoring vital signs of FIG. 1;  
FIG. 11 is a bottom perspective view thereof;  
FIG. 12 is a front elevation view thereof;  
FIG. 13 is a rear elevation view thereof;  
FIG. 14 is a first side elevation view thereof;  
FIG. 15 is a second side elevation view thereof;  
FIG. 16 is a top plan view thereof; and,  
FIG. 17 is a bottom plan view thereof.


The broken lines in FIG. 1 represent environmental subject matter and form no part of the claimed design. The broken lines in FIGS. 10-17 depict portions of the apparatus for monitoring vital signs that form no part of the claimed design.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D599,909 S *	9/2009	Rinott	.....	D24/186
D642,690 S *	8/2011	Altmann	.....	D24/186
D675,738 S *	2/2013	Baumer	.....	D24/168
D693,927 S *	11/2013	Wilson	.....	D24/167
D815,292 S *	4/2018	Goldman	.....	D24/186
D962,455 S *	8/2022	Komamura	.....	D24/200
11,417,310 B2 *	8/2022	Chang	.....	G10K 11/341

**1 Claim, 9 Drawing Sheets**






*FIG. 1*



*FIG. 2*



*FIG. 3*




FIG. 5




FIG. 4




FIG. 7







FIG. 6




*FIG. 8*



*FIG. 9*



*FIG. 10*



*FIG. 11*




FIG. 13




FIG. 12






FIG. 15






FIG. 14



*FIG. 16*



*FIG. 17*