



US00D976629S

(12) **United States Design Patent**
Kroeger et al.

(10) **Patent No.:** **US D976,629 S**
(45) **Date of Patent:** **** Jan. 31, 2023**

(54) **RETENTION TRAY ASSEMBLY FOR FOOD DISPENSING MACHINE**

(71) Applicants: **Todd M. Kroeger**, West Chester, OH (US); **Brandon S. Brammer**, Covington, KY (US)

(72) Inventors: **Todd M. Kroeger**, West Chester, OH (US); **Brandon S. Brammer**, Covington, KY (US)

(73) Assignee: **Gold Medal Products Co.**, Cincinnati, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/778,045**

(22) Filed: **Apr. 9, 2021**

(51) **LOC (14) Cl.** **31-00**

(52) **U.S. Cl.**
USPC **D7/325; D7/392; D7/397**

(58) **Field of Classification Search**
USPC D7/300, 311, 325, 387, 392, 397, 415, D7/589; D15/150-152; D24/224
CPC B65D 75/5877; B65D 7/30; B67D 7/302
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,819,660	A *	8/1931	Stone	A47J 37/10
					D7/354
D229,867	S *	1/1974	Shanks	D15/89
4,477,705	A *	10/1984	Danley	B65D 81/3453
					426/243
D279,070	S *	6/1985	Morrison	D7/325
D341,366	S *	11/1993	Tricarico	D34/12
D363,944	S *	11/1995	McCarter	D15/150
6,123,011	A *	9/2000	Cretors	A23L 7/187
					99/323.11
D442,027	S *	5/2001	Peters	D7/550.1
D590,490	S *	4/2009	Lary	D23/386

D637,636	S *	5/2011	Liao	D15/150
D663,992	S *	7/2012	Kauer	D7/325
D682,005	S *	5/2013	Kauer	D7/325
8,770,184	B2 *	7/2014	Schneider	F24C 1/16
					126/30
D715,842	S *	10/2014	Smith	D15/152

(Continued)

Primary Examiner — Michael C Stout

Assistant Examiner — Fritzgerald L Butac

(74) *Attorney, Agent, or Firm* — Ulmer & Berne LLP


(57) **CLAIM**

The ornamental design for a retention tray assembly for a food dispensing machine, as shown.

DESCRIPTION

FIG. 1 is a rear right perspective view depicting a retention tray assembly for a food dispensing machine;
 FIG. 2 is a rear elevation view depicting the retention tray assembly of FIG. 1;
 FIG. 3 is a front elevation view depicting the retention tray assembly of FIG. 1;
 FIG. 4 is a right side view depicting the retention tray assembly of FIG. 1;
 FIG. 5 is a left side view depicting the retention tray assembly of FIG. 1;
 FIG. 6 is a top elevation view depicting the retention tray assembly of FIG. 1;
 FIG. 7 is a bottom elevation view depicting the retention tray assembly of FIG. 1;
 FIG. 8 is a front left perspective view depicting the retention tray assembly of FIG. 1;
 FIG. 9 is a front right exploded perspective view depicting the retention tray assembly of FIG. 1; and,
 FIG. 10 is a rear left exploded perspective view depicting the retention tray assembly of FIG. 1.
 The details shown in broken lines in the figures form no part of the claimed design for the retention tray assembly for a food dispensing machine.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D734,794 S *	7/2015	Doran	D15/150
D849,961 S *	5/2019	Muller	D24/224
D875,272 S *	2/2020	Muller	D24/224
D875,273 S *	2/2020	Muller	D24/224
D915,706 S *	4/2021	Blackledge	D15/150
D933,727 S *	10/2021	Liao	D15/150

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10