

US00D97666S

(12) **United States Design Patent**
Van Rijn

(10) **Patent No.:** **US D976,666 S**
(45) **Date of Patent:** **** Jan. 31, 2023**

(54) **VEHICLE ESCAPE DEVICE**
(71) Applicant: **Life Safety Products B.V.**, Zoetermeer (NL)
(72) Inventor: **Hanno Peter Benjamin Van Rijn**, Zoetermeer (NL)
(**) Term: **15 Years**

5,952,916 A * 9/1999 Yamabe B25D 1/00
340/331
5,967,444 A * 10/1999 Potto B25D 1/00
242/379
D417,130 S * 11/1999 Hollinger D8/75
D420,269 S * 2/2000 Ben-Moshe D8/81
D459,190 S * 6/2002 Chen D26/38
6,453,564 B1 * 9/2002 Foley A62B 3/005
30/367
6,454,430 B1 * 9/2002 Lin A62B 3/005
7/158

(21) Appl. No.: **35/512,278**

(Continued)

(22) Filed: **Jul. 6, 2021**

FOREIGN PATENT DOCUMENTS

(80) **Hague Agreement Data**

CN 303539000 * 1/2016
CN 304252278 * 8/2017
CN 304622918 * 5/2018

Int. Filing Date: **Jul. 6, 2021**
Int. Reg. No.: **DM/215479**
Int. Reg. Date: **Jul. 6, 2021**
Int. Reg. Pub. Date: **Jul. 30, 2021**

OTHER PUBLICATIONS

(51) **LOC (14) Cl.** **08-02**
(52) **U.S. Cl.**

“Warehouse Hunts: LifeHammer”, YouTube, uploaded by KnifeCenter. Oct. 1, 2015. <https://www.youtube.com/watch?v=VXGbcvG9ZPc>. Retrieved on Jul. 20, 2022. (Year: 2015).*

USPC **D8/81**; D8/105

Primary Examiner — Deanna L Pratt

(58) **Field of Classification Search**
USPC D8/14, 75, 81, 98, 105; D29/124
CPC A26B 3/005; B25F 1/006; B25D 2250/295
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a vehicle escape device, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS


4,592,467 A * 6/1986 Lechner B25D 1/00
206/349
4,882,956 A * 11/1989 Lang B25D 1/00
81/20
D324,805 S * 3/1992 Pease D8/107
5,251,351 A * 10/1993 Klotz A47L 1/08
15/105
5,642,567 A * 7/1997 Lin B25D 1/00
30/366
D385,771 S * 11/1997 Chiang D8/81
5,903,942 A * 5/1999 Hasegawa A62B 3/005
30/158
D413,781 S * 9/1999 Wong D8/81

1. Vehicle escape device

- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Left
- 1.5 : Right
- 1.6 : Top
- 1.7 : Bottom

Figs. 1.1 - 1.7 display a vehicle escape device, comprising two hammer impact points at its top end and a seatbelt cutter at its bottom end.

1 Claim, 7 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


D472,444 S * 4/2003 Gesheit D8/81
6,574,816 B2 * 6/2003 Yu Chen B25G 1/085
7/158
D515,720 S * 2/2006 Kim D26/38
D577,562 S * 9/2008 Lin D8/81
D683,644 S * 6/2013 Stowers D8/105
D707,097 S * 6/2014 Kao D29/124
D794,408 S * 8/2017 Colasse D8/81
D818,165 S * 5/2018 Lu D26/42
10,265,874 B1 * 4/2019 Morgan B25F 1/04
10,520,282 B2 * 12/2019 Nangunoori G08B 15/004
D926,010 S * 7/2021 Harlander D8/75
D926,012 S * 7/2021 Harlander D8/75
D957,227 S * 7/2022 Azmi D8/98
2004/0040094 A1 * 3/2004 Lin B25F 1/00
7/144
2005/0066447 A1 * 3/2005 Wang B25F 1/00
7/100
2005/0102760 A1 * 5/2005 Hayhurst B25D 1/00
7/144
2006/0064822 A1 * 3/2006 Wang B25D 7/00
7/144
2013/0227795 A1 * 9/2013 Franken A62B 3/005
29/527.1
2015/0059529 A1 * 3/2015 Franken B25D 1/14
224/547
2021/0213308 A1 * 7/2021 Bina F21L 4/00

* cited by examiner


1.1




1.2




1.3




1.4



1.5



1.6



1.7

