



US00D976849S

(12) **United States Design Patent** (10) **Patent No.:** **US D976,849 S**
Song (45) **Date of Patent:** **** Jan. 31, 2023**

(54) **CONTROLLER SHELL**
(71) Applicant: **Keyong Song**, Zhejiang (CN)
(72) Inventor: **Keyong Song**, Zhejiang (CN)
(**) Term: **15 Years**

D568,255 S * 5/2008 Kurisaki D13/164
D583,756 S * 12/2008 Walsh D13/103
D669,039 S * 10/2012 Gunji D13/158
D672,712 S * 12/2012 Hartman D13/102
D802,542 S * 11/2017 Christensen D13/168
D804,433 S * 12/2017 Zhuo D13/168

(Continued)

(21) Appl. No.: **29/774,496**
(22) Filed: **Mar. 17, 2021**

FOREIGN PATENT DOCUMENTS

CN 305341250 S 9/2019
CN 306620325 S 6/2021

(30) **Foreign Application Priority Data**

Feb. 1, 2021 (CN) 202130072170.1

(51) **LOC (14) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**
USPC D13/168, 108, 146, 103, 164, 160, 170,
D13/158, 162, 174, 171, 199; D14/218,
D14/247, 240, 242, 356, 357; D10/49;
D3/209

CPC H03J 1/0025; H03J 9/00; H01H 9/0235;
H01H 9/02; H01H 9/0214; H01H 9/0242;
H04B 1/202; H05B 39/041; G05B 11/01;
G05B 2219/2642; G08C 2201/20; G08C
2201/30; G08C 2201/33; G08C 2201/40;
G08C 2201/91; G08C 2201/92; G08C
19/00; G08C 17/00; G08C 17/02; G08B
13/194; G07C 9/00944

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D246,241 S * 11/1977 Jacobs D13/138.2
D338,944 S * 8/1993 Poon D26/38
D349,273 S * 8/1994 Taylor D13/108
D400,276 S * 10/1998 Petruzzi D26/38
D530,681 S * 10/2006 Huang D13/168
D556,684 S * 12/2007 Cai D13/110
D556,685 S * 12/2007 Cai D13/110

OTHER PUBLICATIONS

Arrozon LED Lights Remote Control with Controller, available in Amazon.com, date first available Oct. 15, 2020 [online], [site visited Oct. 13, 2022], Available from the internet URL: <https://www.amazon.com/Arrozon-LED-Lights-Remote-Control/dp/B08L7M2GPK/> (Year: 2020).*

(Continued)

Primary Examiner — Christy Nemeth
Assistant Examiner — Leah E Hoeferkamp

(57) **CLAIM**

The ornamental design for a controller shell, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a controller shell showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a left view thereof;


FIG. 5 is a right view thereof;

FIG. 6 is an enlarged top view thereof; and,

FIG. 7 is an enlarged bottom view thereof.

The broken lines shown on the drawings depict portions of the controller shell that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | |
|--------------|----|---|---------|--------|-------|-----------------------|
| D823,801 | S | * | 7/2018 | Ouyang | | D13/110 |
| D900,789 | S | * | 11/2020 | Chen | | D14/218 |
| D908,622 | S | * | 1/2021 | Le | | D13/110 |
| D910,556 | S | * | 2/2021 | Huang | | D13/110 |
| D936,566 | S | * | 11/2021 | Liang | | D13/102 |
| D942,931 | S | * | 2/2022 | Fang | | D13/110 |
| D951,178 | S | * | 5/2022 | Miller | | D13/110 |
| D952,561 | S | * | 5/2022 | Huang | | D13/110 |
| D958,759 | S | * | 7/2022 | Deng | | D13/168 |
| D959,372 | S | * | 8/2022 | Li | | D13/110 |
| D959,373 | S | * | 8/2022 | Li | | D13/110 |
| D964,933 | S | * | 9/2022 | Li | | D13/110 |
| 2009/0277764 | A1 | * | 11/2009 | Lin | | H01H 17/22 200/336 |

OTHER PUBLICATIONS

Ussuma LED Transformer, available in Amazon.com, date first available Dec. 12, 2020 [online], [site visited Oct. 13, 2022], Available from the internet URL: <https://www.amazon.com/Ussuma-Transformer-Replacement-Inflatable-Waterproof/dp/B08QM7NT4T/> (Year: 2020).*

RunLessWire Simple Wireless Switch Kit, available in Amazon.com, date first available Jul. 24, 2015 [online], [site visited Oct. 13, 2022], Available from the internet URL: <https://www.amazon.com/RunLessWire-Simple-Wireless-Self-Powered-Control/dp/B012H6QZVC/> (Year: 2015).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7