



US00D977325S

(12) **United States Design Patent** (10) **Patent No.:** **US D977,325 S**
Rolland (45) **Date of Patent:** **** Feb. 7, 2023**

- (54) **HANDLE**
- (71) Applicant: **Benoit Rolland**, Watertown, MA (US)
- (72) Inventor: **Benoit Rolland**, Watertown, MA (US)
- (73) Assignee: **Benoit Rolland**, Watertown, MA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/808,674**
- (22) Filed: **Sep. 22, 2021**

Related U.S. Application Data

- (63) Continuation of application No. 29/772,378, filed on Mar. 1, 2021, now Pat. No. Des. 934,051, which is a continuation of application No. 29/610,721, filed on Jul. 14, 2017, now abandoned.
- (51) **LOC (14) Cl.** **08-06**
- (52) **U.S. Cl.**
USPC **D8/303; D8/321**
- (58) **Field of Classification Search**
USPC D8/107, 300, 303, 307; D15/142;
D7/393, 395; D21/756; D28/9, 62
CPC Y10T 16/44; Y10T 74/20612; Y10T
74/20287; Y10T 74/20732; Y10T
74/20828; Y10T 16/466; Y10T 74/20864;
Y10T 16/469; Y10T 74/20822; Y10T
16/4713; Y10T 74/20396; B25B 23/16;
B25G 1/102; B25G 1/105; B25G 1/10;
B25G 1/00; B25G 1/063; B25G 1/005;
B25G 1/01; B25G 1/043; B25G 1/085
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 2,124,615 A 7/1938 Foltz
- D209,902 S 1/1968 Watson

- D212,811 S 11/1968 Miller
- D225,528 S 12/1972 Tate
- D230,468 S 2/1974 Fairbairn
- D231,043 S 3/1974 Barnett
- D231,044 S 3/1974 Morris
- D240,367 S 6/1976 Cope
- D240,495 S 7/1976 Koppe
- D241,508 S 9/1976 Agate
- D241,806 S 10/1976 Johnson
- 4,599,920 A * 7/1986 Schmid B25G 1/102
81/177.1
- 4,836,544 A 6/1989 Lai
- 5,076,569 A 12/1991 Gootter
- 5,155,878 A 10/1992 Dellis
- D348,819 S 7/1994 Craig
- 5,588,651 A 12/1996 Frost
- 5,657,985 A 8/1997 Dahlstrom
- 5,979,015 A 11/1999 Tamaribuchi
- D486,718 S 2/2004 Goddert
- 7,284,300 B1 10/2007 Bruns

(Continued)

Primary Examiner — Lauren R Calve
(74) *Attorney, Agent, or Firm* — Cooley LLP


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a handle;
 FIG. 2 is another side perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a back view thereof;
 FIG. 5 is another side perspective view thereof;
 FIG. 6 is another side perspective view thereof;
 FIG. 7 is a top view thereof; and,
 FIG. 8 is a bottom view thereof.
 Broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design. The claim includes the mirror images of FIGS. 1-8.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D569,939	S	5/2008	Edwards	
8,092,411	B2	1/2012	Betcher	
8,616,098	B1	12/2013	Rosow	
8,708,846	B2	4/2014	Hisle, Jr. et al.	
8,769,835	B2	7/2014	Luttgens	
D710,942	S	8/2014	Pincus et al.	
D713,460	S	9/2014	Pierce	
8,931,855	B1 *	1/2015	Foley	A46B 7/042
				300/21
D809,893	S *	2/2018	Hsien-Te	D8/107
D883,767	S *	5/2020	Hoyos Ariza	D8/307
D896,610	S *	9/2020	Huang	D8/308
D934,051	S *	10/2021	Rolland	D8/321
2005/0150083	A1	7/2005	Roberts	
2007/0062006	A1	3/2007	Wright, Jr.	
2007/0251059	A1	11/2007	You	
2008/0032832	A1	2/2008	Thomas	
2013/0192028	A1	8/2013	Pierce	
2018/0169852	A1	6/2018	Fryer-Boggs et al.	
2020/0376647	A1 *	12/2020	Rolland	B25G 1/102
2021/0031355	A1 *	2/2021	Jackson-Coty	A46B 17/02
2021/0307501	A1 *	10/2021	Pianka	B25G 1/102

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8