



US00D977356S

(12) **United States Design Patent**
Squicciarini

(10) **Patent No.:** **US D977,356 S**

(45) **Date of Patent:** **** Feb. 7, 2023**

(54) **LIGHT BAR**

(71) Applicant: **Robert Squicciarini**, Hauppauge, NY
(US)

(72) Inventor: **Robert Squicciarini**, Hauppauge, NY
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/650,156**

(22) Filed: **Jun. 5, 2018**

Related U.S. Application Data

(62) Division of application No. 15/936,484, filed on Mar. 27, 2018, now Pat. No. 10,618,464.

(51) **LOC (14) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/114.4**

(58) **Field of Classification Search**
USPC D10/111, 112, 114.1, 114.2, 114.3, 114.4,
D10/114.5, 121; D12/187, 400, 406, 415,
D12/417, 418, 420, 189, 188, 192, 193
CPC .. B60R 1/076; G08G 1/096883; G01C 21/16;
G01C 21/3688; G01C 21/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D476,253 S *	6/2003	Stein	D10/114.4
D545,230 S *	6/2007	Jalala	D10/114.4
D584,980 S *	1/2009	Shin	D10/114.4
D585,318 S *	1/2009	Jalala	D10/114.4
D602,391 S *	10/2009	Stein	D10/114.4
D613,632 S *	4/2010	Shin	D10/114.4
D617,226 S *	6/2010	Cai	D10/114.4
D617,227 S *	6/2010	Cai	D10/114.4
D631,771 S *	2/2011	Kuo	D10/114.4
D632,199 S *	2/2011	Jacobs	D10/114.4

D633,404 S *	3/2011	Brooking	D10/114.4
D637,509 S *	5/2011	Shin	D10/114.4
D652,753 S *	1/2012	Deyaf	D10/114.4
D667,746 S *	9/2012	Yu	D10/114.4
D682,135 S *	5/2013	Grote, Jr.	D10/114.4
D751,444 S *	3/2016	Goltche	D10/114.4
D753,006 S *	4/2016	Deyaf	D10/114.4
D760,104 S *	6/2016	Jacobs	D10/114.4
D779,985 S *	2/2017	Deyaf	D10/114.4
D782,933 S *	4/2017	Goltche	D10/114.4
D783,436 S *	4/2017	Goltche	D10/114.4

(Continued)

Primary Examiner — Katrina N Gonzalez

(74) *Attorney, Agent, or Firm* — Thomas A. O'Rourke;
Bodner & O'Rourke, LLP


(57) **CLAIM**

The ornamental design for a light bar, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light bar illustrating my new design;
 FIG. 2 is another perspective view thereof, but with a movable center section of the light bar shown in an elevated position;
 FIG. 3 is a top view of the light bar of FIG. 1.
 FIG. 4 is a front view thereof; the rear view being the same.
 FIG. 5 is another front view thereof, but with the movable center section of the light bar shown in the elevated position;
 FIG. 6 is a bottom view of the light bar of FIG. 1;
 FIG. 7 is an enlarged right side view thereof; the left side view being the same; and,
 FIG. 8 is another enlarged right side view thereof, but with the movable center section of the light bar shown in the elevated position.
 The broken lines illustrate portions of the light bar that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D787,358 S	*	5/2017	Yu	D10/114.4
D793,891 S	*	8/2017	Deyaf	D10/114.4
D795,114 S	*	8/2017	Deyaf	D10/114.4
D832,125 S	*	10/2018	Goltche	D10/114.4
D835,535 S	*	12/2018	Deyaf	D10/114.4
D893,333 S	*	8/2020	Lyons	D10/114.4
D906,146 S	*	12/2020	Goltche	D10/114.4
D929,250 S	*	8/2021	Han	D10/114.4

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8