

US00D977999S

(12) **United States Design Patent** (10) **Patent No.:** **US D977,999 S**  
**Haijima et al.** (45) **Date of Patent:** **\*\* Feb. 14, 2023**

(54) **PRISM FOR MEASURING**

(71) Applicant: **TOPCON CORPORATION**, Tokyo (JP)

(72) Inventors: **Yasuhito Haijima**, Tokyo (JP); **Yasushi Tanaka**, Tokyo (JP); **Mitsuru Ogawa**, Tokyo (JP); **Nobuyuki Nishita**, Tokyo (JP); **Yoshiyuki Daibo**, Tokyo (JP)

(73) Assignee: **TOPCON CORPORATION**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/747,903**

(22) Filed: **Aug. 26, 2020**

(30) **Foreign Application Priority Data**

Feb. 27, 2020 (JP) ..... 2020-003774 D  
Feb. 27, 2020 (JP) ..... 2020-003775 D

(51) **LOC (14) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/66**

(58) **Field of Classification Search**  
USPC ..... D10/46, 61, 62, 65, 66, 70, 74, 103,  
D10/104.2, 106.5; D21/373; D25/13;  
D26/130  
CPC .... G01C 15/002; G01C 15/004; G01C 15/00;  
G01C 1/02; G01C 1/00; G01C 1/04;  
G01C 11/00; G01C 15/006; G01C 15/06;  
G01C 11/06; G01C 15/02; G01C 15/105;  
G01C 21/165; G01C 3/02; G01C 5/00;  
G01C 7/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D60,575 S \* 3/1922 Saart ..... D21/373  
2,167,074 A \* 7/1939 Hilker ..... A63F 9/0415  
D21/373

D272,168 S \* 1/1984 Sielaff ..... D25/13  
D296,085 S \* 6/1988 Tsolkas ..... D10/74  
6,123,427 A \* 9/2000 Hinderling ..... G01C 15/06  
359/834  
D501,694 S \* 2/2005 Cannon ..... D25/13  
D632,985 S \* 2/2011 Scheyer ..... D10/66  
D712,759 S \* 9/2014 Forsberg ..... D10/70  
D861,799 S \* 10/2019 Limle ..... D21/373  
10,690,497 B2 \* 6/2020 Nagashima ..... G01C 15/08  
2014/0325856 A1 \* 11/2014 Rothbucher ..... G01C 15/06  
33/293

(Continued)

*Primary Examiner* — George D. Kirschbaum

*Assistant Examiner* — Lillian Windham

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**

The ornamental design for a prism for measuring, as shown and described.

**DESCRIPTION**

FIG. 1 is a front side view of a prism for measuring showing our new design.

FIG. 2 is a rear side view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a right side view thereof, the left side view being a mirror image thereof;

FIG. 6 is a top, front, and left side perspective view thereof; and,

FIG. 7 is a bottom, rear, and right side perspective view thereof.

In the drawings, the broken lines depict portions of the prism for measuring that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2021/0055102 A1\* 2/2021 Richter ..... G01S 19/13  
2021/0372768 A1\* 12/2021 Müller ..... G01B 11/002

\* cited by examiner




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7