



US00D978079S

(12) **United States Design Patent**
Zheng et al.

(10) **Patent No.:** **US D978,079 S**

(45) **Date of Patent:** **** Feb. 14, 2023**

(54) **TELESCOPIC POWER SUPPLY DEVICE**

G06F 3/0658; G06F 9/4413; F21S 4/20;
F21S 4/28; F21V 5/007; F21V 5/04

(71) Applicants: **Self Electronics Co., Ltd.**, Zhejiang (CN); **Self Electronics USA Corporation**, Norcross, GA (US); **Wanjiong Lin**, Zhejiang (CN)

See application file for complete search history.

(72) Inventors: **Zhaoyong Zheng**, Zhejiang (CN); **Chengke Zhang**, Zhejiang (CN)

(56) **References Cited**

(73) Assignee: **Self Electronics Co., Ltd.**, Ningbo (CN)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D313,588 S *	1/1991	Gecchelin	D13/199
D621,542 S *	8/2010	Klus	D26/138
D634,063 S *	3/2011	Peifer	D26/138
D649,114 S *	11/2011	Brookshire	D13/110
D775,079 S *	12/2016	Oksengendler	D13/139.2
D875,680 S *	2/2020	Chou	D13/110
2020/0355345 A1 *	11/2020	Yeo	F21S 4/28

(21) Appl. No.: **29/788,214**

* cited by examiner

(22) Filed: **Apr. 15, 2021**

Primary Examiner — Derrick E Holland

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm* — Wang Law Firm, Inc.

Oct. 22, 2020 (CN) 202030631840.4

(51) **LOC (14) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**

USPC ... D13/110, 103, 107, 108, 118, 123, 137.1, D13/137.2, 137.4, 138.1, 147, 162, 168, D13/169, 174, 177, 184, 199; D14/257, D14/356, 357, 432, 433; D26/138, 139, D26/140

CPC H05K 5/00; H05K 5/02; H05K 5/0247; H05K 7/00; H05K 7/20; H05K 7/20136; H05K 7/20154; H05K 7/209; H02M 7/00; H02M 7/003; H02M 2001/009; H02J 7/0042; Y10T 307/367; Y02E 60/12; Y02E 60/50; H01M 2/02; H01M 2/025; H01M 2/0207; H01M 2/0212; H01M 10/44; H01R 13/60; H01R 13/72; H01R 13/6658; H01R 25/003; H01R 25/006; G06F 3/023; G06F 3/038; G06F 3/0626;

(57) **CLAIM**


We claim the ornamental design for a telescopic power supply device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a telescopic power supply device showing our new design;
 FIG. 2 is a front and left perspective view thereof;
 FIG. 3 is a perspective view thereof, shown in a use state;
 FIG. 4 is a rear elevation view of that shown in FIG. 1;
 FIG. 5 is an enlarged top plan view thereof;
 FIG. 6 is an enlarged bottom plan view thereof;
 FIG. 7 is a left side elevation view thereof; and,
 FIG. 8 is a right side elevation view thereof.

The broken lines shown represent the portions of the telescopic power supply device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8