

US00D978304S

(12) **United States Design Patent** (10) **Patent No.:** **US D978,304 S**
Kang (45) **Date of Patent:** **** Feb. 14, 2023**

(54) **TOILET SEAT FOR BABIES**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **PRESENT CO., LTD**, Busan (KR)

CN 305486889 * 12/2019
KR 300898081.0000 * 3/2017

(72) Inventor: **Bumkyu Kang**, Busan (KR)

OTHER PUBLICATIONS

(**) Term: **15 Years**

Duri 3.0 Toilet Seat with Built in Potty Training Seat, announced Nov. 11, 2021[online], [site visited Nov. 2, 2022]. Available from internet, URL:<<https://www.amazon.com/Toilet-Built-Potty-Training-White/dp/B0991JP423>> (Year: 2021).*

(21) Appl. No.: **35/513,525**

(22) Filed: **Aug. 2, 2021**

Primary Examiner — David G Muller
Assistant Examiner — Jamaal Rasheed

(80) **Hague Agreement Data**

Int. Filing Date: **Aug. 2, 2021**

Int. Reg. No.: **DM/218107**

Int. Reg. Date: **Aug. 2, 2021**

Int. Reg. Pub. Date: **Feb. 4, 2022**

(57) **CLAIM**

(51) **LOC (14) Cl.** **23-02**

The ornamental design for a toilet seat for babies, as shown and described.

(52) **U.S. Cl.**

USPC **D23/311**

(58) **Field of Classification Search**

DESCRIPTION

USPC D23/295–303, 309–312, 499

CPC A47K 13/06; A47K 13/10; A47K 11/024;

A47K 11/06; A47K 11/023

See application file for complete search history.

1. Toilet seat for babies

1.1 : Perspective

1.2 : Front

1.3 : Back

1.4 : Left

1.5 : Right

1.6 : Top

1.7 : Bottom

1.8 : Perspective

1.9 : Front

1.10 : Back

1.11 : Left

1.12 : Right

1.13 : Top

1.14 : Bottom

1.15 : Reference

Reproductions **1.1** to **1.7** are a toilet seat in a closed position, whereas reproductions **1.8** to **1.14** in an open position; reproduction **1.15** is a perspective view of the claimed

(56) **References Cited**

U.S. PATENT DOCUMENTS

D271,417 S * 11/1983 Thygesen D23/311

D348,926 S * 7/1994 Rasmussen D23/311

D389,903 S * 1/1998 Jones D23/311

D432,220 S * 10/2000 Hulsebus D23/311

D485,337 S * 1/2004 Tani D23/311

6,701,539 B1 * 3/2004 Hogan A47K 13/06
4/235

D508,283 S * 8/2005 Sutopo D23/311

D532,496 S * 11/2006 Bates D23/311

D556,308 S * 11/2007 Hisey D23/311


D557,774 S * 12/2007 Delay D23/311

D557,776 S * 12/2007 Delay D23/311

D582,022 S * 12/2008 Berberet D23/311

(Continued)

(Continued)



design in an environment of use; the parts shown by means of broken lines in reproduction 1.15 are not part of the claimed design.

1 Claim, 15 Drawing Sheets

(56)


References Cited

U.S. PATENT DOCUMENTS


D593,654 S *	6/2009	De Lay	D23/309
D596,723 S *	7/2009	Dempsey	D23/311
D752,192 S *	3/2016	Smith	D23/311
D897,509 S *	9/2020	Wang	D23/311
D897,510 S *	9/2020	Guan	D23/311
2009/0106884 A1 *	4/2009	Bemis	B29C 45/1676 4/236

* cited by examiner


1.1




1.2




1.3




1.4




1.5




1.6




1.7




1.8




1.9




1.10




1.11




1.12



1.13



1.14



1.15

