



US00D978391S

(12) **United States Design Patent** (10) **Patent No.:** **US D978,391 S**
Yoshida et al. (45) **Date of Patent:** **** Feb. 14, 2023**

(54) **REAR LIGHT FOR A MOTOR VEHICLE**
(71) Applicant: **MAZDA MOTOR CORPORATION**,
Hiroshima (JP)
(72) Inventors: **Atsushi Yoshida**, Hiroshima (JP);
Mitsumasa Hoshino, Hiroshima (JP);
Shinichi Harada, Hiroshima (JP)
(73) Assignee: **MAZDA MOTOR CORPORATION**,
Hiroshima (JP)
(**) Term: **15 Years**
(21) Appl. No.: **29/772,182**
(22) Filed: **Feb. 26, 2021**
(51) **LOC (14) Cl.** **26-06**
(52) **U.S. Cl.**
USPC **D26/28**
(58) **Field of Classification Search**
USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36
CPC F21W 2103/35; F21W 2103/40; F21W
2102/17; F21W 2102/30; F21W 2103/00;
F21W 2103/55; F21W 2104/00; F21W
2107/17; F21W 2107/13; F21S 41/00;
F21S 41/141; F21S 41/162; F21S 41/18;
F21S 41/20; F21S 41/33; F21S 41/36;
F21S 41/60; F21S 43/00; F21V 21/04
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D662,634 S * 6/2012 Koizumi D26/28
D691,758 S * 10/2013 Lai D26/28
D725,805 S * 3/2015 Dickman D26/28
D749,761 S * 2/2016 Sa D26/28
D754,890 S * 4/2016 Morikawa D26/28
D796,709 S * 9/2017 Lai D26/28


D825,800 S * 8/2018 Peterson D26/28
D827,885 S * 9/2018 Hannemann D26/28
D835,313 S * 12/2018 Jung D26/28
D850,669 S * 6/2019 Hatton D26/28
D851,302 S * 6/2019 Lin D26/28
D870,327 S * 12/2019 Hill D26/28
D887,600 S * 6/2020 Yun D26/35
D889,697 S * 7/2020 Tovey D26/28
D893,061 S * 8/2020 Tovey D26/28
D894,450 S * 8/2020 Seemann D26/28
D911,562 S * 2/2021 Lin D26/28
D913,542 S * 3/2021 Thomas D26/28
D913,545 S * 3/2021 Bernardi D26/28
D913,547 S * 3/2021 Thomas D26/28
D927,747 S * 8/2021 Thomas D26/28
D935,068 S * 11/2021 Patel D26/28
D939,742 S * 12/2021 Wu D26/28
D957,013 S * 7/2022 Yang D26/28
D958,420 S * 7/2022 Tran D26/28
D963,210 S * 9/2022 Shimmura D26/28

* cited by examiner
Primary Examiner — Angela J Lee
(74) *Attorney, Agent, or Firm* — Studebaker & Brackett
PC

(57) **CLAIM**
The ornamental design for a rear light for a motor vehicle,
as shown and described.

DESCRIPTION
FIG. 1 is a first perspective view of a rear light for a motor
vehicle showing our new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof; and,
FIG. 4 is a right side view thereof.
The dash-dash broken lines illustrate portions of the rear
light for a motor vehicle in which the design is embodied
that form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4