



US00D978652S

(12) **United States Design Patent** (10) **Patent No.:** **US D978,652 S**  
**Palmer** (45) **Date of Patent:** **\*\* Feb. 21, 2023**

(54) **HANDLE INSERT**

(71) Applicant: **14th Round Inc.**, Los Angeles, CA (US)

(72) Inventor: **Christopher George Palmer**, Los Angeles, CA (US)

(73) Assignee: **14th Round Inc.**, Van Nuys, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/748,506**

(22) Filed: **Aug. 29, 2020**

(51) LOC (14) Cl. .... **08-06**  
(52) U.S. Cl.

USPC ..... **D8/313; D8/322; D8/382; D3/318**

(58) **Field of Classification Search**

USPC ..... D8/300, 301, 303, 313, 321, 322, 330,  
D8/331, 336, 338, 341, 343, 344, 349,  
D8/382; D3/304, 307, 308, 318  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D181,785 S \* 12/1957 Duvall ..... D8/313  
3,070,830 A \* 1/1963 Schirmer ..... A47B 95/02

16/416

(Continued)

*Primary Examiner* — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Flener IP & Business Law; Zareefa B. Flener; Ayhan E. Mertogul

(57) **CLAIM**

The ornamental design for a handle insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view showing a first embodiment of my new design for a handle insert in a first configuration;

FIG. 2 is a front elevational view of the design of FIG. 1 in the first configuration;

FIG. 3 is a rear elevational view of the design of FIG. 1 in the first configuration;

FIG. 4 is a left side view of the design of FIG. 1 in the first configuration;

FIG. 5 is a right side view of the design of FIG. 1 in the first configuration;

FIG. 6 is a top plan view of the design of FIG. 1 in the first configuration;

FIG. 7 is a bottom plan view of the design of FIG. 1 in the first configuration;

FIG. 8 is a top perspective view showing a second embodiment of my new design for a handle insert in a first configuration;

FIG. 9 is a front elevational view of the design of FIG. 8 in the first configuration;

FIG. 10 is a rear elevational view of the design of FIG. 8 in the first configuration;

FIG. 11 is a left side view of the design of FIG. 8 in the first configuration;

FIG. 12 is a right side view of the design of FIG. 8 in the first configuration;

FIG. 13 is a top plan view of the design of FIG. 8 in the first configuration;

FIG. 14 is a bottom plan view of the design of FIG. 8 in the first configuration;

FIG. 15 is a top perspective view showing the design of FIG. 1 in a second configuration;

FIG. 16 is a front elevational view of the design of FIG. 1 in the second configuration;

FIG. 17 is a rear elevational view of the design of FIG. 1 in the second configuration;

FIG. 18 is a left side view of the design of FIG. 1 in the second configuration;

FIG. 19 is a right side view of the design of FIG. 1 in the second configuration;

FIG. 20 is a top plan view of the design of FIG. 1 in the second configuration;

FIG. 21 is a bottom plan view of the design of FIG. 1 in the second configuration;

FIG. 22 is a front elevational view of the design of FIG. 1 in a third configuration;

(Continued)




FIG. 23 is a rear elevational view of the design of FIG. 1 in the third configuration;  
FIG. 24 is a left side view of the design of FIG. 1 in the third configuration;  
FIG. 25 is a right side view of the design of FIG. 1 in the third configuration;  
FIG. 26 is a top plan view of the design of FIG. 1 in the third configuration;  
FIG. 27 is a bottom plan view of the design of FIG. 1 in the third configuration;  
FIG. 28 is a top perspective view showing the design of FIG. 8 in a second configuration;  
FIG. 29 is a front elevational view of the design of FIG. 8 in the second configuration;  
FIG. 30 is a rear elevational view of the design of FIG. 8 in the second configuration;  
FIG. 31 is a left side view of the design of FIG. 8 in the second configuration;  
FIG. 32 is a right side view of the design of FIG. 8 in the second configuration;  
FIG. 33 is a top plan view of the design of FIG. 8 in the second configuration;  
FIG. 34 is a bottom plan view of the design of FIG. 8 in the second configuration;  
FIG. 35 is a front elevational view of the design of FIG. 8 in a third configuration;  
FIG. 36 is a rear elevational view of the design of FIG. 8 in the third configuration;  
FIG. 37 is a left side view of the design of FIG. 8 in the third configuration;  
FIG. 38 is a right side view of the design of FIG. 8 in the third configuration;  
FIG. 39 is a top plan view of the design of FIG. 8 in the third configuration; and,  
FIG. 40 is a bottom plan view of the design of FIG. 8 in the third configuration.  
The broken lines shown represent environmental structure and portions of the handle insert that form no part of the claimed design.

The first embodiment of the handle insert is shown with a symbolic break in its length. The appearance of any portion of the handle insert between the break lines forms no part of the claimed design.

### 1 Claim, 18 Drawing Sheets

#### (58) Field of Classification Search

CPC . Y10T 16/469; Y10T 29/49947; Y10T 16/44; Y10T 29/49027; Y10T 16/4707; Y10T 16/4569; Y10T 29/53283; Y10T 29/5151


See application file for complete search history.

#### (56) References Cited


##### U.S. PATENT DOCUMENTS

D299,113	S *	12/1988	Takahashi .....	D8/382
D369,959	S *	5/1996	Marsh .....	D8/394
D375,201	S *	11/1996	Karr .....	D3/307
5,601,899	A *	2/1997	Campbell .....	B60R 13/0206 24/324
D445,664	S *	7/2001	Foster .....	D8/301
D469,012	S *	1/2003	Lee .....	D9/434
D597,395	S *	8/2009	Martineau .....	D8/313
D773,189	S *	12/2016	Reinhart .....	D3/318
D878,050	S *	3/2020	Kraemer .....	D3/307
D881,576	S *	4/2020	Reinhart .....	D3/318
2005/0109668	A1*	5/2005	Burns .....	H01L 21/67383 206/711
2009/0106942	A1*	4/2009	Dell'Orfano .....	A47B 95/02 220/759
2013/0026165	A1*	1/2013	Kvols .....	B65D 19/18 29/525.01
2013/0199020	A1*	8/2013	Frylewski .....	A44B 17/0023 24/598.2
2014/0202615	A1*	7/2014	Cuddy .....	F16B 5/01 403/345
2015/0136719	A1*	5/2015	Bally .....	A61B 50/33 211/126.1


\* cited by examiner







**FIG. 1**




**FIG. 2**









**FIG. 3**

**FIG. 4****FIG. 5****FIG. 6****FIG. 7**



**FIG. 8**

**FIG. 9****FIG. 10**

**FIG. 11****FIG. 12****FIG. 13****FIG. 14**





FIG. 15




**FIG. 16**





**FIG. 17**



**FIG. 18**



**FIG. 19**

**FIG. 20****FIG. 21**




FIG. 22




FIG. 23




FIG. 24







FIG. 25





**FIG. 26**




**FIG. 27**




**FIG. 28**



**FIG. 29****FIG. 30**




**FIG. 31**




**FIG. 32**


**FIG. 33****FIG. 34**




**FIG. 35**




**FIG. 36**




**FIG. 37**



**FIG. 38**



**FIG. 39**



**FIG. 40**