

US00D978685S

(12)

United States Design Patent

Gianola et al.

(10)

Patent No.:

US D978,685 S

(45)

Date of Patent:

** Feb. 21, 2023

(54) HOUSING FOR GLOSSMETER

(71) Applicant: PROCEQ AG, Schwerzenbach (CH)

(72) Inventors: Stephan Gianola, Dornach (CH);
Bernhard Pleimer, Reinach (CH);
S  verine Berger, Riehen (CH);
Michael Geiser, Zurich (CH); Ralph
Mennicke, Uster (CH)

(73) Assignee: PROCEQ AG, Schwerzenbach (CH)

(**) Term: 15 Years

(21) Appl. No.: 29/724,390

(22) Filed: Feb. 14, 2020

(51) LOC (14) Cl. 10-04

(52) U.S. Cl.
USPC D10/46; D10/98

(58) Field of Classification Search
USPC D10/46, 81, 96-103, 61
CPC G01N 21/57; G01N 21/552; G01N 21/55;
G01N 21/274; G01N 21/474; G01N
33/346; H04N 7/183

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D645,371	S	*	9/2011	Ueda	D10/98
D678,096	S	*	3/2013	Ueda	D10/98
D903,624	S	*	12/2020	Tooker	D14/173
D949,713	S	*	4/2022	Henssler	D10/46
2018/0113073	A1	*	4/2018	Kawanago	G01N 21/474
2018/0299378	A1	*	10/2018	Morikawa	G01N 21/5911
2019/0128806	A1	*	5/2019	Kasai	G01N 21/55
2020/0132593	A1	*	4/2020	Schwarz	G01J 3/524
2020/0305784	A1	*	10/2020	Van Bree	A61B 5/6898
2022/0018767	A1	*	1/2022	Labbe	G01N 21/3563
2022/0065781	A1	*	3/2022	Xu	G01N 21/57

FOREIGN PATENT DOCUMENTS

CN	303540663	*	9/2015
CN	306728932	*	4/2021
GB	4035228	*	5/2014
IN	326420-001-0001	*	1/2020
WO	D206368-004	*	1/2020

(Continued)

OTHER PUBLICATIONS

Zehntner ZG8000—Productand Application Training; Date first available Sep. 25, 2019, [online]retrieved May 18, 2022,available from <https://lumaquin.com/newsletters/202003-zehntner/Zehntner-ZG8000.pdf> (Year: 2019).*

(Continued)

Primary Examiner — Keli L Hill
Assistant Examiner — Sara S Sahneh
(74) Attorney, Agent, or Firm — Muncy, Geissler, Olds & Lowe, P.C.


(57) CLAIM

The ornamental design for a housing for glossmeter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the housing for glossmeter showing our new design;
FIG. 2 is a front side elevational view thereof;
FIG. 3 is a back side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines shown are included for the purpose of illustrating portions of the housing for glossmeter that form no part of the claim.

1 Claim, 7 Drawing Sheets



(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO D206368-006 * 1/2020

OTHER PUBLICATIONS

FRU, Gloss Meter Accurate Multifunctional Glossmeter, Date first available Dec. 7, 2018, [online]retrieved May 18, 2022,available from https://www.amazon.com/FRU-Accurate-Multifunctional-Glossmeter-Portable/dp/B07L6WZH6V/ref=sr_1_1_sspa?crid=2W3SZDM9TY8ZA&keywords=Glossmeter&qid=1652895467&s=industri (Year: 2018).*

HFBTE Store, Tri-angle 20 60 85 Degree Gloss Meter, Date first available Mar. 21, 2019, [online]retrieved May 18, 2022,available from https://www.amazon.com/HFBTE-Tri-angle-Glossmeter-Storage-Software/dp/B07PXQZ5TR/ref=sr_1_20?crid=2W3SZDM9TY8ZA&keywords=Glossmeter&qid=1652895467&s=industrial&srefix=gl (Year: 2019).*

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7