



US00D978788S

(12) **United States Design Patent**
Farrow

(10) **Patent No.:** **US D978,788 S**

(45) **Date of Patent:** **** Feb. 21, 2023**

(54) **CHARGER**

(71) Applicant: **Philip Morris Products S.A.**,
Neuchâtel (CH)
(72) Inventor: **Alexander Farrow**, Pleasant Hill, CA
(US)
(73) Assignee: **Philip Morris Products S.A.**,
Neuchatel (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/731,468**

(22) Filed: **Apr. 15, 2020**

(30) **Foreign Application Priority Data**

Oct. 17, 2019 (EM) 007039631

(51) **LOC (14) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**

USPC D13/107-110, 118, 119, 184, 199, 163;
D14/251, 253, 432, 434, 447; D27/186,
D27/187, 193, 194

CPC Y02E 60/12; H02J 7/025; H02J 7/0042;
H02J 7/0044; H02J 7/0045; H02J 7/0003;
H02J 7/0027; H02J 7/0013; H02J 7/0054;
H02J 7/00; H02J 2001/008; H02J 3/32;
H02J 3/008; H01F 38/14; H01R 13/6675;
H01M 2/1022; H01M 2/1055; H01M
10/44; H01M 10/46; H01M 10/425; B60L
11/182; B60L 11/1809; B60L 11/1861;
B60R 16/03

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D324,024 S 2/1992 Nagele et al.
D351,133 S 10/1994 Jungels-Butler et al.

D473,338 S * 4/2003 Brandenburg D27/194
D584,313 S 1/2009 Pittel et al.
D669,851 S 10/2012 Ikegame
D685,323 S 7/2013 Szymanski et al.
D733,648 S 7/2015 Bianco et al.
D735,935 S * 8/2015 Burrell D27/186
D835,577 S * 12/2018 Zhang D13/108
D844,240 S * 3/2019 Kauss D27/194
D850,714 S * 6/2019 Guo D27/194
D864,112 S * 10/2019 Chen D13/110
D873,212 S * 1/2020 Chang D13/107

(Continued)

OTHER PUBLICATIONS

Notice of Allowance dated Sep. 26, 2022 in U.S. Appl. No.
29/731,472, 8 pgs.

Primary Examiner — Christy Nemeth
(74) *Attorney, Agent, or Firm* — Oblon, McClelland,
Maier & Neustadt, L.L.P.


(57) **CLAIM**

The ornamental design for a charger, as shown and
described.

DESCRIPTION

FIG. 1 is a front, top, and left side perspective view of a
charger showing the new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a left side elevational view thereof;
FIG. 8 is a front, bottom, and left side perspective view
thereof; and,
FIG. 9 is a front elevational view thereof in an open position.
The broken lines in the figures show portions of the charger
that do not form part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D879,708	S	*	3/2020	Chen	D27/194
D881,806	S	*	4/2020	Schmidt	D13/107
D885,332	S	*	5/2020	Han	D27/194
D889,740	S	*	7/2020	Beer	D27/194
D890,695	S	*	7/2020	Chang	D13/107
D909,296	S	*	2/2021	Chen	D13/110
D921,981	S	*	6/2021	Sudlow	D27/194
D922,314	S	*	6/2021	Helnerus	D13/107
D926,367	S	*	7/2021	Cruice	D27/194
D928,400	S	*	8/2021	Verchick	A24D 1/02 D27/162
D931,202	S	*	9/2021	Lai	D27/162
D931,210	S	*	9/2021	Lee	D3/294
D933,592	S	*	10/2021	Liu	D13/103
D935,687	S	*	11/2021	Tung	D27/189
D937,787	S	*	12/2021	Wappler	D13/184
D940,652	S	*	1/2022	Tung	D13/108
D952,245	S	*	5/2022	Farrow	D27/167
2017/0119044	A1		5/2017	Oligschlaeger et al.		
2017/0367406	A1		12/2017	Schuler et al.		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9