



US00D979327S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D979,327 S**

(45) **Date of Patent:** **** Feb. 28, 2023**

- (54) **GEAR FOR TWIN GEAR JUICER**
- (71) Applicant: **I-TECH USA, INC.**, Farmington Hills, MI (US)
- (72) Inventor: **Dong Un Kim**, Northville, MI (US)
- (73) Assignee: **I-TECH USA, INC.**, Farmington Hills, MI (US)
- (**) Term: **15 Years**

- 3,011,430 A 12/1961 Bloomquist
- 4,088,070 A 5/1978 Montagroni et al.
- 5,452,650 A * 9/1995 Lee A47J 19/025
366/291
- 5,906,154 A * 5/1999 Yoon B30B 9/12
100/145
- 6,394,377 B1 * 5/2002 Kim B02C 18/301
241/74
- 6,854,382 B2 * 2/2005 Jan A23N 1/00
99/509
- D600,260 S * 9/2009 Frejd D15/139
- D665,431 S * 8/2012 Pan D15/139

(Continued)

- (21) Appl. No.: **29/736,313**
- (22) Filed: **May 29, 2020**
- (51) **LOC (14) Cl.** **31-00**
- (52) **U.S. Cl.**
USPC **D7/412**; D7/376; D7/379
- (58) **Field of Classification Search**
USPC D7/372, 376-386, 412-413, 602, 629,
D7/665-666, 669, 679, 690, 693-694;
D15/139
CPC A21C 1/02; A21C 1/04; A23N 1/00; A23N
1/02; A47J 43/04; A47J 43/25; A47J
43/27; A47J 43/042; A47J 43/044; A47J
43/046; A47J 43/075; A47J 43/0705;
A47J 43/0711; A47J 43/0722; A47J
43/0727; A47J 43/0755; A47J 43/1093;
A47J 19/025; A47J 19/06; B01F 3/00;
B01F 3/0807; B01F 3/0853; B01F
13/0059; B01F 13/0064; B01F 7/164;
B01F 27/054; B01F 27/13; B01F 27/17;
B02C 1/08; B02C 2/04; B02C 4/42;
B02C 4/142; B02C 4/143; B02C 4/423;
B02C 13/1835; B02C 18/301; B28C 5/10;
B28C 5/12; B28C 5/14; B28C 5/16;
B30B 9/12; A23L 2/04
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

- CA 2061086 A * 8/1992 A23N 1/00
- WO WO-2021243127 A1 * 12/2021 A23L 2/04

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Jacob M. Ward; Ward Law Office LLC

(57) **CLAIM**



The ornamental design for a gear for twin gear juicer, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a gear for twin gear juicer;
 FIG. 2 is a bottom perspective view of the gear for twin gear juicer of FIG. 1;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a right side elevational view thereof; and,
 FIG. 8 is a left side elevational view thereof.
 The ornamental design which is claimed is shown in solid lines in the drawings. The portion depicted in broken lines forms no part of the claimed design.

1 Claim, 2 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
2,444,203 A 6/1948 McKinnis
2,515,772 A 7/1950 Hewlett



(56)

References Cited

U.S. PATENT DOCUMENTS

8,474,374 B2 * 7/2013 Trovinger A23N 1/02
99/503
9,332,881 B2 * 5/2016 Sands B01F 27/17
2003/0205635 A1 11/2003 Lazzer et al.
2020/0260898 A1 8/2020 Kim
2021/0274827 A1 * 9/2021 Lee A23N 1/02
2021/0369036 A1 * 12/2021 Kim A47J 19/025

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8