



US00D979385S

(12) **United States Design Patent** (10) **Patent No.:** **US D979,385 S**
Hemphill (45) **Date of Patent:** **** Feb. 28, 2023**

(54) **CONCRETE CONNECTOR**
(71) Applicant: **Garland Industries, Inc.**, Cleveland, OH (US)
(72) Inventor: **Scott Hemphill**, Wilmington, DE (US)
(73) Assignee: **GARLAND INDUSTRIES, INC.**, Cleveland, OH (US)

6,263,629 B1 7/2001 Brown, Jr. et al.
6,312,541 B1 11/2001 Hemphill
6,330,776 B1 12/2001 Jinno et al.
6,389,775 B1 5/2002 Steiner et al.
6,416,693 B1 7/2002 Lockwood
6,532,714 B1 3/2003 Ferm et al.
7,207,149 B2 4/2007 Fyfe et al.

(Continued)

(**) Term: **15 Years**

EP 441519 A1 8/1991

(21) Appl. No.: **29/773,597**

OTHER PUBLICATIONS

(22) Filed: **Mar. 10, 2021**

Burr et al., "Recent developments in the use of FRP anchors and masonry wall strengthening techniques" *The Structural Engineer*, 21, pp. 20-21 (Sep. 2004).

(51) **LOC (14) Cl.** **08-08**

(Continued)

(52) **U.S. Cl.**
USPC **D8/382**

(58) **Field of Classification Search**
USPC D8/382, 384
CPC ... E04B 5/04; E04B 5/023; E04B 5/07; E04B 5/073; E01C 7/147; E04G 17/001; E04G 17/02; E04G 17/005; E04G 23/0214; E04G 23/0229; E04G 23/02; E04G 23/0218
See application file for complete search history.

Primary Examiner — Doris Clark
(74) *Attorney, Agent, or Firm* — Ulmer & Berne LLP; Brian E Turung

(57) **CLAIM**

The ornamental design for a concrete connector, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

1,223,045 A 4/1917 Ferguson
3,327,986 A * 6/1967 Oury E04G 17/02
249/194
3,362,117 A * 1/1968 Van Raden E04C 3/18
52/291
4,935,301 A 6/1990 Rerup et al.
5,476,340 A 12/1995 Contrasto
5,513,925 A 5/1996 Dempsey et al.
5,763,043 A 6/1998 Porter et al.
5,771,557 A * 6/1998 Contrasto E04G 23/0218
29/402.11
6,052,964 A 4/2000 Ferm et al.
6,183,835 B1 2/2001 Cho et al.
6,185,897 B1 2/2001 Johnson et al.

FIG. 1 is a left side elevation view of a concrete connector of the present application;
FIG. 2 is a right side elevation view of the concrete connector of FIG. 1;
FIG. 3 is a top plan view of the concrete connector of FIG. 1;
FIG. 4 is a bottom plan view of the concrete connector of FIG. 1;
FIG. 5 is a front end elevation view of the concrete connector of FIG. 1; and,
FIG. 6 is a back end side elevation view of the concrete connector of FIG. 1.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

RE39,839 E 9/2007 Wheatley et al.
7,311,964 B2 12/2007 Aldea et al.
7,574,840 B1 8/2009 Fyfe
7,736,088 B2 6/2010 Boxall et al.
8,087,210 B2 1/2012 Agneloni
D768,470 S * 10/2016 Noturno D8/382
D846,972 S * 4/2019 Tonthat D8/382
2001/0047844 A1 12/2001 Edwards et al.
2001/0049399 A1 12/2001 Edwards et al.
2006/0162845 A1 7/2006 Bogard et al.

OTHER PUBLICATIONS

Kim et al., "Behaviour of Handmade FRP anchors under tensile load in uncracked concrete" Advances in Structural Engineering, vol. 12, No. 6, pp. 845-865 (2009).

Neimitz et al., "Experimental behavior of carbon fiber-reinforced polymer (CRFP) sheets attached to concrete surfaces using CRFP anchors". Jour. of Composites for Construction, pp. 185-194 (2010).

Ozdemir, Gokhan, "Mechanical properties of CFRP anchorages" Thesis, Middle East Technical Univ., Jan. 2005.

Pham, Le Tuan, "Development of a quality control test for carbon fiber reinforced polymer anchors" Thesis, Univ. of Texas at Austin, May 2009.

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6