



US00D979423S

(12) **United States Design Patent** (10) **Patent No.:** **US D979,423 S**  
**Komoda et al.** (45) **Date of Patent:** **\*\* Feb. 28, 2023**

(54) **PACKAGING BAG**

(71) Applicant: **Futamura Kagaku Kabushiki Kaisha**,  
Aichi (JP)

(72) Inventors: **Yoshihiro Komoda**, Tahara (JP);  
**Hayato Naruse**, Tahara (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/512,781**

(22) Filed: **Apr. 20, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 20, 2021**  
Int. Reg. No.: **DM/214849**  
Int. Reg. Date: **Apr. 20, 2021**  
Int. Reg. Pub. Date: **Oct. 22, 2021**

(30) **Foreign Application Priority Data**

Nov. 4, 2020 (JP) ..... 2020-023813 D

(51) **LOC (14) Cl.** ..... **09-05**

(52) **U.S. Cl.**  
USPC ..... **D9/703**

(58) **Field of Classification Search**  
USPC ..... D9/702-703, 707, 709, 711, 713,  
D9/430-431, 761, 414-417, 695-696,  
D9/737, 419, 424-426, 734; D24/118,  
D24/207, 115, 119; D3/202, 203.1, 303  
CPC ..... B65D 35/00; B65D 35/02; B65D 35/04;  
B65D 35/22; B65D 35/28; B65D 47/00;  
B65D 47/02; B65D 47/36; B65D 85/72;  
B65D 81/24; B65D 81/34; B65D 27/36;  
B65D 27/00; B65D 27/34; B65D 27/38;  
B65D 29/00; B65D 29/02; B65D 29/04;  
B65D 75/00; B65D 75/327; B65D 75/28;  
B65B 9/00; B65B 9/02; B65B 9/06;  
B65B

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D360,578 S \* 7/1995 Dees ..... D20/18  
D546,705 S \* 7/2007 Suzuki ..... D9/415

(Continued)

*Primary Examiner* — Abraham Bahta

(57) **CLAIM**


The ornamental design for a packaging bag, as shown and described.

**DESCRIPTION**

- 1. Packaging bag
- 1.1 : Front
- 1.2 : Back
- 1.3 : Right
- 1.4 : Top
- 1.5 : Bottom
- 1.6 : Reference front view

The present article relates to a packaging bag for sealing medicine; wherein parts of two substantially rectangular front and rear sheet-like materials are bonded by heat-sealing; as shown in the reference front view, an accommodation part in which an object to be accommodated; such as medicine, is accommodated; and which is composed of a protruding convex sealed part of bottom and side sealed parts is provided on the upper opening side of the packaging bag; in the top opening, a tab part is formed on the front side sheet-like material such that the outer edge part of the top opening is located below the upper opening end of the rear side sheet-like material; furthermore, side end sealed parts are formed on both side ends that are located lower than the top opening outer edge part of the front side sheet-like material; during use, a consumer can remove the accommodated medicine or the like by pinching the tab part of the front side sheet-like material and the rear side sheet-like material and peeling the respective sealed parts in the separation direction; since the left-side view is symmetrical

(Continued)



to the right-side view, it has been omitted; note that in the reference front view, the shaded portion corresponds to the heat-sealed parts.

**1 Claim, 6 Drawing Sheets**

(58) **Field of Classification Search**

CPC ..... 9/045; A61J 1/035; A61J 1/06; A61J 1/00;  
A61J 1/05

See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS


D770,904 S	*	11/2016	Kim .....	D9/625
D877,624 S	*	3/2020	Abed .....	D9/709
D883,655 S	*	5/2020	Lotosky-Compton .....	D3/203.1
D940,566 S	*	1/2022	Pellingra .....	D9/707
D947,679 S	*	4/2022	Hughes .....	D9/702

\* cited by examiner

1.1



1.2



1.3



1.4



1.5





1.6

