



US00D979447S

(12) **United States Design Patent** (10) **Patent No.:** **US D979,447 S**  
**Dumas** (45) **Date of Patent:** **\*\* Feb. 28, 2023**

(54) **BRACELET**  
(71) Applicant: **HERMES SELLIER (Société par actions simplifiée)**, Paris (FR)  
(72) Inventor: **Pierre-Alexis Dumas**, Paris (FR)  
(\*\*) Term: **15 Years**

D562,173 S \* 2/2008 Hardy ..... D11/4  
D573,504 S \* 7/2008 Lecut ..... D11/4  
D585,181 S \* 1/2009 Mouquet ..... D2/627  
D690,219 S \* 9/2013 Mouquet ..... D11/5  
D842,752 S \* 3/2019 Hardy ..... D11/26  
D848,108 S \* 5/2019 Dumas ..... D2/627  
D894,527 S \* 9/2020 Mouquet ..... D2/627  
D915,929 S \* 4/2021 Dumas ..... D11/4  
D915,930 S \* 4/2021 Dumas ..... D11/4

(21) Appl. No.: **35/513,390**

(22) Filed: **Jul. 20, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 20, 2021**  
Int. Reg. No.: **DM/215528**  
Int. Reg. Date: **Jul. 20, 2021**  
Int. Reg. Pub. Date: **Jan. 21, 2022**

(51) **LOC (14) Cl.** ..... **11-01**  
(52) **U.S. Cl.**  
USPC ..... **D11/4**

(58) **Field of Classification Search**  
USPC ..... D11/1-25, 26-39  
CPC ..... A44C 5/00; A44C 5/0007; A44C 5/0015;  
A44C 5/0023; A44C 5/003; A44C  
5/0038; A44C 5/0046; A44C 5/0053;  
A44C 5/0061; A44C 5/0084; A44C  
5/0092; A44C 9/00; A44C 9/0007; A44C  
9/0015; A44C 9/0023; A44C 9/003; A44C  
9/0038; A44C 9/0046; A44C 9/0053;  
A44C 9/0061; A44C 9/0069; A44C  
9/0076; A44C 9/0092; A44C 9/02; A44C  
15/00; A44C 1/00; A44C 3/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D89,450 S \* 3/1933 Reiss ..... D11/4  
D558,634 S \* 1/2008 Hardy ..... D11/13

**OTHER PUBLICATIONS**

[Online] "Mini Clic Chaîne D'Ancre" <https://www.hermes.com/us/en/product/mini-clic-chaîne-d-ancre-bracelet-H209000FO64GM/>. Retrieved Oct. 23, 2022.\*

\* cited by examiner

*Primary Examiner* — Melanie Pellegrini


(57) **CLAIM**

The ornamental design for a bracelet, as shown and described.


**DESCRIPTION**

1. Bracelet  
1.1 : Perspective  
1.2 : Front  
1.3 : Back  
1.4 : Right  
1.5 : Left  
1.6 : Top  
1.7 : Bottom  
1.8 : Perspective of the bracelet open  
The bracelet comprises two substantially semi-circular rigid elements that are joined by a hinge at one end and interconnected at the other end by a clasp comprising a pivoting locking element provided with a decorative embossed pattern resembling an anchor chain link.


**1 Claim, 8 Drawing Sheets**




1.1




1.2




1.3




1.4




1.5



1.6



1.7





1.8

