

US00D979453S

(12) **United States Design Patent** (10) **Patent No.:** **US D979,453 S**
Basiliere (45) **Date of Patent:** **** Feb. 28, 2023**

(54) **BUCKLE**
(71) Applicant: **Lidarets, LLC**, Durango, CO (US)
(72) Inventor: **Marc Basiliere**, Durango, CO (US)
(73) Assignee: **Lidarets, LLC**, Durango, CO (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/762,798**
(22) Filed: **Dec. 18, 2020**
(51) **LOC (14) Cl.** **02-07**
(52) **U.S. Cl.**
USPC **D11/200**
(58) **Field of Classification Search**
USPC D11/200, 220, 216, 218; D2/627, 636,
D2/639; D8/349, 356, 383, 354;
D21/805; D29/102, 122
CPC A44B 11/00; A44B 11/25; A44B 11/006;
A44B 11/258; A44B 11/2503; A44B
11/2511; A44B 11/2549; A44B 11/2553
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

402,478 A * 4/1889 Regan A44B 11/006
24/265 A
3,027,617 A 4/1962 Gray
3,293,714 A 12/1966 Shafer
D235,492 S * 6/1975 Armstrong A44B 11/26
D6/333
D252,956 S * 9/1979 Frost A44B 11/26
D11/200
4,901,373 A * 2/1990 Broersma A42B 3/08
24/200
5,077,839 A 1/1992 Keller
D351,122 S * 10/1994 Janeke A44B 11/2549
D11/200
D374,578 S * 10/1996 Gibson A44B 11/006
D6/333
6,292,985 B1 9/2001 Grunberger
D454,092 S * 3/2002 Lindblad D11/200
6,363,590 B1 * 4/2002 Lan A44B 11/26
24/627
6,598,271 B2 7/2003 Nire
6,606,767 B2 8/2003 Wong
6,796,007 B1 * 9/2004 Anscher A44B 11/2549
24/615


D684,501 S * 6/2013 Tinius D11/216
D686,945 S * 7/2013 Bergkvist D11/216
8,505,174 B2 8/2013 Fildan et al.
9,009,931 B2 * 4/2015 Jensen A45C 13/30
24/615
D738,782 S * 9/2015 Farmer D11/216
9,572,410 B2 2/2017 Fiedler
9,622,532 B2 4/2017 Tryner et al.
9,907,367 B2 3/2018 Paik et al.
10,212,993 B2 2/2019 Fiedler et al.
10,617,179 B2 4/2020 Fiedler et al.
D926,078 S * 7/2021 Anthony D11/216
D955,660 S * 6/2022 Prugue D29/122
2004/0259468 A1 12/2004 Bergamelli
2006/0150304 A1 7/2006 Bentz
2008/0028500 A1 2/2008 Bentz
2010/0263171 A1 10/2010 Paik
2010/0325844 A1 12/2010 Fiedler
2012/0060330 A1 3/2012 Fildan et al.
2012/0080917 A1 4/2012 Miller et al.
2014/0277103 A1 9/2014 Esposito
2014/0317890 A1 10/2014 Koons et al.
2015/0033457 A1 2/2015 Tryner et al.
2015/0135486 A1 5/2015 Fiedler et al.
2015/0237972 A1 * 8/2015 Kolasa A44B 11/26
24/606
2018/0092439 A1 4/2018 Fildan et al.
2018/0140031 A1 5/2018 Fildan et al.
2018/0146730 A1 5/2018 Fildan et al.
2019/0166957 A1 * 6/2019 Schuss A42B 3/08
2019/0388767 A1 12/2019 Tryner et al.
2020/0008537 A1 * 1/2020 Sepe A44B 11/2553

FOREIGN PATENT DOCUMENTS

CN 104853636 A 8/2015
EP 3165117 A1 5/2017
EP 3165118 A1 5/2017
GB 1049658 * 10/1988
GB 2048851 * 11/1995
KR 20100009777 U 10/2010
KR 20130072649 A 7/2013
KR 101981306 B1 5/2019
WO 2019011823 A1 1/2019

OTHER PUBLICATIONS

DAX Magnetic Chin Strap Closure. Online [website]. Lidarets, publication date unknown [retrieved on Aug. 1, 2022]. Retrieved from the internet: <<https://lidarets.com/products/dax-magnetic-chin-strap-closure>>. (Year: 2022).*



Fox Racing Speedframe Helmet. Online [website]. Amazon, Sep. 1, 2022 [retrieved from the internet on Sep. 10, 2022]. Retrieved from the internet: <https://www.amazon.com/dp/B0988YXZV5/ref=emc_b_5_t>. (Year: 2022).*

Pacific Cycle Recalls Infant Bicycle Helmets. Online [website]. CPSC, 2016 [retrieved from the internet on Aug. 1, 2022]. Retrieved from the internet: <<https://www.cpsc.gov/zHT-CN/node/29931>>. (Year: 2016).*

Helmet Chinstrap. Online [website]. Instagram, posted online by user @s.a.r.i.s.a.r.i.ph on Jul. 22, 2020 [retrieved on Sep. 9, 2022]. Retrieved from the internet: <<https://www.instagram.com/p/CC7zPsGHPCS/>>. (Year: 2020).*

“Yaak M-Series Magnetic Belts”, Webpage printout, Oct. 15, 2020, 6 Pages.

“Yaak M-Series Magnetic Belts”, Webpage screenshot, Oct. 15, 2020, 1 Page.

* cited by examiner

Primary Examiner — Tracey J Bell

Assistant Examiner — Grace Doyle

(74) *Attorney, Agent, or Firm* — Goff IP Law PLLC;
Jared S. Goff

(57) CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a buckle having a base and a latch.

FIG. 2 is a rear perspective view of the buckle of FIG. 1.

FIG. 3 is a front view of the buckle of FIG. 1.

FIG. 4 is a rear view of the buckle of FIG. 1.

FIG. 5 is a left side view of the buckle of FIG. 1.

FIG. 6 is a right side view of the buckle of FIG. 1.

FIG. 7 is a top view of the buckle of FIG. 1.

FIG. 8 is a bottom view of the buckle of FIG. 1.

FIG. 9 is a front perspective view of the base of the buckle of FIGS. 1-8.

FIG. 10 is a rear perspective view of the base of FIG. 9.

FIG. 11 is a front view of the base of FIG. 9.

FIG. 12 is a rear view of the base of FIG. 9.

FIG. 13 is a left side view of the base of FIG. 9.

FIG. 14 is a right side view of the base of FIG. 9.

FIG. 15 is a top view of the base of FIG. 9.

FIG. 16 is a bottom view of the base of FIG. 9.

FIG. 17 is a front perspective view of the latch of the buckle of FIGS. 1-8.

FIG. 18 is a rear perspective view of the latch of FIG. 17.

FIG. 19 is a front view of the latch of FIG. 17.

FIG. 20 is a rear view of the latch of FIG. 17.

FIG. 21 is a left side view of the latch of FIG. 17.

FIG. 22 is a right side view of the latch of FIG. 17.

FIG. 23 is a top view of the latch of FIG. 17.

FIG. 24 is a bottom view of the latch of FIG. 17.

FIG. 25 is a partial environmental view of the buckle of FIGS. 1-8, illustrating the buckle of FIGS. 1-8 securing straps of a helmet, with the partial view of the helmet and straps in broken lines.

FIG. 26 is a front perspective view of another buckle having a base and a latch.

FIG. 27 is a rear perspective view of the buckle of FIG. 26.

FIG. 28 is a front view of the buckle of FIG. 26.

FIG. 29 is a rear view of the buckle of FIG. 26.

FIG. 30 is a left side view of the buckle of FIG. 26.

FIG. 31 is a right side view of the buckle of FIG. 26.

FIG. 32 is a top view of the buckle of FIG. 26.

FIG. 33 is a bottom view of the buckle of FIG. 26.

FIG. 34 is a front perspective view of the base of the buckle of FIGS. 26-33.

FIG. 35 is a rear perspective view of the base of FIG. 34.

FIG. 36 is a front view of the base of FIG. 34.

FIG. 37 is a rear view of the base of FIG. 34.

FIG. 38 is a left side view of the base of FIG. 34.

FIG. 39 is a right side view of the base of FIG. 34.

FIG. 40 is a top view of the base of FIG. 34.

FIG. 41 is a bottom view of the base of FIG. 34.

FIG. 42 is a front perspective view of the latch of the buckle of FIGS. 26-33.

FIG. 43 is a rear perspective view of the latch of FIG. 42.

FIG. 44 is a front view of the latch of FIG. 42.

FIG. 45 is a rear view of the latch of FIG. 42.

FIG. 46 is a left side view of the latch of FIG. 42.

FIG. 47 is a right side view of the latch of FIG. 42.

FIG. 48 is a top view of the latch of FIG. 42.

FIG. 49 is a bottom view of the latch of FIG. 42.

FIG. 50 is a partial environmental view of the buckle of FIGS. 26-33, illustrating the buckle of FIGS. 26-33 securing straps of a helmet, with the partial view of the helmet and straps in broken lines.

FIG. 51 is a front perspective view of another buckle having a base and a latch.

FIG. 52 is a rear perspective view of the buckle of FIG. 51.

FIG. 53 is a front view of the buckle of FIG. 51.

FIG. 54 is a rear view of the buckle of FIG. 51.

FIG. 55 is a left side view of the buckle of FIG. 51.

FIG. 56 is a right side view of the buckle of FIG. 51.

FIG. 57 is a top view of the buckle of FIG. 51.

FIG. 58 is a bottom view of the buckle of FIG. 51.

FIG. 59 is a front perspective view of the base of the buckle of FIGS. 51-58.

FIG. 60 is a rear perspective view of the base of FIG. 59.

FIG. 61 is a front view of the base of FIG. 59.

FIG. 62 is a rear view of the base of FIG. 59.

FIG. 63 is a left side view of the base of FIG. 59.

FIG. 64 is a right side view of the base of FIG. 59.

FIG. 65 is a top view of the base of FIG. 59.

FIG. 66 is a bottom view of the base of FIG. 59.

FIG. 67 is a front perspective view of the latch of the buckle of FIGS. 51-58.

FIG. 68 is a rear perspective view of the latch of FIG. 67.

FIG. 69 is a front view of the latch of FIG. 67.

FIG. 70 is a rear view of the latch of FIG. 67.

FIG. 71 is a left side view of the latch of FIG. 67.

FIG. 72 is a right side view of the latch of FIG. 67.

FIG. 73 is a top view of the latch of FIG. 67.

FIG. 74 is a bottom view of the latch of FIG. 67; and,

FIG. 75 is a partial environmental view of the buckle of FIGS. 51-58, illustrating the buckle of FIGS. 51-58 securing straps of a helmet, with the partial view of the helmet and straps in broken lines.

The broken lines depict portions of the buckle that form no part of the claimed design. The broken lines immediately adjacent to the shaded areas define the bounds of the claimed design and form no part thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67




FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74




FIG. 75