

US00D979566S

(12)

United States Design Patent

Chou

(10) Patent No.:

US D979,566 S

(45) Date of Patent:

** Feb. 28, 2023

(54)

SENSOR DEVICE COMBINED WITH DIGITAL ASSISTANT

(71)

Applicant: AMBIT MICROSYSTEMS (SHANGHAI) LTD., Shanghai (CN)

(72)

Inventor: Yu-Ying Chou, New Taipei (TW)

(73)

Assignee: AMBIT MICROSYSTEMS (SHANGHAI) LTD., Shanghai (CN)

(**)

Term: 15 Years

(21)

Appl. No.: 29/783,515

(22)

Filed: May 13, 2021

(51)

LOC (14) Cl. 14-03

(52)

U.S. Cl. USPC D14/358; D10/49; D10/78; D10/104.1; D13/184; D14/240; D16/207; D16/218

(58)

Field of Classification Search USPC D16/200, 202–208, 218, 219, 242; D14/358, 240; D13/162, 162.1, 168, 184; D10/49, 78, 104.1 CPC G03B 17/02; G03B 19/04; G03B 17/56; G03B 17/04; G03B 15/03; G08B 13/1963; G08B 13/19619; G08B 13/19632; G06F 1/181; G05B 11/01; G08C 17/00; G08C 17/02; H04N 5/2251; H04N 5/2252; H04N 5/2253; H04N 5/2254; H04N 7/181; H04N 7/183; H04N 7/18; H03J 1/0025; H03J 9/00; H03J 9/02; H03J 9/04; H03J 9/06; H04B 1/202; H05K 7/1424; H05K 7/1427; H05K 7/16; H01Q 1/007; H04W 52/0206; H04W 88/08; H04W 88/085; H04W 88/10; H04W 88/12; H04W 88/16; H04L 67/306 See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D527,406 S * 8/2006 Lin D16/202

D552,649 S * 10/2007 Logan D16/202

D554,682 S * 11/2007 Martinez D16/203

D690,344 S * 9/2013 Hollinger D16/203

D700,232 S * 2/2014 Ramsay D16/218

D723,604 S * 3/2015 Mohan D16/203

D730,966 S * 6/2015 Liu D16/202

D731,579 S * 6/2015 Bart D16/242

D742,955 S * 11/2015 Kozko D16/218

D745,076 S * 12/2015 Pfeil D16/218

D750,147 S * 2/2016 Muller H04N 5/247 D16/203

D792,496 S * 7/2017 Meyer B25J 11/0005 D16/218

D814,320 S * 4/2018 Bellm H04N 5/22521 D10/49

D819,718 S 6/2018 Wu et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN D306130127 S 10/2020

JP D1629367 S 4/2019

(Continued)

Primary Examiner — Antoine Duval Davis

(74) Attorney, Agent, or Firm — ScienBiziP, P.C.

(57)


CLAIM

The ornamental design for a sensor device combined with digital assistant, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sensor device combined with digital assistant;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D836,569	S	*	12/2018	Kim		H05K 7/2039
						D14/240
11,102,383	B2	*	8/2021	Tsai		H04N 5/2252
11,142,135	B2	*	10/2021	Grant		B60R 11/04
11,332,294	B1	*	5/2022	Hardy		F16B 43/001
11,397,374	B2	*	7/2022	Onuchin		H05K 7/2039
11,405,533	B2	*	8/2022	Cheng		H04N 5/22521
11,426,879	B2	*	8/2022	Sasagawa		B25J 11/0005
2011/0128349	A1	*	6/2011	Theobald		H04N 5/247
						348/148

FOREIGN PATENT DOCUMENTS

KR	D3010231710000	S	3/2020
KR	D3009271380000	S	10/2020
TW	D185642	S	9/2017

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7