



US00D979612S

(12) **United States Design Patent** (10) **Patent No.:** **US D979,612 S**  
**Yan** (45) **Date of Patent:** **\*\* \*Feb. 28, 2023**

(54) **REFRIGERATED DISPLAY COUNTER**  
(71) Applicant: **Ningbo Rotor Electrical Appliances Co., Ltd.**, Ningbo (CN)  
(72) Inventor: **Jiguang Yan**, Ningbo (CN)  
(73) Assignee: **NINGBO ROTOR ELECTRICAL APPLIANCES CO., LTD.**, Ningbo (CN)

D386,502 S \* 11/1997 Sholl ..... D6/675.1  
D410,353 S \* 6/1999 Rand ..... D6/661  
D411,547 S \* 6/1999 Mori ..... D15/85  
D449,467 S \* 10/2001 Bedard ..... D6/661  
D510,367 S \* 10/2005 Yamashita ..... D15/79  
D513,014 S \* 12/2005 Seki ..... D15/81  
D514,137 S \* 1/2006 Seki ..... D15/81  
D514,600 S \* 2/2006 Yamashita ..... D15/79  
D593,138 S \* 5/2009 Howell ..... D15/79  
D625,125 S \* 10/2010 Buckles ..... D15/81  
D675,846 S \* 2/2013 Monaldi ..... D6/661

(Continued)

(\* ) Notice: This patent is subject to a terminal disclaimer.

*Primary Examiner* — Calvin E Vansant

*Assistant Examiner* — Eidiol Ghigliotty Torres

(\*\*) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Bayramoglu Law Offices LLC

(21) Appl. No.: **29/769,628**

(57) **CLAIM**

(22) Filed: **Feb. 7, 2021**

The ornamental design for a refrigerated display counter, as shown and described.

(30) **Foreign Application Priority Data**

Jan. 5, 2021 (CN) ..... 202130002779.1

(51) **LOC (14) Cl.** ..... **15-07**

(52) **U.S. Cl.**  
USPC ..... **D15/81**; D15/79

(58) **Field of Classification Search**  
USPC ..... D15/79, 81; D6/657, 659, 661  
CPC ..... F25D 23/02; F25D 23/06; F25D 23/062;  
F25D 23/069; F25D 2400/10; F25D 2400/12;  
F25D 2400/18; F25D 2400/36; F25D 11/00;  
F25D 31/00; A47F 3/00; A47F 3/04; A47F 3/005;  
A47F 3/0434; A47F 3/0491

See application file for complete search history.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

4,840,439 A \* 6/1989 Nara ..... A47F 3/02  
211/59.3  
D352,620 S \* 11/1994 Geisen ..... D6/661  
D366,578 S \* 1/1996 Cormican ..... D6/661

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a refrigerated display counter showing my new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a rear perspective view thereof; FIG. 7 is a front perspective view of a second embodiment of a refrigerated display counter; FIG. 8 is a front view thereof; FIG. 9 is a rear view thereof; FIG. 10 is a left side view thereof; FIG. 11 is a top view thereof; and, FIG. 12 is a rear perspective view thereof. Bottom views are omitted since the bottom views are invisible in normal use. Right side views are omitted since the right side views are mirror images of the left side views.

**1 Claim, 12 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D814,215 S *	4/2018	Yan .....	D6/660
2010/0180615 A1 *	7/2010	Linder .....	F25D 27/00 62/291

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12