



US00D979825S

(12) **United States Design Patent** (10) **Patent No.:** **US D979,825 S**
Ahrari et al. (45) **Date of Patent:** **** Feb. 28, 2023**

(54) **ILLUMINATING BOLLARD**

(71) Applicant: **HLI Solutions, Inc.**, Greenville, CT (US)
(72) Inventors: **Armin Ahrari**, Chino, CA (US); **Carol Acedo**, Fort Worth, TX (US); **David Dutra**, Santa Ana, CA (US); **Kevin Lu**, Fountain Valley, CA (US); **Dean Dal Ponte**, Glendale, CA (US); **Syed Raza**, Rancho Palos Verdes, CA (US); **Robert Nankil**, Fullerton, CA (US)

(73) Assignee: **HLI Solutions, Inc.**, Greenville, SC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/798,981**

(22) Filed: **Jul. 12, 2021**

Related U.S. Application Data

(62) Division of application No. 29/725,692, filed on Feb. 26, 2020, now Pat. No. Des. 925,090, which is a division of application No. 29/669,517, filed on Nov. 8, 2018, now Pat. No. Des. 880,745, which is a division of application No. 29/602,962, filed on May 5, 2017, now Pat. No. Des. 836,812.

(51) **LOC (14) Cl.** **26-05**

(52) **U.S. Cl.**

USPC **D26/68**

(58) **Field of Classification Search**

USPC D26/67-70
CPC F21S 8/03; F21S 8/033; F21S 8/036; F21S 8/081; F21S 8/083; F21W 2111/102; F21W 2111/023; F21W 2131/109

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,836,767 A	9/1974	Lasker	
D272,655 S *	2/1984	Smith	D26/68
4,438,484 A	3/1984	Winden	
4,814,961 A	3/1989	O'Brien	
D377,541 S *	1/1997	Porter	D26/112
D439,000 S	3/2001	Landefeld	
D540,970 S	4/2007	Chen	
D560,015 S	1/2008	Richmond	
D572,397 S *	7/2008	Skogg	D26/68
D589,194 S	3/2009	Sabernig	
D590,086 S	4/2009	Laporta	
8,672,505 B1	3/2014	Hogan	
8,684,571 B1	4/2014	Maura	

(Continued)

OTHER PUBLICATIONS

Venus—Square w/Flat Top, LED Bollard available from zumalighting.com, site visited Oct. 11, 2022. (Year: 2022).*

(Continued)

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **CLAIM**

We claim the ornamental design for an illuminating bollard, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of an illuminating bollard showing the new design.


FIG. 2 is a side elevation view of the illuminating bollard shown in FIG. 1.

FIG. 3 is a top plan view of the illuminating bollard shown in FIG. 1; and,

FIG. 4 is a lower perspective view of the illuminating bollard shown in FIG. 1.

The broken lines illustrate portions of the illuminating bollard that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,845,126 B1 9/2014 Martzall
D831,253 S 10/2018 Vyvey
D836,812 S 12/2018 Ahrari
D837,432 S 1/2019 Ahrari
10,424,173 B1 9/2019 Bien
D877,387 S * 3/2020 Chami D26/68
D880,038 S 3/2020 Ahrari
D880,745 S 4/2020 Ahrari
11,283,272 B1 * 3/2022 Hemingway H02J 7/0042
D964,626 S * 9/2022 Sun D26/68
2002/0148183 A1 10/2002 Grant
2003/0063474 A1 4/2003 Coushaine
2005/0247920 A1 11/2005 Burkart
2006/0109667 A1 5/2006 Flaherty
2006/0146534 A1 7/2006 Morton
2006/0176684 A1 8/2006 Richmond
2008/0273333 A1 11/2008 Berns
2008/0285265 A1 11/2008 Boissevain
2009/0059572 A1 3/2009 Wang
2010/0073922 A1 3/2010 Yen
2012/0287610 A1 11/2012 Krogman

2013/0063954 A1 3/2013 Chen
2015/0338040 A1 11/2015 Swope
2016/0040841 A1 2/2016 Martzall
2016/0053947 A1 2/2016 Patterson
2020/0018455 A1 1/2020 Bien
2020/0363026 A1 11/2020 Ko
2021/0341138 A1 * 11/2021 Spiro F21V 5/004

OTHER PUBLICATIONS

Dabmar Lighting D174-BZ-MT Powder Coated Steel Bollard, ASIN: B01577TPWY. Available from amazon.com Apr. 13, 2017. (Year: 2017).*

SQ12 Square Cement Bollard Light, Available from illuminatorwholesaler.com, site visited Oct. 11, 2022. (Year: 2022).*

The Macgraw-Edison BSC/BRC Bollard from Cooper Industries. Spec. Sheet dated May 2, 2018.

Antique Street Lamps/Resonance Bollard Model No. TLRCB10 LED from Acuity Brands Lighting, copyright 2012.

“Wiremold-Outdoor Charging Station,” Legrand Elecliical Wiring Systems, 2016 (2 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4