



US00D980045S

(12) **United States Design Patent**
Casey

(10) **Patent No.:** **US D980,045 S**

(45) **Date of Patent:** **** Mar. 7, 2023**

- (54) **CABLE STORAGE DEVICE**
- (71) Applicant: **Kevin Christian Casey**, Grandview, MO (US)
- (72) Inventor: **Kevin Christian Casey**, Grandview, MO (US)

D484,035 S *	12/2003	Smith-Kielland	D8/394
7,275,956 B1	10/2007	Montesano		
D629,671 S *	12/2010	Ohori	D8/356
8,167,102 B2	5/2012	Skillman		
D670,995 S *	11/2012	Stieler	D8/356
D685,771 S	7/2013	Bertenthal		
D701,448 S	3/2014	Rodwin		
D724,935 S *	3/2015	Warner	D8/356

(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/765,310**

(22) Filed: **Jan. 7, 2021**

(51) **LOC (14) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356; D8/357**

(58) **Field of Classification Search**
USPC D6/420, 223, 978, 212, 215; D8/367, D8/358, 382, 349, 356, 354; D12/420, D12/223; D11/212, 215; D2/978
CPC A44B 19/00; A44B 13/00; A62C 33/00; A45F 5/021; A47C 7/64; B65D 63/10; B65D 63/1027; B65D 63/1018; B65G 7/12; B65H 75/366; B25C 11/00; B60R 7/10; B60R 2011/0015; B60N 3/101; H05K 7/18; H02G 3/30; E04G 3/26; E04B 1/41; E05D 5/12; E05D 11/082; F16B 2/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,390,142 A *	6/1983	Cheng	H02G 11/02 242/407
4,721,268 A *	1/1988	Lerner	H02G 11/02 242/129
4,778,125 A	10/1988	Hu		
4,802,638 A	2/1989	Burger		
D319,730 S *	9/1991	Stenson	D12/420
D393,411 S *	4/1998	Crowe	D8/360.1
6,024,317 A *	2/2000	Kovacik	B65H 75/4473 242/405.1

FOREIGN PATENT DOCUMENTS

DE	202015101771 U	5/2015
WO	2011028111	3/2011

Primary Examiner — Marissa J Cash

Assistant Examiner — Kayla Marie Bennett

(74) *Attorney, Agent, or Firm* — Nelson Mullins Riley & Scarborough LLP


(57) **CLAIM**

The ornamental design of a cable storage device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cable storage device embodying the design of the present invention;
 FIG. 2 is a top view of the cable storage device illustrated in FIG. 1;
 FIG. 3 is a bottom view of the cable storage device illustrated in FIG. 1;
 FIG. 4 is a left side view of the cable storage device illustrated in FIG. 1;
 FIG. 5 is a right side view of the cable storage device illustrated in FIG. 1;
 FIG. 6 is a front view of the cable storage device illustrated in FIG. 1; and,
 FIG. 7 is a rear view of the cable storage device illustrated in FIG. 1.
 The broken lines in the drawings depict portions of the cable storage device that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,187,291	B2	11/2015	Alexandre	
D758,170	S *	6/2016	Weber	D8/354
D763,666	S *	8/2016	Wengreen	D8/356
D766,072	S *	9/2016	Chan	D8/356
9,813,797	B2	11/2017	Abfall et al.	
D832,084	S *	10/2018	Lin	D8/356
D862,206	S *	10/2019	Britt	D8/356
10,468,835	B1	11/2019	Rojas et al.	
D869,269	S	12/2019	Giwani	
2007/0066130	A1	3/2007	Mori et al.	
2009/0102341	A1 *	4/2009	Young, IV	B65H 75/36 242/118
2015/0097090	A1 *	4/2015	Musick	H01R 13/72 248/65

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7