



US00D980175S

(12) **United States Design Patent**
Limber

(10) **Patent No.:** **US D980,175 S**
(45) **Date of Patent:** **** Mar. 7, 2023**

- (54) **LIGHTING REMOTE CONTROL**
- (71) Applicant: **Simple Living Solutions, LLC**,
Scottsdale, AZ (US)
- (72) Inventor: **Jamie Limber**, Phoenix, AZ (US)
- (73) Assignee: **Simple Living Solutions, LLC**,
Scottsdale, AZ (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/801,429**
- (22) Filed: **Jul. 28, 2021**
- (51) **LOC (14) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D13/168**
- (58) **Field of Classification Search**
USPC D13/168; D14/218, 240, 358; D26/26,
D26/85
CPC G08C 17/02; G09F 23/00; H01H 9/02;
H01H 9/0214; H01H 9/0235; H04B
1/202; F21S 4/00; F21S 4/10; F21S 4/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D496,005 S *	9/2004	Wang	D14/218
D536,806 S *	2/2007	Yuen	D26/26
D618,829 S *	6/2010	Kim	D26/96
D710,314 S *	8/2014	Safford	D13/168
D724,038 S *	3/2015	Schenk	D13/168
D762,591 S *	8/2016	Toulemonde	D13/168
D840,954 S *	2/2019	Wu	D13/168
D867,336 S *	11/2019	Fiedler	D14/218
D911,295 S *	2/2021	Chen	D14/218
D917,404 S *	4/2021	Xu	D13/168
10,989,373 B1 *	4/2021	Gall	F21L 4/08
D937,228 S *	11/2021	Ye	D14/218
D946,539 S *	3/2022	Wu	D13/168

2007/0279920 A1 *	12/2007	Lin	F21V 23/0407 362/362
2010/0008077 A1 *	1/2010	Ponamar	F21S 4/10 362/183
2015/0159844 A1 *	6/2015	Flaherty	F21S 4/10 362/249.02
2015/0211717 A1 *	7/2015	Liu	F21V 7/0066 362/310
2016/0076717 A1 *	3/2016	Magner	F21S 4/10 362/231
2017/0237841 A1 *	8/2017	Duffy	A45C 3/06 206/316.2

(Continued)

OTHER PUBLICATIONS

Styrbar Remote control, smart stainless steel—IKEA; retrieved on Nov. 3, 2022; 2 pgs.*
Dewenwils Remote Control Light Socket; Aug. 22, 2017; 2 pgs.*

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Michelle L. Gross, P.C.


(57) **CLAIM**

The ornamental design for a lighting remote control, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a lighting remote control; FIG. 2 is a bottom perspective view of the lighting remote control; FIG. 3 is a front view of the lighting remote control; FIG. 4 is a rear view of the lighting remote control; FIG. 5 is a right side view of the lighting remote control; FIG. 6 is a left side view of the lighting remote control; FIG. 7 is a top view of the lighting remote control; and, FIG. 8 is a bottom view of the lighting remote control. The broken lines of FIGS. 1-2 and 7-8 illustrate portions of the lighting remote control that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2019/0069649 A1* 3/2019 Qin F21V 23/001
2019/0274206 A1* 9/2019 Altamura F21V 23/003

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8