



US00D980462S

(12) **United States Design Patent**
Song

(10) **Patent No.:** **US D980,462 S**
(45) **Date of Patent:** **** Mar. 7, 2023**

- (54) **LIGHT SOURCE**
- (71) Applicant: **Shenzhen Zhenming Photoelectric Co., LTD**, Shenzhen (CN)
- (72) Inventor: **Yiwen Song**, Zibo (CN)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/824,974**
- (22) Filed: **Jan. 28, 2022**
- (51) **LOC (14) Cl.** **26-04**
- (52) **U.S. Cl.**
USPC **D26/2**
- (58) **Field of Classification Search**
USPC D26/1-5, 24-26
CPC F21V 5/00; F21V 6/00; F21V 7/05; F21V 7/06; F21V 9/00; F21V 21/044; F21V 21/047; F21V 21/049; F21Y 2115/10; F21S 8/02; F21S 8/026
See application file for complete search history.

D734,511 S *	7/2015	Liu	D26/2
D759,856 S *	6/2016	Yang	D26/2
D761,450 S *	7/2016	Yang	D26/2
D789,569 S	6/2017	Balogh	
D804,063 S *	11/2017	Yeung	D26/2
D814,667 S	4/2018	Morris	
D821,002 S *	6/2018	Ward	D26/2
D825,788 S	8/2018	Morris	
D859,698 S *	9/2019	Yeung	D26/2
D944,426 S *	2/2022	Zeng	D26/4

FOREIGN PATENT DOCUMENTS

CN 304914257 * 6/2018

OTHER PUBLICATIONS

Amazon-Hyata Store; "Hayata C9 Bulbs Christmas Lights . . . "; [online] www.amazon.com/dp/B078SSGMH7; dated Jan. 4, 2018; accessed Dec. 16, 2022; 4pgs. (Year: 2018).*

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Rumit Ranjit Kanakia

(56) **References Cited**

U.S. PATENT DOCUMENTS

D245,187 S *	7/1977	Moriyama	D26/2
D373,644 S *	9/1996	Struhs	D26/2
D425,635 S *	5/2000	Kato	D26/2
D487,939 S	3/2004	Smith	
D520,651 S *	5/2006	Nakanishi	D26/2
D543,288 S *	5/2007	Bembridge	D26/2
D579,130 S *	10/2008	Hernandez, Jr.	D26/2
D610,272 S *	2/2010	Guo	D26/2
D645,170 S	9/2011	Parker	
D647,640 S	10/2011	Parker	
D647,647 S	10/2011	Parker	
D654,210 S *	2/2012	Bushre	D26/113
D660,466 S	5/2012	Parker	
D674,925 S *	1/2013	Zhang	D26/2
D675,349 S	1/2013	Parker	
D694,436 S *	11/2013	Zhang	D26/2
D732,709 S	6/2015	Allen	


(57) **CLAIM**

The ornamental design for a light source, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light source showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8