



US00D980464S

(12) **United States Design Patent** (10) **Patent No.:** **US D980,464 S**  
**Wang** (45) **Date of Patent:** **\*\* Mar. 7, 2023**

(54) **LIGHT**

(71) Applicant: **Shao Wang**, Nanyang (CN)

(72) Inventor: **Shao Wang**, Nanyang (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/811,817**

(22) Filed: **Oct. 17, 2021**

(51) **LOC (14) Cl.** ..... **26-04**

(52) **U.S. Cl.**  
USPC ..... **D26/25**

(58) **Field of Classification Search**  
USPC ..... D26/1-2, 4, 24-25, 27, 51-52, 57,  
D26/60-61, 63, 65, 72-73, 81, 88, 94,  
D26/113, 129, 138; D11/167; D20/41  
CPC ..... F21Y 2115/10; F21Y 2103/10; F21Y  
2113/13; F21Y 2101/00; F21Y 2113/10;  
F21W 2121/00; F21W 2121/04; F21W  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,280,817 A \* 4/1942 Freeman ..... G09F 13/26  
362/225  
D376,122 S \* 12/1996 Stine ..... D20/41  
D463,998 S \* 10/2002 Harmon ..... D11/167  
(Continued)

**OTHER PUBLICATIONS**

420 LED American Advanced Flag String Lights. By realization. Dated Aug. 20, 2019. Found online [Jul. 13, 2022]. <https://www.amazon.com/6-5ft%C3%973-3ft-American-Waterproof-Ornaments-Independence/dp/B07WR9J4LT> (Year: 2019).\*

*Primary Examiner* — Mark A Goodwin  
*Assistant Examiner* — William B Melliar


(57) **CLAIM**

The ornamental design for a light, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a light showing my new design;  
FIG. 2 is another perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a bottom plan view thereof;  
FIG. 9 is an exploded perspective view of the light;  
FIG. 10 is an enlarged view of portion 10 shown in FIG. 1;  
FIG. 11 is an enlarged view of portion 11 shown in FIG. 3;  
FIG. 12 is an enlarged view of portion 12 shown in FIG. 4;  
FIG. 13 is a perspective view of a second embodiment of the light;  
FIG. 14 is another perspective view thereof;  
FIG. 15 is a front elevational view thereof;  
FIG. 16 is a rear elevational view thereof;  
FIG. 17 is a left side elevational view thereof;  
FIG. 18 is a right side elevational view thereof;  
FIG. 19 is a top plan view thereof;  
FIG. 20 is a bottom plan view thereof;  
FIG. 21 is an exploded perspective view of the light;  
FIG. 22 is an enlarged view of portion 22 shown in FIG. 13;  
FIG. 23 is an enlarged view of portion 23 shown in FIG. 15;  
and,  
FIG. 24 is an enlarged view of portion 24 shown in FIG. 16.  
The dash-dash broken lines in the drawings depict portions of the light that form no part of the claimed design. The dot-dash broken lines represent boundaries of the enlarged portions and form no part of the claimed design.

**1 Claim, 24 Drawing Sheets**



(58) **Field of Classification Search**

CPC .. 2121/004; F21W 2131/10; F21W 2121/006;  
F21W 2131/109; F21V 23/001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D477,426 S *	7/2003	Koval .....	D26/25
D482,144 S *	11/2003	Sykes .....	D26/4
D507,843 S *	7/2005	Calimlim .....	D26/94
D778,468 S	2/2017	van der Lande	
D786,493 S	5/2017	Hughes et al.	
D822,861 S *	7/2018	Luo .....	D26/25
D875,973 S *	2/2020	Zhou .....	D26/25
D952,196 S *	5/2022	Xu .....	D26/25

\* cited by examiner






FIG. 1






FIG. 2






FIG. 3






FIG. 4



FIG. 5




FIG. 6






FIG. 7





FIG. 8






FIG. 9






FIG. 10






FIG. 11




FIG. 12






FIG. 13






FIG. 14






FIG. 15






FIG. 16






FIG. 17




FIG. 18






FIG. 19




FIG. 20






FIG. 21




FIG. 22






FIG. 23




FIG. 24