



US00D980626S

(12)

United States Design Patent

Snell

(10)

Patent No.:

US D980,626 S

(45)

Date of Patent:

** Mar. 14, 2023

(54) BIN

(71) Applicant: InterDesign, Inc., Solon, OH (US)

(72) Inventor: Russell Benton Snell, Bentleyville, OH (US)

(73) Assignee: InterDesign, Inc., Solon, OH (US)

(**) Term: 15 Years

(21) Appl. No.: 29/770,638

(22) Filed: Feb. 15, 2021

Related U.S. Application Data

(63) Continuation of application No. 29/705,655, filed on Sep. 13, 2019, now Pat. No. Des. 910,348, which is a continuation of application No. 29/601,657, filed on Apr. 25, 2017, now Pat. No. Des. 862,883.

(51) LOC (14) Cl. 09-04

(52) U.S. Cl. USPC D3/314; D3/304; D6/683

(58) Field of Classification Search USPC D3/304, 307; D6/573, 683; D7/543, D7/550.1, 554.3, 705, 755; D32/37; D34/1 CPC A47B 77/18; A47J 47/00; B65D 1/34 See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

3,813,256 A * 5/1974 Feinberg A47J 36/022 427/236

D235,195 S * 5/1975 Sauey, Jr. et al. D3/294

D323,296 S * 1/1992 Schoenthaler D3/307

D363,662 S * 10/1995 Plater D3/304

D530,918 S * 10/2006 Snell B31B 50/592 D3/304

D530,921 S * 10/2006 Snell A45C 13/02 D3/304

D551,453 S * 9/2007 Snell D3/304

D555,904 S * 11/2007 Snell D3/304

D806,391 S * 1/2018 Ghiorghie D3/304

D825,923 S * 8/2018 Suomela D3/304

D842,606 S * 3/2019 Kraemer D3/307

D863,485 S * 10/2019 VanNatta D21/811

D866,973 S * 11/2019 Snell D3/314

D878,051 S * 3/2020 Kraemer D3/307

D887,141 S * 6/2020 Mazor D3/307

D888,429 S * 6/2020 Vega D3/307

D893,874 S * 8/2020 Kraemer D3/310

D902,594 S * 11/2020 Kraemer D3/310

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Clare Ann Gannon

(74) Attorney, Agent, or Firm — Calfee, Halter & Griswold LLP

(57)

CLAIM

I claim the ornamental design for a bin, as shown and described.

DESCRIPTION

FIG. 1 is a front/right/top perspective view of a bin (a front/left/top perspective view would be a mirror image thereof) (broken line material is not shown through the bottom wall);

FIG. 2 is a rear/left/bottom perspective view thereof (a rear/right/bottom perspective view would be a mirror image thereof);

FIG. 3 is a front elevational view thereof (a rear elevational view would be a mirror image thereof);


FIG. 4 is a left side elevational view thereof (a right side elevational view would be a mirror image thereof);

FIG. 5 is a top plan view thereof (broken line material is not shown through the bottom wall); and,

FIG. 6 is a bottom plan view thereof.

The broken lines show portions of the bin that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D907,365	S	*	1/2021	Roe		D3/307
D915,073	S	*	4/2021	Kraemer		D3/307
D919,974	S	*	5/2021	Kraemer		D3/314
D925,229	S	*	7/2021	Kraemer		D3/307
D935,775	S	*	11/2021	Tsai		D3/306
D944,013	S	*	2/2022	Kraemer		D3/307
D945,771	S	*	3/2022	Dai		D3/304
D945,772	S	*	3/2022	Dai		D3/304
D951,638	S	*	5/2022	Zhang		D3/304
D961,931	S	*	8/2022	McBride		D3/307
2003/0010817	A1	*	1/2003	Lingle		B31B 50/592 229/406
2008/0000914	A1	*	1/2008	Frankenstein		A45C 13/02 220/507
2021/0347549	A1	*	11/2021	Fortune		B65B 7/164

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6