



US00D980700S

(12) **United States Design Patent** (10) **Patent No.:** **US D980,700 S**  
**Lynn** (45) **Date of Patent:** **\*\* Mar. 14, 2023**

(54) **RECESSED SAFETY ANCHOR** 7,163,083 B2 \* 1/2007 Argoud ..... E04G 21/3261  
248/237

(71) Applicant: **Lynn Safety, Inc.**, Pleasant Hill, CA (US) D565,206 S \* 3/2008 Nelson ..... D25/199  
D658,975 S \* 5/2012 Cordova ..... D8/367  
D658,976 S \* 5/2012 Morrow, Jr. .... D8/367  
D683,277 S \* 5/2013 McCoy ..... D12/161  
9,010,487 B2 \* 4/2015 Cruz ..... E04G 21/3276  
182/3

(72) Inventor: **Steven Lynn**, Kuna, ID (US) D769,701 S \* 10/2016 Dunkinson ..... D8/367  
D772,040 S \* 11/2016 Grant ..... D8/367  
D795,683 S \* 8/2017 Malin ..... D8/394  
10,053,878 B2 8/2018 Allen et al.  
D845,206 S \* 4/2019 Lavoie ..... D12/215

(73) Assignee: **Lynn Safety, Inc.**

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/831,927** (Continued)

(22) Filed: **Mar. 23, 2022**

(51) **LOC (14) Cl.** ..... **08-11**

(52) **U.S. Cl.**  
USPC ..... **D8/367**

(58) **Field of Classification Search**  
USPC ..... D8/367, 354, 349, 373, 330; D6/323;  
248/301-304, 339; D12/215, 162;  
D25/199  
CPC ..... A47G 1/00; A47G 25/00; E04G 21/3276;  
B60D 1/28; B60D 1/54; B60D 1/58  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,540,194 A \* 9/1985 Dane ..... B60D 1/54  
280/901

4,932,185 A 6/1990 Lebel

5,011,106 A \* 4/1991 Cody ..... E04G 21/3276  
248/237

5,054,576 A \* 10/1991 Glynn ..... E04G 21/3276  
248/237

D329,196 S \* 9/1992 Schor ..... D8/356

5,571,270 A \* 11/1996 Larkin ..... B60D 1/28  
280/901

5,603,187 A \* 2/1997 Merrin ..... F24S 25/61  
52/90.2

5,687,535 A 11/1997 Rohlf

D401,542 S \* 11/1998 Lindenman ..... D12/162

**OTHER PUBLICATIONS**

“Special Roof Anchors,” skyclimber.com. <https://skyclimber.com/product/special-roof-anchor-7/> [date accessed: Dec. 13, 2021].

(Continued)

*Primary Examiner* — Cynthia R Underwood

(74) *Attorney, Agent, or Firm* — Bold IP, PLLC; Houda El-Jarrah


(57) **CLAIM**

The ornamental design for a recessed safety anchor, as shown and as described.

**DESCRIPTION**

FIG. 1 is a front perspective view showing my new design for a recessed safety anchor;  
FIG. 2 is a back view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The broken lines included in the Figures above represent part of the article and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D874,586 S \* 2/2020 Bartolotta ..... D21/694  
10,850,580 B2 \* 12/2020 McCoy ..... B60D 1/58  
D935,312 S \* 11/2021 Zhou ..... D8/367  
D937,660 S \* 12/2021 Marsden ..... A47B 95/008  
D8/330  
D947,466 S \* 3/2022 Chang ..... D30/152  
2022/0072349 A1 \* 3/2022 Nichols ..... E04G 21/3214  
2022/0180015 A9 \* 6/2022 Fugallo, III ..... E04C 5/125  
2022/0332157 A1 \* 10/2022 Barrios Albert ..... B60D 1/54

OTHER PUBLICATIONS

“Safety & Tie-Back Anchors,” pro-bel.ca. <https://pro-bel.ca/system/systems-safety-tie-back-anchors/> [date accessed: Jan. 2, 2022].  
<https://www.tractel.com/us> [date accessed: Jan. 2, 2022].  
<https://www.sky-rider.com> [date accessed: Jan. 2, 2022].  
“Hardy Tie Back Device,” hardyfps.com [date accessed: Jan. 2, 2022].

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7