



US00D980713S

(12) **United States Design Patent**
Lu

(10) **Patent No.:** **US D980,713 S**
(45) **Date of Patent:** **** Mar. 14, 2023**

(54) **FLIP LOCKING LID FOR AIRTIGHT CANISTER**

(71) Applicant: **NINGBO HALSON IMPORT AND EXPORT CO., LTD.**, Ningbo (CN)

(72) Inventor: **Jiehua Lu**, Ningbo (CN)

(73) Assignee: **NINGBO HALSON IMPORT AND EXPORT CO., LTD.**, Ningbo (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/812,752**

(22) Filed: **Oct. 25, 2021**

(51) **LOC (14) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D9/439**

(58) **Field of Classification Search**

USPC D7/387, 391, 392.1, 396.1, 396.2, 396.6, D7/388, 402, 403; D9/434, 435, 436, D9/438, 439, 440, 442, 443, 445, 446, D9/452, 453, 454, 455, 456; D3/201, D3/273, 318, 319, 323; D23/209, 258, D23/259, 260, 261; D24/127, 162, 193, D24/194, 197, 199, 224, 227; D34/10, D34/11, 28, 35, 38, 39; D15/28, 138, D15/141, 145, 199
CPC B25B 13/5008; B25B 15/008; B65D 1/02; B65D 1/0233; B65D 1/08; B65D 1/10; B65D 41/14; B65D 41/16; B65D 41/3428; B65D 55/16; B65D 43/169; B65D 43/26; B65D 43/08; B65D 2543/00972; B65D 2525/285; B65D 2525/286; B65D 2525/287; B65D 2525/288; B65D 53/02; A47G 19/24; B67D 3/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,818 S * 5/1976 Vatne D9/438
D267,703 S * 1/1983 Chase D9/443
D425,363 S * 5/2000 Loew D7/392.1

(Continued)

OTHER PUBLICATIONS

Araven Clear Airtight Food Pan: Site Visited (Sep. 22, 2022). Available from Internet URL: https://www.webstaurantstore.com/araven-09852-1-6-size-clear-polypropylene-food-pan-airtight-lid/15909852.html?utm_source=google&utm_medium=cpc&utm_campaign=GoogleShopping&gclid=Cj0KCCQjw7KqZBhCBARIsAl-fTKIuD-jg3T2mQc1WWvYzmbZ7IBu_tE421GeQ2GN1FqRuoWTNdurxkYYaAqtbEALw_wcB.*

(Continued)

Primary Examiner — Catherine S Posthauer


(57) **CLAIM**

The ornamental design for a flip locking lid for airtight canister, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a flip locking lid for airtight canister showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is another perspective view of the flip locking lid for airtight canister, shown in a position of use with an exemplary canister;
FIG. 10 is another perspective view thereof, shown in a position of use with another exemplary canister.
FIG. 11 is another perspective view thereof, shown in a position of use with another exemplary canister; and,
FIG. 12 is another perspective view thereof, shown in a position of use with another exemplary canister.
The broken lines are shown for the purpose of illustrating both parts of the article as well as environmental subject matter of exemplary canisters. None of the broken lines form part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D446,117 S * 8/2001 Conti D7/392.1
 D448,969 S * 10/2001 Conti D7/392.1
 D464,847 S * 10/2002 Klock D7/391
 D466,364 S * 12/2002 Demore D7/391
 D517,861 S * 3/2006 Kim D7/392.1
 D536,571 S * 2/2007 Kim D7/391
 D537,293 S * 2/2007 Ho D7/392.1
 D585,239 S * 1/2009 Thurlow D7/391
 D642,054 S * 7/2011 Samartgis D9/435
 D642,457 S * 8/2011 Samartgis D9/435
 D680,866 S * 4/2013 Golota D9/435
 D698,199 S * 1/2014 Yessin D7/392.1
 D700,011 S * 2/2014 Duvigneau D7/391
 D704,503 S * 5/2014 Manley D7/391
 D750,423 S * 3/2016 Shirley D7/391
 D751,215 S * 3/2016 Perry D24/232
 D765,508 S 9/2016 Wu
 D766,651 S * 9/2016 Decker D7/391
 D771,431 S * 11/2016 Affatato D7/354
 D771,432 S * 11/2016 Affatato D7/354
 D776,974 S * 1/2017 Kalmanides D7/391
 D779,266 S * 2/2017 Decker D7/391
 D779,267 S * 2/2017 Decker D7/391
 D782,696 S * 3/2017 Perry D24/232
 D786,674 S * 5/2017 Miller D9/446
 D798,104 S * 9/2017 Stumph D7/378
 D800,494 S * 10/2017 Peng D7/391

D828,754 S * 9/2018 Liu D9/439
 D829,213 S * 9/2018 Szeremeta D3/273
 D839,664 S * 2/2019 Pentelovitch D7/391
 D859,066 S * 9/2019 Upston D7/412
 D869,228 S * 12/2019 Zhang D7/392.1
 D870,507 S * 12/2019 Whaley D7/391
 D875,465 S * 2/2020 Dai D7/391
 D878,202 S * 3/2020 Benishai D9/439
 D896,569 S * 9/2020 Jacobs D7/391
 D902,645 S * 11/2020 Zhang D7/391
 D904,106 S * 12/2020 Samartgis D7/391
 D937,678 S * 12/2021 Riedel D9/449
 11,267,620 B1 * 3/2022 Lu B65D 45/327
 D953,101 S * 5/2022 de Sicart D7/354
 D957,182 S * 7/2022 Tuan D7/391
 2007/0241107 A1 * 10/2007 Matsumoto B65D 45/327
 220/238

OTHER PUBLICATIONS

OXO Pop Airtight Food Storage Container: Announced (Sep. 22, 2016 (online). Site Visited (Sep. 22, 2022). Available from Internet URL: <https://www.target.com/p/oxo-pop-2-6qt-airtight-food-storage-container/-/A-15420440>.*
 1.2 Liter Airtight Stackable Container: Site Visited (Sep. 22, 2022). Available from Internet URL: <https://www.homedepot.com/p/Kitchen-Details-1-2-Liter-Airtight-Stackable-Container-25922/314010913>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12