



US00D980720S

(12) **United States Design Patent**
Weissbrod

(10) **Patent No.:** **US D980,720 S**
(45) **Date of Patent:** **** Mar. 14, 2023**

- (54) **CAN**
- (71) Applicant: **Lincoln Global, Inc.**, Santa Fe Springs, CA (US)
- (72) Inventor: **Paul A. Weissbrod**, South Euclid, OH (US)
- (73) Assignee: **Lincoln Global, Inc.**, Santa Fe Springs, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/740,739**
- (22) Filed: **Jul. 7, 2020**
- (51) **LOC (14) Cl.** **09-03**
- (52) **U.S. Cl.**
USPC **D9/773**
- (58) **Field of Classification Search**
USPC D9/500, 763-783, 416, 434, 435, 438, D9/518, 902, 903, 530, 537, 539, 542, D9/553, 555-557
CPC B21D 51/26; B21D 51/383; B29C 66/71; B65D 1/00; B65D 1/02; B65D 1/12; B65D 1/14; B65D 1/40; B65D 1/44; B65D 1/023; B65D 1/0223; B65D 1/165; B65D 1/238; B65D 1/246; B65D 1/253; B65D 7/04; B65D 21/0209; B65D 21/0233; B65D 25/00; B65D 25/28; B65D 41/0457; B65D 41/17; B65D 53/06; B65D 75/56; B65D 79/005; B65D 2501/0036; B65D 2543/00064; B65D 2543/00074; B65D 2543/00083; B65D 2543/00092; B65D 2543/00101; B65D 2543/00111; Y10T 29/49826
See application file for complete search history.

- D302,225 S * 7/1989 Shapard D26/22
- D360,829 S * 8/1995 Leeds D9/557
- D400,051 S * 10/1998 Miyagi D7/523
- D465,151 S * 11/2002 Mixon B65D 1/0223
D9/500
- D543,849 S * 6/2007 Stoddard B65D 1/0223
D9/560
- D584,161 S * 1/2009 Barker B65D 23/102
D9/668
- D628,085 S * 11/2010 Hanak D9/668
- D628,906 S * 12/2010 Fedusa D9/776
- D653,552 S * 2/2012 Chupak D9/571
- D660,649 S * 5/2012 McClellan D11/154
- D687,301 S * 8/2013 Topinka B65D 23/102
D9/500
- D708,523 S * 7/2014 Topinka D9/500
- D889,995 S * 7/2020 Chupak D9/776
- D932,924 S * 10/2021 Chupak D9/500

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Brad C. Spencer

(57) **CLAIM**


The ornamental design for a can, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the design for a can;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a bottom plan view thereof.
 The broken lines shown are included for the purpose of illustrating portions of the can that form no part of the claim.

1 Claim, 4 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D202,003 S * 8/1965 Douglas D9/905
D227,346 S * 6/1973 Fischer D18/35






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8