



US00D981106S

(12) **United States Design Patent**
Shepherd

(10) **Patent No.:** **US D981,106 S**
(45) **Date of Patent:** **** Mar. 21, 2023**

(54) **PROPPANT STORAGE CONTAINER**

(71) Applicant: **SANDBOX ENTERPRISES, LLC**,
Katy, TX (US)

(72) Inventor: **Justin Shepherd**, Katy, TX (US)

(73) Assignee: **SANDBOX ENTERPRISES, LLC**,
Katy, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/711,529**

(22) Filed: **Oct. 31, 2019**

(51) **LOC (14) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/272; D23/202**

(58) **Field of Classification Search**
USPC D3/272; D12/413; D23/202
CPC B65D 88/128; B65D 88/12; B65D 88/30;
B62D 25/00; B62D 6/00; A47G 29/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D216,511 S *	1/1970	Coleman	D23/202
D688,349 S	8/2013	Oren et al.		
D688,350 S	8/2013	Oren et al.		
D688,351 S	8/2013	Oren et al.		
D688,772 S	8/2013	Oren et al.		
8,585,341 B1 *	11/2013	Oren	B65D 88/02 414/407
D780,883 S	3/2017	Schaffner et al.		
D783,771 S	4/2017	Stegemoeller et al.		
D783,772 S *	4/2017	Stegemoeller, III	D23/202
D847,489 S	5/2019	Harris		
D878,757 S *	3/2020	Hess	D3/272
D900,958 S *	11/2020	Sheesley	D3/272
2013/0206415 A1	8/2013	Sheesley		
2013/0209204 A1	8/2013	Sheesley		
2014/0166647 A1	6/2014	Sheesley et al.		
2016/0039433 A1 *	2/2016	Oren	B65D 88/30 410/68

(Continued)

OTHER PUBLICATIONS

Observer-Report, "Hydration is vital to the life of a fracking site", Originally published Nov. 10, 2019. Updated Dec. 14, 2020. (https://observer-reporter.com/news/localnews/hydration-is-vital-to-the-life-of-a-fracking-site/article_9b1fecfe-f9b0-11e9-af78-bf453a25b494.html) (Year: 2019).*

Primary Examiner — April Rivas

(74) *Attorney, Agent, or Firm* — Osha Bergman Watanabe & Burton LLP


(57) **CLAIM**

The ornamental design for a proppant storage container, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of the proppant storage container;
FIG. 2 is a lower perspective view of the proppant container shown in FIG. 1;
FIG. 3 is a front elevation view of the proppant storage container shown in FIG. 1;
FIG. 4 is a rear elevation view of the proppant storage container shown in FIG. 1;
FIG. 5 is a left-side elevation view of the proppant storage container shown in FIG. 1;
FIG. 6 is a right-side elevation view of the proppant storage container shown in FIG. 1;
FIG. 7 is a top plan view of the proppant storage container shown in FIG. 1; and,
FIG. 8 is a bottom plan view of the proppant storage container shown in FIG. 1.
The broken lines shown in the figures represent portions of the proppant storage container that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0130095	A1*	5/2016	Oren	B65D 88/30 220/23.91
2016/0332809	A1*	11/2016	Harris	B65D 88/30
2019/0106273	A1*	4/2019	Hess	B65D 88/28
2021/0130113	A1*	5/2021	Shepherd	B65D 88/54

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8