



US00D981679S

(12) **United States Design Patent** (10) **Patent No.:** **US D981,679 S**  
**Guo** (45) **Date of Patent:** **\*\* Mar. 28, 2023**

(54) **CHILD SAFETY SEAT BELT**

D858,938 S \* 9/2019 He ..... D2/627  
D860,043 S \* 9/2019 Geist ..... D11/216  
10,933,785 B2 \* 3/2021 Kukielka ..... B60N 2/688

(71) Applicant: **LUOYUAN ZHONGTIAN ELECTRONIC COMMERCE CO., LTD.**, Fuzhou (CN)

(Continued)

*Primary Examiner* — Kevin K Rudzinski

(72) Inventor: **Dong Guo**, Fuzhou (CN)

*Assistant Examiner* — Clare Ann Gannon

(73) Assignee: **LUOYUAN ZHONGTIAN ELECTRONIC COMMERCE CO., LTD.**, Fuzhou (CN)

(57) **CLAIM**

The ornamental design for a child safety seat belt, as shown and described.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **29/805,100**

FIG. 1 is a perspective view of a child safety seat belt showing my new design;

(22) Filed: **Aug. 25, 2021**

FIG. 2 is another perspective view thereof;

(51) **LOC (14) Cl.** ..... **02-07**

FIG. 3 is a front elevational view thereof;

(52) **U.S. Cl.** ..... **D2/639**

FIG. 4 is a rear elevational view thereof;

(58) **Field of Classification Search**  
USPC ..... D2/625-627; D29/101.1  
CPC ..... B60R 22/00  
See application file for complete search history.

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is an enlarged view of FIG. 7;

FIG. 10 is an enlarged view of FIG. 8;

FIG. 11 is an enlarged view of portion 11 shown in FIG. 1;

FIG. 12 is an enlarged view of portion 12 shown in FIG. 1;

FIG. 13 is an enlarged view of portion 13 shown in FIG. 2;

and,

FIG. 14 is an enlarged view of portion 14 shown in FIG. 2.


The break lines shown in the figures symbolize breaks in the length of the child safety seat belt in which the claimed design is embodied. The appearance of any portion of the child safety seat belt between the break lines forms no part of the claimed design. The dash-dash broken lines in the drawings depict portions of the child safety seat belt that form no part of the claimed design. The dot-dash broken lines represent boundaries of the enlarged portions and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 293,799 A \* 2/1884 Simkin ..... A62B 35/04  
D29/101.1
- D284,712 S \* 7/1986 Loftin ..... D2/627
- D322,160 S \* 12/1991 Dauterive ..... D2/627
- D384,486 S \* 10/1997 Herrli ..... D2/627
- D473,034 S \* 4/2003 Styne ..... B60N 2/265  
D2/624
- D481,851 S 11/2003 Greaige
- D661,461 S \* 6/2012 Murray ..... B60N 2/688  
D2/627
- D681,503 S 5/2013 McDaniel
- 10,131,317 B1 \* 11/2018 Harrington ..... B60N 2/265
- D847,468 S \* 5/2019 Genao ..... D2/859

**1 Claim, 14 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D943,103 S \* 2/2022 Snider, Sr. .... A62B 35/04  
D2/625

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14