



US00D981822S

(12) **United States Design Patent** (10) **Patent No.:** **US D981,822 S**
Lowery (45) **Date of Patent:** **** Mar. 28, 2023**

(54) **MOUNTING BRACKET**

(71) Applicant: **Quality Lockout, LLC**, Milwaukee,
WI (US)

(72) Inventor: **Jared Thomas Lowery**, Milwaukee,
WI (US)

(73) Assignee: **Quality Lockout, LLC**, Milwaukee,
WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/721,087**

(22) Filed: **Jan. 17, 2020**

(51) **LOC (14) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/354**

(58) **Field of Classification Search**
USPC D8/354, 358, 363, 366, 373, 375, 379,
D8/382, 400–402, 404, 499, 46, 300,
D8/321–322, 383–384, 387, 397, 399,
D8/356, 364–365, 374, 376–377,
D8/380–381; D11/89, 132, 93, 79, 80;
D12/223, 414, 400, 406; D25/61, 102,
D25/119–122, 133, 138, 140, 164, 199;
D7/624.1–642.3, 633
CPC E04C 5/201; E04C 5/168; E04C 5/203;
E04C 5/205; A47B 1/10; A47B 21/03
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,029,285 A 6/1977 Tendler
D391,837 S * 3/1998 Adams D8/354
D416,778 S * 11/1999 Pitcher D8/330
D549,556 S * 8/2007 Christie D8/354
D638,695 S * 5/2011 Woodrow D8/382
D674,269 S * 1/2013 Siepel D8/354

D781,175 S * 3/2017 Jankowski D8/382
D803,037 S * 11/2017 Maloney D8/382
D851,481 S * 6/2019 Blom D6/546
D875,508 S * 2/2020 Bailey D8/358
D899,226 S * 10/2020 Frydenger D8/354
D905,327 S * 12/2020 Williams D26/142
D907,466 S * 1/2021 Loftus D8/354

(Continued)

FOREIGN PATENT DOCUMENTS

CN 2288649 Y 8/1998
JP 4539965 B2 9/2010
WO 2018147209 A1 8/2018

Primary Examiner — Karen S Acker

Assistant Examiner — Elizabeth S Ko

(74) *Attorney, Agent, or Firm* — Michael Best &
Friedrich LLP

(57) **CLAIM**

I claim the ornamental design for a mounting bracket, as
shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a mounting bracket
showing my new design.

FIG. 2 is bottom perspective view of the mounting bracket
of FIG. 1.

FIG. 3 is a bottom view of the mounting bracket of FIG. 1.

FIG. 4 is a top view of the mounting bracket of FIG. 1.

FIG. 5 is right side view of the mounting bracket of FIG. 1.


FIG. 6 is a left side view of the mounting bracket of FIG. 1.

FIG. 7 is a front view of the mounting bracket of FIG. 1; and,

FIG. 8 is a back view of the mounting bracket of FIG. 1.

The evenly spaced broken lines and all unshaded areas
depict portions of the mounting bracket that form no part of
the claimed design. The dash-dot-dot-dash broken lines
depict boundaries of the claim and form no part thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D925,340	S	*	7/2021	Bailey	D8/358
D949,663	S	*	4/2022	Limber	D8/349
D949,671	S	*	4/2022	French	D8/373
D958,519	S	*	7/2022	Ballendat	D3/10

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8