



US00D982308S

(12) **United States Design Patent**  
**Sirichai**

(10) **Patent No.:** **US D982,308 S**

(45) **Date of Patent:** **\*\* Apr. 4, 2023**

(54) **COVER FOR A TRACKING DEVICE**

(71) Applicant: **Saharut Sirichai**, Bangkok (TH)

(72) Inventor: **Saharut Sirichai**, Bangkok (TH)

(73) Assignee: **World Richman Manufacturing Corporation**, Elgin, IL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/780,904**

(22) Filed: **Apr. 27, 2021**

(51) **LOC (14) Cl.** ..... **03-02**

(52) **U.S. Cl.**  
USPC ..... **D3/212; D10/121**

(58) **Field of Classification Search**  
USPC ..... D3/218, 201, 207, 208, 210, 212, 215,  
D3/269, 294; D10/104.1, 104.2, 121,  
D10/103, 46, 65, 72, 74; D11/79, 80;  
D14/432, 439, 440, 250, 496, 217, 251,  
D14/252, 356, 358; D20/22, 28;  
D30/155

CPC ..... A45F 2200/05; A45F 2200/0525; B65D  
2590/0083; E05B 73/0023; E05B  
73/0041; G08B 13/2434; G08B 13/2445  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D707,957 S \* 7/2014 Oas ..... D3/215
- D768,114 S \* 10/2016 Hou ..... D14/218
- D797,149 S \* 9/2017 Beck ..... D14/496
- D888,410 S \* 6/2020 Jacob ..... D3/207
- D910,860 S \* 2/2021 Villano ..... D24/194
- D933,046 S \* 10/2021 Huang ..... D14/496
- D934,295 S \* 10/2021 Olsson ..... D14/496

- D944,794 S \* 3/2022 Su ..... D14/358
- D950,236 S \* 5/2022 Akana ..... D3/215
- D952,184 S \* 5/2022 Yan ..... D24/231
- D953,014 S \* 5/2022 Akana ..... D3/215
- D960,017 S \* 8/2022 Wu ..... D10/121
- D960,729 S \* 8/2022 Lee ..... D10/74
- 2017/0195763 A1 \* 7/2017 Cheney ..... H04R 1/18
- 2018/0356533 A1 \* 12/2018 Beristain ..... G01S 19/14
- 2020/0140168 A1 \* 5/2020 Chiang ..... A45F 5/00
- 2022/0178176 A1 \* 6/2022 Müller ..... G08B 13/149

**FOREIGN PATENT DOCUMENTS**

CN 306765268 \* 5/2021

\* cited by examiner

*Primary Examiner* — Marie D. Fast Horse

*Assistant Examiner* — Josiah D. Parsons

(74) *Attorney, Agent, or Firm* — Christopher J. Scott

(57) **CLAIM**

The ornamental design for a cover for a tracking device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front plan view of a cover for a tracking device showing my new design;

FIG. 2 is a back plan view of the cover for a tracking device;

FIG. 3 is a right edge view of the cover for a tracking device;

FIG. 4 is a left edge view of the cover for a tracking device;


FIG. 5 is a top edge view of the cover for a tracking device;

FIG. 6 is a bottom edge view of the cover for a tracking device;

FIG. 7 is a top, front perspective view of the cover for a tracking device; and,

FIG. 8 is a top, back perspective view of the cover for a tracking device.

**1 Claim, 3 Drawing Sheets**






FIG. 2




FIG. 1



FIG. 4




FIG. 5




FIG. 6



FIG. 3



FIG. 8



FIG. 7