



US00D982329S

(12) **United States Design Patent**
Turgaman

(10) **Patent No.:** **US D982,329 S**

(45) **Date of Patent:** **** Apr. 4, 2023**

(54) **ARTICLE HOLDER**

(71) Applicant: **CT Design LLC**, Sherman Oaks, CA
(US)

(72) Inventor: **Chen Turgaman**, Los Angeles, CA
(US)

(73) Assignee: **CT Design LLC**, Sherman Oaks, CA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/698,696**

(22) Filed: **Jul. 18, 2019**

(51) **LOC (14) Cl.** **06-08**

(52) **U.S. Cl.**
USPC **D6/320**

(58) **Field of Classification Search**
USPC D6/570, 407, 450, 457, 553, 556-567,
D6/571-572, 626-630, 315, 320;
D19/90-92, 26, 32; D32/55, 58, 54;
211/40, 41.1, 41.2, 41.3, 41.4, 42, 41.12,
211/44, 41.18, 48, 181.1; 206/307.1, 307,
206/308.1, 387.1, 387.15, 425, 445, 454;
312/9.1-9.64; D9/341, 432
CPC A47K 3/281; B23P 17/04; A47B 57/265;
A47B 57/565; A47B 57/26; A47B 43/00;
A47B 43/04; A47B 47/0066; A47B
47/04; A47B 63/00; A47B 69/00; A47B
71/00; B65D 51/00; A45F 5/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,783,995 A * 1/1974 Tobin B65D 85/18
211/89.01
D237,852 S * 12/1975 Aron D6/315
D321,607 S * 11/1991 Sheung D6/407
5,265,737 A * 11/1993 Freeby A47G 25/10
211/115

D363,950 S * 11/1995 Brussing D19/86
5,683,002 A * 11/1997 Rayside A47G 25/10
211/115
D398,471 S * 9/1998 Malik D6/570

(Continued)

Primary Examiner — Marie D. Fast Horse

Assistant Examiner — Jennifer Sierra Yosinski

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP


(57) **CLAIM**

The ornamental design for an article holder, as shown and described.

DESCRIPTION

FIG. 1 is a top, left-side perspective view of an article holder showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is left side elevation view thereof;
FIG. 6 is the view of FIG. 1 with environment inserted into the article holder;
FIG. 7 is the view of FIG. 2 with environment inserted into the article holder;
FIG. 8 is the view of FIG. 5 with environment inserted into the article holder; is a rear elevation view thereof;
FIG. 9 is a top, right-side perspective view of an article holder showing our new design;
FIG. 10 is a front elevation view of FIG. 9;
FIG. 11 is a rear elevation view of FIG. 9;
FIG. 12 is left side elevation view of FIG. 9;
FIG. 13 is a top view of FIG. 9;
FIG. 14 is the view of FIG. 12 with environment inserted into the article holder; and,
FIG. 15 is the view of FIG. 9 with environment inserted into the article holder.
The broken lines shown in the FIGS. 3, 6-8, 14 and 15 in the drawings represent environment and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D404,580	S	*	1/1999	Hasler	D6/320
D426,075	S	*	6/2000	Bonham	D6/320
D426,417	S	*	6/2000	Young	D6/626
D484,730	S	*	1/2004	Kollegian	D6/630
D497,756	S	*	11/2004	Chen	D6/570
D502,010	S	*	2/2005	Starr	D6/323
D502,040	S	*	2/2005	Kollegian	D6/630
D612,650	S	*	3/2010	Tiernan	D6/570
D618,481	S	*	6/2010	Mayer	D6/630
D650,999	S	*	12/2011	Hayashida	D6/320
11,457,752	B1	*	10/2022	Cetera	A47F 5/0838

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11





Fig. 13

Fig. 12




Fig. 14




Fig. 15