



US00D982401S

(12) **United States Design Patent**
Weber et al.

(10) **Patent No.:** **US D982,401 S**
(45) **Date of Patent:** **** Apr. 4, 2023**

(54) **CAP DESIGNED TO RESEAL A PARTIALLY USED TUBE OF CAULK FOR LATER REUSE**

(71) Applicant: **WEBER PRODUCT DEVELOPMENT, LLC**, Charleston, WV (US)

(72) Inventors: **Stephen John Weber**, Charleston, WV (US); **Elise J. Weber**, Charleston, WV (US); **Madeleine B. Weber**, Charleston, WV (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/782,753**

(22) Filed: **May 9, 2021**

(51) **LOC (14) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/14.1; D9/435**

(58) **Field of Classification Search**
USPC D8/14.1; D9/436, 439, 435, 441, 442
CPC B65D 41/04; B65D 35/44; B65D 41/023; Y02W 30/80; Y02W 30/807; B05C 17/0052
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,101,077	A *	7/1978	Gibson	B05C 17/0052
					D8/14
D324,824	S *	3/1992	Hansen	D9/446
5,154,327	A *	10/1992	Long	B05C 17/00596
					222/326
5,248,071	A *	9/1993	Ray	B65D 47/122
					222/566
5,295,601	A *	3/1994	Bostelman	B65D 41/04
					215/390
D360,828	S *	8/1995	Ball	D8/14.1
D368,856	S *	4/1996	Peay	D9/447

D377,891	S *	2/1997	Bencich	D8/14.1
D443,488	S *	6/2001	Palladino	D8/14.1
6,565,899	B1 *	5/2003	Cecere	B65D 77/28
					426/132
D536,966	S *	2/2007	Cecere	D9/449
D658,458	S *	5/2012	Seabrooks	D24/224
8,342,351	B2 *	1/2013	Hobbs, Sr.	B65D 41/023
					D8/14.1
D712,536	S *	9/2014	Kuhlow	A61D 19/022
					D9/447
D716,965	S *	11/2014	Fruscella	B05C 17/0052
					D24/224
D740,662	S *	10/2015	Branham	C03B 19/1415
					D8/14.1

(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP; Monika L. Jaensson, Esq.

(57) **CLAIM**


The ornamental design for a cap designed to reseal a partially used tube of caulk for later reuse, as shown and described.

DESCRIPTION

FIG. 1 is a left side perspective view of a cap designed to reseal a partially used tube of caulk for later reuse; FIG. 2 is a left side perspective view of the cap of FIG. 1; FIG. 3 is a right side perspective view of the cap of FIG. 1; FIG. 4 is a rear view of the cap of FIG. 1; FIG. 5 is a front view of the cap of FIG. 1; FIG. 6 is a top view of the cap of FIG. 1; FIG. 7 is a bottom view of the cap of FIG. 1; and, FIG. 8 is a perspective view of the cap of FIG. 1 positioned on a partially used tube of caulk for later reuse.

The portions of the tube of caulk shown in broken lines depict environmental subject matter only and form no part of the claimed design. The broken line portion of the cap in FIG. 7 forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,481,597 B2 * 11/2016 Badeke C03B 19/1415
D889,961 S * 7/2020 Swart B05C 17/0052
D9/447
2009/0120970 A1 * 5/2009 Eighmie B65D 35/38
222/148
2011/0089192 A1 * 4/2011 McMahon B05C 17/0052
222/82

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8