



(12) **United States Design Patent**
Zhang et al.

(10) **Patent No.:** **US D982,646 S**
(45) **Date of Patent:** **** Apr. 4, 2023**

(54) **CAMERA**

(71) Applicant: **Anker Innovations Technology Co. Ltd.**, Changsha (CN)

(72) Inventors: **Chenyu Zhang**, Shenzhen (CN); **Yingpeng Li**, Shenzhen (CN); **Jihui Lai**, Shenzhen (CN)

(73) Assignee: **Anker Innovations Technology Co., Ltd.**, Changsha (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/784,453**

(22) Filed: **May 19, 2021**

(30) **Foreign Application Priority Data**

Nov. 19, 2020 (CN) 202030700553.4

(51) **LOC (14) Cl.** **16-01**

(52) **U.S. Cl.**

USPC **D16/203**

(58) **Field of Classification Search**

USPC D16/200, 202–204, 208, 211, 214, 218, D16/219, 243; D10/57, 70

CPC G03B 17/00; G03B 17/02; G03B 2217/00; H04N 5/225

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D450,075 S * 11/2001 Uehara D16/202

D508,067 S * 8/2005 Deguchi D16/202

D527,405 S * 8/2006 Kim D16/202

D552,651 S * 10/2007 Arbuckle D16/202

D556,236 S * 11/2007 Kim D16/202

D568,361 S * 5/2008 Arnold D16/202

D692,473 S * 10/2013 Kawaguchi D16/202

D788,607 S * 6/2017 Ji D10/70

D801,841 S * 11/2017 Chen D10/106.6

D820,898 S * 6/2018 Fujita D16/218

D829,260 S * 9/2018 Fujita D16/218

D829,262 S * 9/2018 Huerta D16/203

D925,641 S * 7/2021 Park D30/129

D934,942 S * 11/2021 Kawamoto D16/211

(Continued)

OTHER PUBLICATIONS

“Eufy Security Floodlight Cam Pro 2,” first available date May 31, 2021, retrieved on Aug. 30, 2022 from https://www.amazon.com/eufy-Security-Floodlight-360-Degree-Weatherproof/dp/B0967TSRBM/ref=cm_cr_ar_p_d_product_top?ie=UTF8 (Year: 2021).*

(Continued)

Primary Examiner — Maria J. Edwards

Assistant Examiner — Dina Michelle Hoeynck

(74) Attorney, Agent, or Firm — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a camera showing our new design;

FIG. 2 is a rear bottom perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;


FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof; and,

FIG. 9 is an enlarged view of the encircled portion 9 indicated in FIG. 1.

The evenly dashed broken lines depict portions of the camera that form no part of the claimed design. The unevenly dashed broken lines in FIGS. 1 and 9 indicate the area shown in the enlarged view in FIG. 9 and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0240494	A1 *	8/2014	Wada	H04N 5/23299	348/143
2016/0330390	A1 *	11/2016	Cho	H04N 5/2252	
2022/0006961	A1 *	1/2022	Hörnquist	H04N 5/23216	

OTHER PUBLICATIONS

“Eufy Floodlight Cam 2 PRO,” reviewed Jul. 31, 2021, retrieved Nov. 8, 2022 from Eufy Floodlight Cam 2 PRO Review—Features, Installation, Testing—Best Floodlight Cam of 2021?/ (Year: 2021).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9