



US00D983047S

(12) **United States Design Patent** (10) **Patent No.:** **US D983,047 S**
Zimmerman et al. (45) **Date of Patent:** **** Apr. 11, 2023**

(54) **STORAGE BAG**

(71) Applicant: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(72) Inventors: **Daniel P. Zimmerman**, Midland, MI (US); **Brian C. Dais**, Sanford, MI (US)

(73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/784,451**

(22) Filed: **May 19, 2021**

(51) **LOC (14) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/703**

(58) **Field of Classification Search**
USPC D9/702-714, 719, 738-740, 517-518,
D9/522, 416, 435, 444, 460, 455, 414,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D131,584 S * 3/1942 Robertson D5/46
3,123,279 A * 3/1964 Day B65D 31/00
383/117

(Continued)

FOREIGN PATENT DOCUMENTS

EP 2055644 A1 5/2009
EP 2213589 A1 8/2010

(Continued)

OTHER PUBLICATIONS

“A 2 Suede-like Water Resistant Zip-lock Storage Bag in Diamond Embossing Pattern” (Accessed May 12, 2021).

(Continued)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Venable LLP

(57) **CLAIM**

The ornamental design for a storage bag, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the storage bag showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a top perspective view of another embodiment of the storage bag shown in FIG. 1;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a right side view thereof;

FIG. 12 is a left side view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a top perspective view of another embodiment of the storage bag;

FIG. 16 is a front view thereof;

FIG. 17 is a rear view thereof;

FIG. 18 is a right side view thereof;


FIG. 19 is a left side view thereof;

FIG. 20 is a top view thereof; and,

FIG. 21 is a bottom view thereof.

In FIGS. 8 to 10 and FIGS. 15 to 17, the breakaway portions show that the storage bag has no specific width. The broken lines shown in the drawings illustrate portions of the design that form no part of the claim. The dot-dash lines show unclaimed boundaries and form no part of the claim. The dash-dot-dot-dash lines show unclaimed boundaries and form no part of the claim.

1 Claim, 15 Drawing Sheets



(58) **Field of Classification Search**

USPC D9/499, 431–432; D7/560–562;
 206/434, 426–427, 429–430, 485, 485.1,
 206/499, 508, 431, 418–422, 588–594;
 229/117.3, 185, 121, 122, 200, 207, 236,
 229/87.01; 220/23.83; 150/100–118;
 294/137, 152; 383/6, 10, 14, 20, 40, 33,
 383/104–105, 117, 108, 120, 93, 121.1,
 383/127; 428/34.3
 CPC B65D 33/00; B65D 33/06; B65D 33/065;
 B65D 33/14; B65D 33/1683; B65D
 33/12; B65D 31/00; B65D 31/04; B65D
 31/10; A45C 3/04; A45C 3/10

See application file for complete search history.

9,505,525 B2 11/2016 Dais et al.
 9,540,145 B2 1/2017 Porchia et al.
 9,630,760 B2 4/2017 Porchia et al.
 9,637,276 B2 5/2017 Dais et al.
 9,637,277 B2 5/2017 Porchia et al.
 9,776,781 B2 10/2017 Porchia et al.
 10,040,615 B2 8/2018 Porchia et al.
 10,052,844 B2 8/2018 Dorsey et al.
 10,336,535 B2 7/2019 Cobler
 D965,438 S * 10/2022 Yang D9/709
 2006/0193539 A1 8/2006 Small
 2008/0193059 A1 8/2008 Michalsky
 2009/0214142 A1 8/2009 Bossel et al.
 2010/0012531 A1 1/2010 Steele
 2014/0245698 A1 9/2014 Steele

(56)

References Cited

U.S. PATENT DOCUMENTS

3,735,918 A 5/1973 Tundermann
 D228,283 S * 9/1973 Reifers D9/427
 5,044,774 A 9/1991 Bullard et al.
 5,554,093 A 9/1996 Porchia et al.
 5,618,111 A 4/1997 Porchia et al.
 6,345,911 B1 2/2002 Young et al.
 D456,217 S * 4/2002 Hawkins D6/567
 7,988,359 B1 8/2011 Sussman et al.
 D661,997 S 6/2012 Wilcoxon et al.
 D661,998 S 6/2012 Wilcoxon et al.
 D686,087 S 7/2013 Wilcoxon et al.
 8,529,129 B2 9/2013 Turvey
 D692,314 S 10/2013 Wilcoxon et al.
 8,591,109 B2 11/2013 Ackerman et al.
 8,939,642 B2 1/2015 Ackerman et al.
 D764,937 S 8/2016 Andrus
 D764,938 S 8/2016 Andrus
 9,499,307 B2 11/2016 Porchia et al.

FOREIGN PATENT DOCUMENTS

EP 3020653 A1 5/2016
 FR 2759981 A1 8/1998
 JP S61-117111 U 7/1986
 JP H63-85931 A 4/1988
 JP 2000-507194 A 6/2000
 JP 3170416 U 8/2011
 KR 300316319 1/2003
 KR 300924305 9/2017
 WO 90/14998 12/1990
 WO 2015/138559 A1 9/2015
 WO 2017/034592 A1 3/2017

OTHER PUBLICATIONS

First Office Action issued in Japanese Patent Application No. 2021-047804, dated Mar. 4, 2022 (13 pages).
 Second Office Action issued in Japanese Patent Application No. 2021-047804, dated Oct. 4, 2022 (7 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12

=====

FIG. 13

=====

FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19

=====

FIG. 20

=====

FIG. 21