



US00D983087S

(12) **United States Design Patent**
Sundblad

(10) **Patent No.:** **US D983,087 S**
(45) **Date of Patent:** **** Apr. 11, 2023**

(54) **BELT BUCKLE**

D70,892 S 8/1926 Ormsbee
D71,083 S 9/1926 Samson
D71,476 S 11/1926 Ormsbee

(71) Applicant: **Andrew Sundblad**, Incline Village, NV
(US)

(Continued)

(72) Inventor: **Andrew Sundblad**, Incline Village, NV
(US)

OTHER PUBLICATIONS

(**) Term: **15 Years**

Itera Western Cowboy/Cowgirl Initial Belt Buckle—Amazon customer review—Alexa Rena dated [Mar. 1, 2022] found online Sep. 6, 2022]—https://www.amazon.com/Itera-Western-Initial-Belt-Buckle/dp/B097QDVHX9/ref=asc_df_B097QDVHX9/?tag=hyprod-20&linkCode=df0&hvadid=542739947253&hvpos=&hvnetw=g&hvrnd=684680151421804379.*

(21) Appl. No.: **29/837,160**

(22) Filed: **May 2, 2022**

Primary Examiner — John A Voytek

(51) **LOC (14) Cl.** **02-07**

(74) *Attorney, Agent, or Firm* — QuickPatents, LLC;
Kevin Prince

(52) **U.S. Cl.**

USPC **D11/231**

(58) **Field of Classification Search**

USPC D11/3, 94, 61, 201, 218, 221, 230, 231,
D11/232, 233, 237, 238, 241;

(57) **CLAIM**

D2/624–627

CPC ... A44B 11/2561; A44B 11/006; A44B 11/24;
A44B 11/001; A44B 11/22; A44B 11/04;
A44B 11/2576; A44B 11/28; B68C 1/14;
G09F 3/18

The ornamental design for a belt buckle, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D55,207 S 12/1919 Shields
D55,208 S 12/1919 Shields
D55,209 S 12/1919 Shields
D55,210 S 12/1919 Shields
D55,211 S 12/1919 Shields
D55,212 S 12/1919 Shields
D55,205 S 5/1920 Shields
D55,206 S 5/1920 Shields
D61,535 S 10/1921 Davis
D61,536 S 10/1921 Davis
D61,745 S 12/1922 Shields
D63,220 S 11/1923 Davis
D66,746 S 3/1925 Ormsbee
D66,747 S 3/1925 Ormsbee
D70,802 S 8/1926 Ormsbee
D70,804 S 8/1926 Ormsbee

FIG. 1 is a perspective view of a belt buckle, showing a first embodiment of my new design;
FIG. 2 is a front elevational view of FIG. 1;
FIG. 3 is a rear elevational view of FIG. 1;
FIG. 4 is a left-side elevational view of FIG. 1;
FIG. 5 is a right-side elevational view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1;
FIG. 7 is a bottom plan view of FIG. 1;
FIG. 8 is a perspective view of a second embodiment thereof;
FIG. 9 is a front elevational view of FIG. 8;
FIG. 10 is a rear elevational view of FIG. 8;
FIG. 11 is a left-side elevational view of FIG. 8;
FIG. 12 is a right-side elevational view of FIG. 8;
FIG. 13 is a top plan view of FIG. 8; and,
FIG. 14 is a bottom plan view of FIG. 8.

(Continued)






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14