



US00D984032S

(12) **United States Design Patent** (10) **Patent No.:** **US D984,032 S**
He (45) **Date of Patent:** **** Apr. 18, 2023**

(54) **LED LIGHT STRING INSULATION CORE**

4,566,231 A * 1/1986 Konsevich H05K 1/0271
181/290

(71) Applicant: **Linhai Ruichen Lighting Co., Ltd.**,
Taizhou (CN)

D401,560 S 11/1998 Nakamura
D405,058 S 2/1999 Nakamura
D405,059 S 2/1999 Nakamura
D405,426 S 2/1999 Nakamura
D410,627 S 6/1999 Brandt

(72) Inventor: **Jiwei He**, Linhai (CN)

6,082,073 A * 7/2000 Silvanus B60P 1/286
296/900

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/837,540**

FOREIGN PATENT DOCUMENTS

(22) Filed: **May 6, 2022**

(51) **LOC (14) Cl.** **26-04**

GB 834015 A * 5/1960
WO WO-9638639 A1 * 12/1996 B64C 1/06

(52) **U.S. Cl.**

USPC **D26/113**; D13/153

(58) **Field of Classification Search**

USPC D8/354, 355, 363, 373; D9/456, 737;
D10/111, 113.1, 114.1, 114.8;
D13/153-155, 199; D25/119, 121,
D25/126-128; D26/24, 67, 68, 69,
D26/72-74, 81-86, 88, 93, 102, 104-120,
D26/122, 124, 128-130, 138, 142-144,
D26/149-151, 155; D34/38

CPC F21S 8/00; F21S 8/024; F21S 8/026; F21S
8/04; F21V 1/00; F21V 1/06; F21V 1/08;
F21V 1/20; F21V 1/24; H01B 7/0009;
H01B 7/0045; H01B 7/04; H01B 7/185;
H01L 21/67748

See application file for complete search history.

OTHER PUBLICATIONS

Brightown Fairy Lights, first available Aug. 16, 2019, retrieved Dec.
5, 2022 from URL: <https://www.amazon.com/Battery-Operated-Waterproof-Firefly-Christmas/dp/B07WG18RLT/?th=1> (Year: 2019).*

(Continued)

Primary Examiner — Richard Kearney

Assistant Examiner — Christina M. Dodson

(74) *Attorney, Agent, or Firm* — Rumit Ranjit Kanakia

(57)

CLAIM

The ornamental design for a LED light string insulation
core, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

3,516,213 A * 6/1970 Sauer E04B 1/944
52/837
3,908,327 A * 9/1975 Quigg E04B 1/944
52/359
4,019,301 A * 4/1977 Fox E04F 13/0733
52/837
4,196,558 A * 4/1980 Jungbluth E04C 3/293
52/340
4,407,106 A * 10/1983 Beck E04B 1/944
52/841

DESCRIPTION

FIG. 1 is a perspective view of a LED light string insulation
core showing my new design;
FIG. 2 is a front elevational view thereof, the rear elevational
view is identical;
FIG. 3 is a left elevational view thereof, the right elevational
view is identical; and,
FIG. 4 is a top side view thereof, the bottom plan view is
identical.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D461,448	S	8/2002	Amin	
D463,777	S *	10/2002	Mellgren D13/157
D522,452	S	6/2006	Sugimoto	
D747,539	S *	1/2016	Santoro D26/120
D753,605	S *	4/2016	McPherson D13/155
D779,714	S *	2/2017	Sonneman D26/138
9,657,477	B2 *	5/2017	Davis E04C 3/28
D874,692	S *	2/2020	Dai D26/25
D914,927	S *	3/2021	Liu D26/25
D920,923	S	6/2021	Hirano	
D924,172	S	7/2021	Demcenko	
D937,785	S	12/2021	Hess	
D952,200	S *	5/2022	Zhou D11/124
D953,585	S *	5/2022	Lin D26/25
D960,402	S *	8/2022	Lin D26/25
D965,828	S *	10/2022	Chen D13/153
2003/0148557	A1 *	8/2003	Lim H01L 24/06 257/E29.022
2020/0191485	A1 *	6/2020	Chambers F27D 1/141

OTHER PUBLICATIONS

NCCL-25, available Jan. 20, 2022, retrieved Dec. 5, 2022 from URL: <http://en.zjncds.com/product/NCCL-25-41.html> (Year: 2022).*

<https://www.amazon.com/Color-Changing-Rope-Lights-Christmas/dp/B08C54F97Z/?th=1> Color Changing Rope Lights, first available Aug. 21, 2020, retrieved Dec. 5, 2022 from URL: (Year: 2020).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4