



US00D984147S

(12) **United States Design Patent** (10) **Patent No.:** **US D984,147 S**  
**Gelderen et al.** (45) **Date of Patent:** **\*\* Apr. 25, 2023**

(54) **CHILD SAFELY SEAT**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Wonderland Switzerland AG,**  
Steinhausen (CH)

EM 008509616-0001 5/2021  
JP 1208451 6/2004

(Continued)

(72) Inventors: **Martijn Hans Van Gelderen,**  
Leiderdorp (NL); **Yingzhong Chen,**  
Guangdong (CN)

OTHER PUBLICATIONS

(73) Assignee: **Wonderland Switzerland AG,**  
Steinhausen (CH)

Publication material No. HA27002131, Child seat, the magazine of  
Automotive Aftermarket, JPO and INPIT, Japan, p. 83, May 1,  
2015, No. 690, ISSN 1346-0315.

(\*\*) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/807,798**

*Primary Examiner* — Abraham Bahta

(22) Filed: **Sep. 15, 2021**

(74) *Attorney, Agent, or Firm* — Winston Hsu

(30) **Foreign Application Priority Data**

Mar. 18, 2021 (CN) ..... 202130146271.9

(51) **LOC (14) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/333**

(58) **Field of Classification Search**

USPC ..... D6/333-336, 339, 344, 702, 716,  
D6/716.1-716.7; 297/183.1-183.4,  
297/184.13, 184.15, 184.17, 250.1, 255,  
297/256.1, 256.15, 219.12, 463.1;  
D12/129-130, 133; D21/412, 428, 419;  
280/30-31; 5/94, 98.1, 99.1, 101-102,  
5/105, 655, 93.1, 12.1; 24/200  
CPC ..... A47D 13/02; A47D 13/10; A47D 1/00;  
A47D 1/002; A47D 1/004; B60N 2/22;  
B60N 2/24; A47C 7/021; A47C 7/022;  
A47C 7/002; A47C 7/18; A47C 7/24;  
A47C 3/00; A47C 3/02; A47C 3/025;  
A47C 3/20;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D851,949 S \* 6/2019 Imrich ..... D6/333  
D859,858 S 9/2019 Imrich

(Continued)

(57) **CLAIM**


The ornamental design for a child safety seat, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a child  
safety seat, showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is a top, front, right side perspective view of the child  
safety seat of FIG. 1, shown in a condition of use with the  
side protector.

The broken lines in the drawings depict portions of the child  
safety seat that form no part of the claimed design. The  
broken lines showing the side protector in FIG. 8 depict  
environmental subject matter that forms no part of the  
claimed design.

**1 Claim, 8 Drawing Sheets**



(58) **Field of Classification Search**

CPC ... A47C 1/00; A47C 1/02; A47C 1/04; A47C  
1/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D876,111 S *	2/2020	Imrich .....	D6/333
D961,947 S *	8/2022	Gelderen .....	D6/333
D970,910 S *	11/2022	Liu .....	D6/333
D976,013 S *	1/2023	Duan .....	D6/333

FOREIGN PATENT DOCUMENTS

JP	1653900	3/2020
JP	1704518 S	1/2022
JP	1710665 S	3/2022
KR	30-1162347 S	5/2022
WO	DM/201694-002	7/2020

OTHER PUBLICATIONS

Publication material No. HA27002153, Child seat, the magazine of Car Graphic, JPO and INPIT, Japan, p. 195, Jun. 1, 2015, vol. 54, No. 6, ISSN 0915-1702.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8